

2005
DODGE RAM 2500/3500
(DH)



Jeep

CHRYSLER • PLYMOUTH • DODGE • JEEP

THE MOPAR DIFFERENCE

VIN PLATE DECODING INFORMATION


1	2	3	4	5	6	7	8	9	10	11	12 thru 17
Country	Make	Vehicle Type	Other	Line	Series	Body Style	Engine	Check Digit	Model Year	Assy. Plant	Sequence No.








The following table interprets the VIN Plate positions shown above.

Position	Interpretation	Codes = Description
1	Country of Origin	1 = U.S. 3 = Mexico
2	Make	D = Dodge
3	Vehicle type	2 = Incomplete with Side Airbag 3 = Truck with Side Airbag 6 = Incomplete without Side Airbag 7 = Truck without Side Airbag
4	GVWR & Pass. Safety	H=2722-3175 kg (6001-7000 lbs) W=Buses/Incomplete Vehicles with Hydraulic Brakes
5	Vehicle Line	A = Ram Pick Up (4x2) U = Ram Pick Up (4x4)
6	Series	1 = 1500 (DR1, DR6) 2 = 2500 (DR2, DR7) 3 = 3500 <u>w/o</u> 'AA9' (DR3, DR8) 4 = 3500 (DR3, DR8)
7	Body Style	6 = Conventional Cab (61, 62) 8 = Quad Cab Full Rear Doors (41, 42)
8	Engine	D = 5.7L 8 Cyl. SMPI (EZA) K = 3.7L 6 Cyl. MPI (EKG) N = 4.7L 8 Cyl. MPI (EVA) 6 = 5.9L 6 Cyl. Turbo Diesel (ETC) C = 5.9L 6 Cyl. Turbo Diesel H/O (ETH) W = 8.0L 10 Cyl. MPI (EWA) Z = 5.9L 8 Cyl. MPI-LDC (EML)
9	Check Digit	0 through 9 or X
10	Model Year	5 = 2005
11	Assembly Plant	S = Dodge City G = Saltillo J = St. Louis (North)
12 thru 17	Vehicle Build Sequence	Model Year Assembly Sequence

Group – 001

Component Parts for Mopar Accessories



001-100 Audio & Electronics	001-200 Carriers & Cargo Hauling	001-300 Driving Convenience	001-400 Exterior Appearance
			
001-500 Exterior Protection	001-600 Fog Lights & Electrical	001-900 Security	
			

GROUP 1 - Component Parts for Mopar Accessories

Illustration Title

Group-Fig. No.

Audio & Electronics

Player Kit - CD Changer 6 Disc	Fig. 001-110
Satellite Receiver Kit	Fig. 001-120
Navigation Kit (RB1) With RB1 Radio	Fig. 001-150
Navigation Kit (RB4) With RB4 Radio	Fig. 001-160

Carriers & Cargo Hauling

Wiring Package - Trailer Tow 7 Way	Fig. 001-240
Adapter Kit - Ball Mount	Fig. 001-250
Cover Kit - Tonneau Hard, One Piece	Fig. 001-255
Cover Kit - Tonneau Hard, Gull Wing	Fig. 001-256
Cover Kit - Tonneau Soft	Fig. 001-257

Driving Convenience

Remote Start - Installation Kit	Fig. 001-310
Diesel Exhaust Brake Kit	Fig. 001-320

Exterior Appearance

Accent Kit for Premium Running Boards	Fig. 001-430
---	--------------

Exterior Protection

Grille Kit / Chrome Applique	Fig. 001-520
Liner Kit / Wheel House	Fig. 001-522
Skid Plate Transfer Case	Fig. 001-534

Fog Lights & Electrical

Light Kit - Fog	Fig. 001-610
Hands-Free Kit/ Cell Phone-Blue Tooth	Fig. 001-620

Security


Alarms - EVS II, Without Keyless Entry	Fig. 001-910
Alarm Package - Security with Sentry Key	Fig. 001-914
Factory keyless Entry	Fig. 001-916

Player Kit - CD Changer 6 Disc
Figure 001-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: For Warranty Repair on Item 3, Order Using Z Prefix

1	8220 7483	1	PLAYER KIT, CD Changer - 6 Disc
2	4797 433	1	MAGAZINE, CD Changer
3			CHANGER, CD, (NOT SERVICED) (Not Serviced)




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Satellite Receiver Kit
Figure 001-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; For Warranty Repair On Item 3, Order Using Z Prefix

1	82206 488AB	1							RECEIVER, Satelite
2	5066 205AC	1							ANTENNA, Satellite
3	5064 020AJ	1							RECEIVER, Satellite


DODGE RAM 2500/3500 (DH)										
SERIES	LINE	BODY		ENGINE		TRANSMISSION				
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EZA = 5.7L HEMI Magnum V8		DDP = 5 Spd. Manual (4500)				
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		ETH = 5.9LD Cummins HO		DGQ = Multi-Speed Auto.(45RFE)				
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)				DG8 = 4 Spd. Auto.(48RE)				
		62 = Reg. Cab (140.5 WB)				DEE = 6 Spd. Manual (5600)				
						DEG = 6 Spd. Manual				

Navigation Kit (RB1) With RB1 Radio
Figure 001-150

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: For Warranty Repair On Item 2, Order Using Z Prefix

1	82208 715AB	1							RADIO, AM/FM CD W/NAV/DVD & CD-CTRL
2	56038 629AG	1							RADIO, AM/FM CD W/NAV/DVD & CD-CTRL
3	56038 630AA	1							ANTENNA, GPS
4	5064 033AA	1							DVD, Geographic Database




DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Navigation Kit (RB4) With RB4 Radio
Figure 001-160



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note: For Warranty Repair on Item 2, Order Using Z Prefix

1	8220 8481	1							RADIO, AM/FM CD W/NAV/DVD & CD-CTRL
2	56043 286AE	1							RADIO, AM/FM CD W/NAV/DVD & CD-CTRL
3	5094 003AA	1							ANTENNA, Satellite
4	5091 501AG	1							COMPACT DISC, Navigation

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

[illegible]

September 19, 2005

Adapter Kit - Ball Mount Figure 001-250





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7411	1							ADAPTER KIT, Ball Mount
2	5016 666AA	1							PIN, Hitch
3									BALL KIT, Trailer Tow
	8240 1102	1							1&7/8 Inch Ball, 1 Inch Shank
	8240 1103	1							2 Inch Ball, 1 Inch Shank

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Cover Kit - Tonneau Hard, One Piece
Figure 001-255






ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7082	1			41				COVER KIT, Tonneau-Hard
2	5018 067AA	1			41				GAS PROP KIT, tonneau-hard
		1			41				[ZJK]
		1			41				[DX8]
		1			41				[ZBJ]
		1			41				[WB7]
		1			41				[WB7] W/6.5' Bed
		1			41				[WS2]
		1			41				[BR8]
		1			41				[GW7]
3	5018 117AA	1			41				LOCK KIT, hard-tonneau
4	5018 343AA	1			41				KEY, Master

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Cover Kit - Tonneau Hard, Gull Wing
Figure 001-256



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COVER KIT, Tonneau-Hard
	8220 7091	1			41				Flame Red Clear Coat
	8220 7092	1			41				Light Almond Pearl
	8220 7097	1			41				Black
	8220 7098	1			41				Bright Silver Metallic [WSB]
	8220 7099	1			41				Bright White [GW7]
	8220 7100	1			41				Atlantic Blue
	8220 7103	1			41				Patriot Blue [WBT]
	8220 7761	1			41				Patriot Blue [WB7]
	8220 8321	1			41				Molten Red
	8220 8525	1			41				Bright Silver Metallic [WS2]
2	5018 067AA	1			41				GAS PROP KIT, tonneau-hard
3	5135 239AA	1			41				GAS PROP KIT, tonneau-hard
4	5018 117AA	1			41				LOCK KIT, hard-tonneau
5	5018 343AA	1			41				KEY, Master


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Cover Kit - Tonneau Soft
Figure 001-257




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	82208 129AB	1			41				COVER, Tonneau, Includes Items 2-7, 17,18,19
2	5139 863AA	1			41				COVER ASSY, Tonneau, Cover Only
3	55276 842AA	1			41				RAIL, Tonneau Cover
4	55276 843AA	1			41				RAIL, Tonneau Cover
5	5096 071AA	1			41				BOW, Tonneau Cover, Bow #1
6	5096 072AA	1			41				BOW, Tonneau Cover, Bow #2
7	5096 073AA	1			41				BOW, Tonneau Cover, Bow #3
8	5166 574AA	1			41				BOW, Tonneau Cover
9	82208 130AB	1			42, 62				COVER, Tonneau, Includes Items 10-19
10	5139 864AA	1			42, 62				COVER ASSY, Tonneau, Cover Only
11	55276 840AA	1			42, 62				RAIL, Tonneau Cover
12	55276 841AA	1			42, 62				RAIL, Tonneau Cover
13	5096 075AA	1			42, 62				BOW, Tonneau Cover, Bow #1
14	5096 076AA	1			42, 62				BOW, Tonneau Cover, Bow #2
15	5096 077AA	1			42, 62				BOW, Tonneau Cover, Bow #3
16	5096 078AA	1			42, 62				BOW, Tonneau Cover, Bow #4
17	55276 839AA	1			42, 62				RAIL ASSY, tonneau w/frame
18	55276 868AB	1			42, 62				CLAMP, Tonneau
19	5086 899AA	1			42, 62				RETAINER, Tonneau Cover Hook

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Remote Start - Installation Kit
Figure 001-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 8863	1							INSTALL KIT, REMOTE START
2	5140 471AA	1							ANTENNA
3	5140 470AA	1							ANTENNA
4	5140 472AA	1							TRANSMITTER
5	5140 473AA	1							SWITCH
6	5140 474AA	1							LABEL
7	5140 773AA	1							BATTERY, Transmitter
8									HARNESS, HARNESS-ENGINE, Serviced in Electrical, (NOT SERVICED) (Not Serviced)
9	8220 8859	1							MODULE KIT, REMOTE START

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Diesel Exhaust Brake Kit
Figure 001-320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 8835	1							EXHAUST BRAKE KIT
2	5114 188AA	1							BELT With Out A/C
	53041 270AA	1							With A/C
3	5102 084AA	1							PUMP, Vacuum
4	5102 082AA	1							SWITCH, Exhaust Brake
5	5013 772AA	1							SOLENOID, Vacuum
6									BRAKE, (NOT SERVICED) (Not Serviced)
7	5127 323AA	1							WIRING
8	5114 553AA	1							GASKET, exhaust brake

DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EZA = 5.7L HEMI Magnum V8		DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		ETH = 5.9LD Cummins HO		DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)				DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)				DEE = 6 Spd. Manual (5600)			
						DEG = 6 Spd. Manual			

Accent Kit for Premium Running Boards
Figure 001-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

[P.A.R.] = Paint as required

Air Dam includes all hardware required for installation

1									ACCENT KIT, Running Board
	8220 8599	1			41				[DX8] Sport
	8220 8601	1			41				[ZBJ] Sport
	8220 8602	1			41				[PR4] Sport
	8220 8603	1			41				[GW7] Sport
	8220 8604	1			41				[WSB] [SWB] Sport
	8220 8605	1			41				Paint As Required
	8220 9050	1			41				Mineral Gray Sport
2									AIR DAM
	5096 348AA	1			41				[WSB] [SWB] Sport
		1			41				[ZBJ] Sport
		1			41				[PR4] Sport
		1			41				[GW7] Sport
		1			41				Mineral Gray Sport
		1			41				Paint As Required
		1			41				[DX8] Sport




DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Grille Kit / Chrome Applique
Figure 001-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7849	1							GRILLE KIT, Chrome Applique
2									GRILLE, Panel
	5073 296AA	1							Right
	5073 297AA	1							Left
3	5073 327AA	1							RETAINER

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Liner Kit / Wheel House Figure 001-522


[illegible]

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Skid Plate Transfer Case
Figure 001-534




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7963	1	7, 8		41, 42, 62				PLATE PACKAGE, Skid - Transfer Case
2	52022 046AD	1	7, 8		41, 42, 62				CROSSMEMBER, Skid Plate
3	52022 047AB	1	7, 8		41, 42, 62				SKID PLATE, Transfer Case
4	6507 342AA	8	7, 8						SCREW, M8x1.25x30, M8 HEX HD

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Light Kit - Fog
Figure 001-610




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 8102	1							LIGHT PACKAGE, Fog
2	5096 300AA	1							SWITCH, Fog Lamp
3	55077 474AB	1							LAMP AND BRACKET, Fog Lamp, Right
4	55077 475AB	1							LAMP AND BRACKET, Fog Lamp, Left
5	55077 238AD	1							BEZEL, Fog Lamp, Right
6	55077 239AD	1							BEZEL, Fog Lamp, Left
7									WIRING, Fog Lamp, Serviced in package, (NOT SERVICED) (Not Serviced)
-8	L000 9006	1							BULB, Headlamp
-9	5600 6709	1							RELAY, Mini

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Hands-Free Kit/ Cell Phone-Blue Tooth
Figure 001-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	82207 853AC	1							HANDS FREE KIT, Cellular Phone
2	5114 359AC	1							MODULE, U Connect
3	5102 026AA	1							SPEAKER, Front
4	5102 025AA	1							MICROPHONE, Audio
5	5102 027AA	1							CONTROLLER, Audio

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Alarms - EVS II, Without Keyless Entry
Figure 001-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 3763	1							MODULE KIT, Alarm without Keyless
2	8220 3198	1							SIREN, Alarm
3	4636 141	1							BATTERY, Transmitter
4	4886 374AA	1							TRANSMITTER, Alarm or Keyless
5	5012 164AA	1							MODULE, Security Alarm
-6	4886 259AA-	1							INDICATOR, Valet Status
-7	4886 258AA-	1							SWITCH, Programing Bypass

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Alarm Package - Security with Sentry Key
Figure 001-914




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 8985	1							ALARM PACKAGE, Security With Sentry Key
2	56045 275AC	1							MODULE, Immobilizer
3	5018 690AA	1							KEY, Blank
4									SENSOR KIT, Shock, (NOT SERVICED) (Not Serviced)

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Factory keyless Entry
Figure 001-916



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	8220 7153	1							MODULE PACKAGE, Keyless Entry
2	56045 755AB	1							RECEIVER, Keyless Entry
3	4686 481AC	1							TRANSMITTER, Keyless Entry

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – 002
Front Suspension & Drive

GROUP 2 - Front Suspension & Drive

Illustration Title Group-Fig. No.

Front Suspension

Upper and Lower Control Arms,Springs and Shocks,DH 2,3	Fig. 002-110
Upper and Lower Control Arms,Springs and Shocks,DH 7,8	Fig. 002-120
Front Sway Bar,DH 2,3	Fig. 002-130
Front Sway Bar [SHA] and Track Bar,DH 7,8	Fig. 002-140
Front Sway Bar With Disconnect [SHG] DH 7	Fig. 002-150

Front Axle Drive Shafts

Axle Shafts,Front, DH 7,8	Fig. 002-210
---------------------------------	--------------

Front Axle Housing


Axle Housing,Front,American Axle,9.25 [DJQ,DJX] DH 7,8	Fig. 002-310
--	--------------






Front Axle Assembly

Axle Assembly,Front,American Axle,9.25 [DJQ,DJX],DH 7,8	Fig. 002-410
---	--------------


Front Axle Differential

Differential,Front,American Axle,9.25 [DJQ,DJX],DH 7,8	Fig. 002-610
--	--------------



002-100 Front Suspension	002-200 Front Axle Drive Shafts	002-300 Front Axle Housing	002-400 Front Axle Assembly
			
002-600 Front Axle Differential			
			

Upper and Lower Control Arms,Springs and Shocks,DH 2,3
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;
[WLA]=Wheels - Dual Rear
[ZFA] Through [ZVJ] = Spring sales codes will be found on Vehicle Identification Number [VIN] Sales Code Listing.


1	52106 776AE	2	2, 3						ARM, Upper Control, Front, Complete Assembly, Right or Left
2	6503 029	2							NUT, Hex, M12x1.25, Shock, Mounting
3	5203 8257	2							RETAINER, Shock Absorber, Upper
4	52106 742AA	2							GROMMET, Shock Absorber, Upper
5	52106 717AA	2	2, 3						ISOLATOR, Spring, Upper
6	6505 623AA	2	2, 3						NUT AND WASHER, UCA Ball Joint, Mounting
7									SPRING, Front Coil
	52113 901AA	1	2, 3						[ZFA,ZUA]
	52113 902AA	1	2, 3						[ZFB,ZUB]
	52113 903AA	1	2, 3						[ZFC,ZUC]
	52113 904AA	1	2, 3						[ZFD,ZUD]
	52113 905AA	1	2, 3						[ZFE,ZUE]
	52113 906AA	1	2, 3						[ZFF,ZUF]
	52113 907AA	1	2, 3						[ZFG,ZUG]
	52113 908AA	1	2, 3						[ZFH,ZUH]
	52113 909AA	1	2, 3						[ZFJ,ZUJ]
	52113 910AA	1	2, 3						[ZFK,ZUK]
	52113 911AA	1	2, 3						[ZFL,ZUL]
	52113 912AA	1	2, 3						[ZFM,ZUM]
	52113 913AA	1	2, 3						[ZFN,ZUN]
	52113 914AA	1	2, 3						[ZFP,ZUP]
	52113 931AA	1	3						[ZGA,ZVA,WLA]
	52113 932AA	1	3						[ZGB,ZVB,WLA]
	52113 933AA	1	3						[ZGC,ZVC,WLA]
	52113 934AA	1	3						[ZGD,ZVD,WLA]
	52113 935AA	1	3						[ZGE,ZVE,WLA]
	52113 936AA	1	3						[ZGF,ZVF,WLA]
	52113 937AA	1	3						[ZGG,ZVG,WLA]
	52113 938AA	1	3						[ZGH,ZVH,WLA]
	52113 939AA	1	3						[ZGJ,ZVJ,WLA]
8									KNUCKLE, Front
	52106 790AB	1	2, 3						Right
	52106 791AB	1	2, 3						Left
9									ARM, Lower Control, Front
	52106 766AH	1	2, 3						Right

DODGE RAM 2500/3500 (DH)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)				
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)				
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)				
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)				
				DEG = 6 Spd. Manual				

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Upper and Lower Control Arms,Springs and Shocks,DH 2,3
Figure 002-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52106 767AH	1	2, 3						Left
-10	6034 969	1	2, 3						SNAP RING, Control Arm
11	5086 980AA	1	2, 3						BALL JOINT PACKAGE, Lower Control Arm, Right or Left
12	6506 085AA	2	2, 3						STUD, Shock Lower, Mounting
13	6507 079AA	1	2, 3						NUT, Hex Flange Lock, LCA Ball Joint, Mounting
14	52121 766AA	1	2, 3						BUSHING, Control Arm, Lower Front
15	52113 056AB	1	2, 3						BUSHING, Control Arm, Lower Rear
16	6102 252AA	4	2, 3						NUT, Hex Flange Lock, LCA to Frame, Mounting
17	52106 747AA	2	2, 3						GROMMET, Shock Absorber, Lower
18	5203 8258	2	2, 3						RETAINER, Shock Absorber, Lower
19									SHOCK ABSORBER PACKAGE, Suspension, Front
	5086 561AC	2	2, 3						[Z2A,Z2B,Z3D]
	5086 565AD	2	2						[Z2C]
	5086 590AD	2	3						[Z3C,Z3D,Z3E]
20	6101 695	4	2, 3						NUT, Hex Flange Lock, Shock Lower, Mounting
21	52113 300AA	2	2, 3						BUMPER, Jounce, LCA
22	6507 530AA	4	2, 3						SCREW, Hex Flange Head, LCA to Frame, Mounting
23	6508 043AA	4	2, 3						BOLT AND RETAINER, Hex Head, UCA to Frame, Mounting
24	6102 252AA	4	2, 3						NUT, Hex Flange Lock, UCA to Frame, Mounting


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Upper and Lower Control Arms,Springs and Shocks,DH 7,8

Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6503 029	2							NUT, Hex, M12x1.25, Shock
2	5203 8257	2							Mounting, Upper
3	52106 742AA	2							RETAINER, Shock Absorber, Shock
4	6502 696	6	7, 8						Mounting, Upper
5	5203 8111	2	7, 8						NUT, Hex Flange Lock, M10x1.5,
6	5203 8105	2	7, 8						Shock Bracket to Frame, Mounting
7	52037 719AC	2	7, 8						BRACKET, Upper Shock Cup
8	52113 685AA	2	7, 8						RING, Shock Absorber, With Studs,
9	52106 784AD	2	7, 8						Mounting
10	6502 698	4	7, 8						ISOLATOR, Spring
11	6507 430AA	2	7, 8						BUMPER, Jounce
12									ARM, Upper Control, Front
	6102 252AA	2	7, 8						NUT, Hex Flange Lock, UCA to
		2	7, 8						Frame and Axle, Mounting
13	6505 444AA	2	7, 8						BOLT AND RETAINER, Hex Head,
14									UCA to Frame, Mounting
	52106 774AD	2	7, 8						NUT, Hex Flange Lock
	52121 917AA	2	7, 8						LCA to Axle, Mounting
15	6505 741AA	2	7, 8						LCA to Frame, Mounting
16	6505 742AA	2	7, 8						SCREW, Hex Flange Head, LCA to
17	6506 033AA	2	7, 8						Frame, Mounting
18	6502 818	2	7, 8						ARM, Control
19	6502 817	2	7, 8						[ACP]
20									WASHER, Flat, LCA to Axle,
	5134 155AA	2	7, 8						Mounting
	5086 591AE	2	7, 8						SCREW, LCA to Axle, Mounting
	5134 162AA	2	7						BOLT, Hex Flange Head, M14x2.
	5086 594AC	2	7						0x105, UCA to Axle, Mounting
									BOLT, Hex Flange Head, M14x2.
									00x80, Shock Mounting, Lower
									LOCK NUT, M14-2.00, Shock
									Mounting, Lower
									SHOCK ABSORBER PACKAGE,
									Suspension, Front
									[Z7A,Z7B,Z8E,AWL]
									[Z7A,Z7B,Z8E]
									[Z7C,AWL]
									[Z7C]

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION


DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Upper and Lower Control Arms,Springs and Shocks,DH 7,8

Figure 002-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5139 160AB	2	7		41, 62				[Z7D]
	5134 163AA	2	8						[Z8C,Z8F,AWL]
	5086 599AC	2	8						[Z8C,Z8F]
21	5203 8258	2							RETAINER, Shock Absorber, Lower
22	52106 747AA	2							GROMMET, Shock Absorber, Lower
23									SPRING, Front Coil
	52122 800AA	1	7, 8						[ZAA,ZNA]
	52122 801AA	1	7, 8						[ZAB,ZNB]
	52121 802AA	1	7, 8						[ZAC,ZNC]
	52121 803AA	1	7, 8						[ZAD,ZND]
	52121 804AA	1	7, 8						[ZAE,ZNE]
	52121 805AA	1	7, 8						[ZAF,ZNF]
	52121 806AA	1	7, 8						[ZAG,ZNG]
	52122 555AA	1	7		41, 62				[ZBA,ZPA]
	52122 556AA	1	7		41, 62				[ZBB,ZPB]
	52122 557AA	1	7		41, 62				[ZBC,ZPC]
	52122 558AA	1	7		41, 62				[ZBD,ZPD]
	52122 559AA	1	7		41, 62				[ZBE,ZPE]
	52122 560AA	1	7		41, 62				[ZBF,ZPF]
	52122 561AA	1	7		41, 62				[ZBG,ZPG]
	52122 562AA	1	7		41, 62				[ZBH,ZPH]
	52113 977AA	1	7, 8						[ZEA,ZTA]
	52113 978AA	1	7, 8						[ZEB,ZTB]
	52113 979AA	1	7, 8						[ZEC,ZTC]
	52113 980AA	1	7, 8						[ZED,ZTD]
	52113 981AA	1	7, 8						[ZEE,ZTE]
	52113 982AA	1	7, 8						[ZEF,ZTF]
	52113 983AA	1	7, 8						[ZEG,ZTG]
	52113 984AA	1	7, 8						[ZEH,ZTH]
	52113 985AA	1	7, 8						[ZEJ,ZTJ]
	52113 986AA	1	7, 8						[ZEK,ZTK]
	52113 987AA	1	7, 8						[ZEL,ZTL]
	52113 988AA	1	7, 8						[ZEM,ZTM]

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Front Sway Bar,DH 2,3
Figure 002-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6506 746AA	2	2, 3						NUT, Hex Lock, M10x1.5, Swar Bar Link to Sway Bar, Mounting
2	5203 8115	2	2, 3						RETAINER, Sway Bar
3	5203 7916	4	2, 3						GROMMET, Link
4	5203 8116	2	2, 3						RETAINER, Sway Bar
5	5086 972AB	2	2, 3						LINK PACKAGE, Sway Bar
6	52106 839AA	1	2, 3						BAR, Front Sway
7	52013 406AA	2	2, 3						BUSHING, Sway Bar
8	52110 141AB	2	2, 3						RETAINER, Sway Bar, Bushing
9	6506 093AA	4							SCREW AND WASHER, Hex Head, M10x1.50x35, Sway Bar Retainer to Frame, Mounting
10	6502 697	2	2, 3						NUT, Hex Flange Lock, M12x1.75, Swar Bar Link to LCA

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Front Sway Bar [SHA] and Track Bar,DH 7,8 Figure 002-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes									
[SHA]=Front Stabilizer Bar									
[SHG]=Front Disconnection Stabilizer Bar									
1	6503 576	1	7, 8						BOLT, Hex Flange Head, M14x2.00x67.50, Track Bar to Axle, Mounting
2	6506 443AA	2	7, 8						NUT, Nylock Hex, M10x1.5, Sway Bar Link to Axle, Mounting
3									NUT AND RETAINER, Hex Flange Locking, M14 x 2.00
	6507 810AA	1	7, 8						Track Bar to Axle, Mounting
		1	7, 8						Track Bar to Frame, Mounting
4	5093 111AA	2	7, 8						LINK PACKAGE, Sway Bar
5	6506 746AA	2	7, 8						NUT, Hex Lock, M10x1.5, Sway Bar Link to Sway Bar, Mounting
6	5203 8115	2	7, 8						RETAINER, Sway Bar, Mounting
7	5203 7916	4	7, 8						GROMMET, Link
8	5203 8116	2	7, 8						RETAINER, Sway Bar, Mounting
9									TRACK BAR, Front
	52106 795AC	1	7, 8						[Z7A,Z7B,Z7C,Z8C,Z8D,Z8E]
	52121 235AA	1	7, 8						[Z7D]
10	6506 093AA	4							SCREW AND WASHER, Hex Head, M10x1.50x35, Sway Bar to Frame, Mounting
11									BRACKET, Track Bar
	52021 423AB	1	7			41			Rear
		1	7			42			Rear
		1	7			62			Rear
		1	8			41			Rear
		1	8			42			Rear
		1	8			62			Rear
12									BRACKET, Track Bar
	52021 422AB	1	7			41			Front
		1	7			42			Front
		1	7			62			Front
		1	8			41			Front
		1	8			42			Front
		1	8			62			Front
13	52106 813AB	1	7, 8						BAR, Front Sway, [SHA]
14	52037 710AB	2	7, 8						RETAINER, Sway Bar, [SHA], Mounting

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front Sway Bar [SHA] and Track Bar,DH 7,8
Figure 002-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	52113 085AB	2	7, 8						BUSHING, Sway Bar, [SHA], Mounting
16	52021 590AA	1	7		41				BRACKET, Stabilizer Bar
		1	7		42				
		1	7		62				
		1	8		41				
		1	8		42				
		1	8		62				

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front Sway Bar With Disconnect [SHG] DH 7
Figure 002-150



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5139 522AA	2	7		41, 62				LINK PACKAGE, Sway Bar
2	6502 698	2	7		41, 62				NUT, Hex Flange Lock, Link to Sway Bar, Mounting
3	6506 443AA	2	7		41, 62				NUT, Nylock Hex, M10x1.5, Link to Axle, Mounting
4	52037 710AB	1	7		41, 62				RETAINER, Sway Bar, Left
5	52113 085AB	2	7		41, 62				BUSHING, Sway Bar
6	52121 238AB	1	7		41, 62				BAR, Front Sway
7	52128 501AA	1	7		41, 62				ISOLATOR
8	52855 311AB	1	7		41, 62				RETAINER, Sway Bar, Right
9	5139 550AA	1	7		41, 62				BOLT


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Shafts,Front, DH 7,8
Figure 002-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SHAFT, Axle
	5086 666AB	1	7, 8						Right
	5086 667AB	1	7, 8						Left
2	5086 668AB	1	7, 8						SHAFT, Stub, Right or Left
3	5086 665AB	1	7, 8						U JOINT, Right or Left
4	5086 686AA	1	7, 8						SEAL, Axle Drive Shaft, Right or Left
-5	5127 826AA-	4	7, 8						SNAP RING, For U-Joint




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Front,American Axle,9.25 [DJQ,DJX] DH 7,8
Figure 002-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:Sales Codes;

[DMU]=Axle Ratio - 4.56

1	J535 2955	1	7, 8						VENT, Axle, Upper
2	6032 633AB	1	7, 8						CLIP, Vent Tube
3	HFV00 516AB	1	7, 8						HOSE, Fuel And Vapor, 25 Foot Roll 5/16"
4	4809 389AA	1	7, 8						CLIP, Axle Vent Hose, Mounting
5	6500 651	1	7, 8						CLAMP, Hose, 5/16" Stainless Steel, Lower
6	5086 698AB	1	7, 8						VENT, Axle Except [DMU], Lower
	5175 283AA	1	7		41, 62				[DMU], Lower
7	5086 672AB	2	7, 8						BALL JOINT PACKAGE, Upper, Right or Left
8	5086 670AA	1	7, 8						BRACKET, Brake Sensor Wire ABS, Right
	5086 671AA	1	7, 8						ABS, Left
9	5086 673AA	2	7, 8						NUT, Steering Knuckle Socket
10	5086 678AA	1	7, 8						KNUCKLE, Front Right
	5086 679AA	1	7, 8						Left
11	5086 675AA	2	7, 8						NUT, Steering Knuckle Socket
12	5086 676AA	2	7, 8						RING, Ball Joint
13	5086 674AB	2	7, 8						BALL JOINT PACKAGE, Lower, Right or Left
14	5086 684AA	1	7, 8						HOUSING, Axle Except [DMU]
	5175 274AA	1	7		41, 62				[DMU]
15	5086 682AA	1	7, 8						GASKET, Front Axle Cover
16	5086 681AA	1	7, 8						PLUG, Differential Cover
17	5086 683AA	14	7, 8						BOLT, Differential Cover, Mounting
18	5086 680AB	1	7, 8						COVER PACKAGE, Differential
19	5086 685AA	4	7, 8						BOLT, Differential, Bearing Cap, Mounting

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005

Axle Assembly,Front,American Axle,9.25 [DJQ,DJX],DH 7,8
Figure 002-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;
[DJQ]=Axle - Front,9.25
[DJX]=Axle - Front,9.25 W/Hub Extensions
[DME]=Axle Ratio - 3.73
[DMF]=Axle Ratio - 4.10
[DMU]=Axle Ratio - 4.56

1									AXLE, Service Front
	5086 716AA	1	7, 8						[DJQ,DME,BRT]
		1	8		42, 62				[DJX,DME,BRT]
	5086 677AA	1	7, 8						[DJQ,DMF,BRT]
		1	8		42, 62				[DJX,DMF,BRT]
	5175 272AA	1	7		41, 62				[DJQ,DMU,DSE]




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Differential,Front,American Axle,9.25 [DJQ,DJX],DH 7,8
Figure 002-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes; Note:Differential case parts for trucks with DMU,DSE sales codes,you must order the case assembly. [DJQ]=Axle - Front,9.25 [DJX]=Axle - Front,9.25 W/Hub Extensions [DME]=Axle Ratio - 3.73 [DMF]=Axle Ratio - 4.10 [DMU]=Axle Ratio - 4.56									
1	5086 704AA	1	7, 8						NUT, Pinion Yoke
2	5086 703AA	1	7, 8						WASHER, Pinion Yoke
3	5086 696AA	1	7, 8						YOKE, Axle
	5175 273AA	1	7		41, 62				[DME,DMF] Only [DMU,DSE]
4	5086 697AB	1	7, 8						SEAL, Drive Pinion
5	5086 690AA	1	7, 8						BEARING, Drive Pinion, Bearing and Cup, Front
6	5086 702AA	1	7, 8						SPACER, Drive Pinion Bearing, Crush
7	5086 688AA	1	7, 8						BEARING, Drive Pinion, Bearing and Cup, Rear
8	5086 705AA	1	7, 8						SHIM KIT, Pinion Shaft [.054" to.059"]
	5086 706AA	1	7, 8						[.061" to .072"]
	5086 707AA	1	7, 8						[.074" to .084"]
	5086 708AA	1	7, 8						[.087" to.098"]
9	5086 692AB	1	7, 8						GEAR PACKAGE, Differential, [DME, DMF] Only
10	5086 686AA	2	7, 8						SEAL, Axle Drive Shaft
11	5086 699AA	2	7, 8						ADJUSTER, Differential Bearing
12	5086 689AA	2	7, 8						BEARING, Differential, Consists of 1 Bearing and 1 Cup
13	5086 701AA	12	7, 8						BOLT, Ring Gear
	5175 277AA	12	7		41, 62				[DME,DMF] Only, Mounting [DMU,DSE], Mounting
14	5086 693AA	1	7, 8						SHAFT, Differential Pinion, [DME, DMF] Only
15	5086 694AA	1	7, 8						SCREW, Differential, [DME,DMF] Only
16	5086 695AA	2	7, 8						BOLT, Bearing Adjuster Lock
17	5086 687AA	2	7, 8						LOCK, Differential Bearing, Adjuster
18	5086 717AB	1	7, 8						GEAR PACKAGE, Ring And Pinion [DME]


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Differential,Front,American Axle,9.25 [DJQ,DJX],DH 7,8
Figure 002-610**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	5086 700AB	1	7, 8						[DMF]
	5175 285AB	1	7		41, 62				[DMU,DSE]
									CASE, Differential
	5086 691AA	1	7, 8						[DME,DMF] With Internal Parts
	5175 278AA	1	7		41, 62				[DMU,DSE] With Internal Parts

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual




Group – 003

Rear Axle




GROUP 3 - Rear Axle

Illustration Title	Group-Fig. No.
Rear Axle	
Axle Assembly,Rear,American Axle 10.5'[DRW],DH 2,7	Fig. 003-110
Axle Assembly,Rear,American Axle 11.5' [DRQ,DRX] DH 2,3,7,8	Fig. 003-120
Differential and Housing	
Axle Housing,Rear,With Differential Parts and Axle Shafts,American Axle 10.5' [DRW] DH 2,7	Fig. 003-210
Axle Housing,Rear,With Differential Parts and Axle Shafts,American Axle 11.5' [DRQ,DRX] DH 2,3,7,8	Fig. 003-220
Rear Axle Vent	
Vent, Axle	Fig. 003-310

003-100 Rear Axle	003-200 Differential and Housing	003-300 Rear Axle Vent	
			

Axle Assembly,Rear,American Axle 10.5'[DRW],DH 2,7
Figure 003-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;
[DME]=Axle Ratio - 3.73
[DMF]=Axle Ratio - 4.10
[DMU]=Axle Ratio - 4.56
[DRW]=Axle - Rear,10.50
[DSA]=Axle - Anti-Spin Differential
[DSE]=Tru-Lok Front and Rear Axles

1									AXLE, Service Rear
	5127 608AB	1	2						[DME]-Tag 52104658AG
	5127 611AB	1	2						[DME,DSA]-Tag 52104659AG
	5127 617AB	1	2						[DMF]-Tag 52104507AI
	5127 618AB	1	2						[DMF,DSA]-Tag 52104508AI
	5127 619AB	1	7						[DME]-Tag 52104661AG
	5127 620AB	1	7						[DME,DSA]-Tag 52104662AG
	5127 621AB	1	7						[DMF]-Tag 52104511AI
	5127 622AB	1	7						[DMF,DSA]-Tag 52104512AI
	5175 289AA	1	7		41, 62				[DMU,DSE]-Tag 52114218AC
	5189 948AA	1	7		41, 62				[DMU,DSE]-Tag 52114218AE

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Axle Assembly,Rear,American Axle 11.5' [DRQ,DRX] DH 2,3,7,8
Figure 003-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;
[DME]=Axle Ratio - 3.73
[DMF]=Axle Ratio - 4.10
[DRQ]=Axle - Rear,11.50
[DRX]=Axle - Rear,11.50, Dual Wheels
[DSA]=Axle -Anti-Spin Differential


1									AXLE, Service Rear
	5127 623AA	1	2, 3						[DRQ,DME] Tag 52104663AG
	5127 624AA	1	2, 3						[DRQ,DME,DSA] Tag 52104664AG
	5127 625AA	1	2, 3						[DRQ,DMF] Tag 52104515AI
	5127 626AA	1	2, 3						[DRQ,DMF,DSA] Tag 52104516AI
	5127 627AA	1	7, 8						[DRQ,DME] Tag 52104665AG
	5127 628AA	1	7, 8						[DRQ,DME,DSA] Tag 52104666AG
	5127 629AA	1	7, 8						[DRQ,DMF] Tag 52104519AI
	5127 630AA	1	7, 8						[DRQ,DMF,DSA] Tag 52104520AI
	5127 640AA	1	3		42, 62				[DRX,DME] Tag 52104667AG
	5127 641AA	1	3		42, 62				[DRX,DME,DSA] Tag 52104668AG
	5127 642AA	1	3		42, 62				[DRX,DMF] Tag 52104523AI
	5127 643AA	1	3		42, 62				[DRX,DMF,DSA] Tag 52104524AI
	5127 636AA	1	8		42, 62				[DRX,DME] Tag 52104669AG
	5127 637AA	1	8		42, 62				[DRX,DME,DSA] Tag 52104670AG
	5127 638AA	1	8		42, 62				[DRX,DMF] Tag 52104527AI
	5127 639AA	1	8		42, 62				[DRX,DMF,DSA] Tag 52104528AI

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts and Axle Shafts,American Axle 10.5' [DRW] DH 2,7
 Figure 003-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes; [DME]=Axle Ratio - 3.73 [DMF]=Axle Ratio - 4.10 [DMU]=Axle Ratio - 4.56 [DRW]=Axle - Rear,10.50 [DSA]=Axle - Anti-Spin Differential [DSE]=Tru-Lok Front & Rear Axles									
1	5086 770AB	16	2						BOLT Axle to Hub, Mounting
		16	7						Axle to Hub, Mounting
2	5086 775AB	2	2						SHAFT, Axle
		2	7						[DME,DMF], Right or Left
	5086 902AB	2	7		41, 62				[DMU], Right or Left
3	5086 767AB	2	2						GASKET, Axle Shaft
		2	7						Axle to Hub, Mounting
4	5086 782AA	1	2						NUT, Pinion Yoke
		1	7						
5	5086 781AA	1	2						WASHER, Pinion Yoke
		1	7						
6	5127 609AA	1	2						YOKE, Axle
		1	7						[DME,DMF]
		1	7		41, 62				[DMU]-Tag 52114218AC
	5189 950AA	1	7		41, 62				[DMU]-Tag 52114218AE
7	5086 789AA	1	2						SEAL, Drive Pinion
		1	7						
8	5086 780AB	1	2						BEARING, Drive Pinion
		1	7						Bearing and Cup, Front
9	6035 887	1							Bearing and Cup, Front
									STUD, Axle Housing, Wheel Speed
10	56028 187AE	1							Sensor, Mounting
11	5086 787AA	1	2						SENSOR, Wheel Speed
		1	7						SPACER, Drive Pinion Bearing
									Crush
									Crush
12									HOUSING, Rear Axle

DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)					
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)					
				DEG = 6 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts and Axle Shafts,American Axle 10.5' [DRW] DH 2,7
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 799AB	1	2						[DME,DMF]
	5086 852AB	1	7						[DME,DMF]
	5175 304AA	1	7		41, 62				[DMU]
13	5086 785AA	1	2						BEARING, Drive Pinion
		1	7						Bearing and Cup, Rear
14	5086 800AA	4	2						BOLT, Differential
		4	7						
15									SHIM KIT, Pinion Shaft
	5086 794AA	1	2						1.346MM TO 1.422MM
	5086 795AA	1	2						1.143MM TO 1.219MM
	5086 796AA	1	2						1.245MM TO 1.321MM
	5086 797AA	1	2						1.448MM TO 1.499MM
	5086 794AA	1	7						1.346MM TO 1.422MM
	5086 795AA	1	7						1.143MM TO 1.219MM
	5086 796AA	1	7						1.245MM TO 1.321MM
	5086 797AA	1	7						1.448MM TO 1.499MM
16	5086 779AA	2	2						LOCK, Differential Bearing
		2	7						Adjuster
17									GEAR KIT, Center Differential
	5086 792AA	1	2						Without [DSA]
		1	7						Without [DSA]
18									BOLT
	5086 695AA	2	2						[DME,DMF]
		2	7						[DME,DMF]
	5175 279AA	2	7		41, 62				[DMU]
19									BEARING, Differential
	5086 778AA	2	2						Consists of 1 Bearing and 1 Cup
		2	7						Consists of 1 Bearing and 1 Cup
20									ADJUSTER, Differential Bearing
	5086 788AA	1	2						
		1	7						
21									CASE ASSEMBLY, Differential
	5086 790AA	1	2						Without [DSA] With Internal Parts
	5086 807AA	1	2						With [DSA] With Internal Parts
	5086 790AA	1	7						Without [DSA] With Internal Parts
	5086 807AA	1	7						With [DSA] With Internal Parts
	5175 301AA	1	7		41, 62				With [DSE] With Internal Parts
22									TONE RING, Sensor

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts and Axle Shafts,American Axle 10.5' [DRW] DH 2,7
Figure 003-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 786AB	1	2						
		1	7						
23	5086 816AB	1	2						GEAR PACKAGE, Ring And Pinion
	5086 798AC	1	2						[DME]
									[DMF]
	5086 816AB	1	7						[DME]
	5086 798AC	1	7						[DMF]
	5175 299AB	1	7		41, 62				[DMU]
24									SHAFT, Differential
	5086 793AA	1	2						Without [DSA]
		1	7						Without [DSA]
25									BOLT, Ring Gear
	5086 783AB	12	2						Mounting
		12	7						Mounting
26									RING, Snap
	5086 791AA	1	2						Without [DSA]
		1	7						Without [DSA]
27									COVER PACKAGE, Differential
	5086 801AA	1	2						
		1	7						
28									GASKET, Rear Cover
	5086 777AA	1	2						Mounting
		1	7						Mounting
29									BOLT, Differential Cover
	5086 683AA	14	2						
		14	7						
30									PLUG, Differential Cover
	5086 681AA	1	2						
		1	7						
-31	5175 302AA-	1	7		41, 62				ACTUATOR, Axle Locker, [DSE]
-32	5175 296AA-	1	7		41, 62				BRACKET, [DSE]
-33	5175 303AA-	1	7		41, 62				BOLT, [DSE]
-34	5175 281AA-	1	7		41, 62				TIE STRAP, Cable, [DSE]

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts and Axle Shafts,American Axle 11.5' [DRQ,DRX] DH 2,3,7,8
 Figure 003-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;

[DME]=Axle Ratio - 3.73

[DMF]=Axle Ratio - 4.10

[DRQ]=Axle - Rear,11.50

[DRX]=Axle - Rear,11.50, Dual Wheels

[DSA]=Axle -Anti-Spin Differential

1	5086 770AB	16	2, 3						BOLT Axle to Hub, Mounting
		16	7, 8						Axle to Hub, Mounting
2	5086 902AB	2	2, 3						SHAFT, Axle
		2	7, 8						[DRQ]
	5086 984AB	2	3		42, 62				[DRQ]
		2	8		42, 62				[DRX]
3	5086 767AB	2	2, 3						GASKET, Axle Shaft
		2	7, 8						Axle to Hub, Mounting
									Axle to Hub, Mounting
4	5086 782AA	1	2, 3						NUT, Pinion Yoke
		1	7, 8						
5	5086 781AA	1	2, 3						WASHER, Pinion Yoke
		1	7, 8						
6	5127 609AA	1	2, 3						YOKE, Axle
		1	7, 8						
7	5086 789AA	1	2, 3						SEAL, Drive Pinion
		1	7, 8						
8	5086 780AB	1	2, 3						BEARING, Drive Pinion
		1	7, 8						Bearing and Cup, Front
									Bearing and Cup, Front
9	6035 887	1							STUD, Axle Housing, Wheel Speed
10	56028 187AE	1							Sensor, Mounting
11	5086 910AA	1	2, 3						SENSOR, Wheel Speed
		1	7, 8						SPACER, Drive Pinion Bearing
									Crush
									Crush
12	5086 975AA	1	2, 3						HOUSING, Rear Axle
	5086 920AA	1	7, 8						[DRQ]
									[DRQ]


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts and Axle Shafts,American Axle 11.5' [DRQ,DRX] DH 2,3,7,8
 Figure 003-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION	
13	5086 986AA	1	3		42, 62				[DRX]	
	5093 001AA	1	8		42, 62				[DRX]	
	5086 907AA	1	2, 3						BEARING, Drive Pinion	
		1	7, 8						Bearing and Cup, Rear Bearing and Cup, Rear	
14	5086 922AA								BOLT, Differential	
		4	2, 3							
		4	7, 8							
15									SHIM KIT, Pinion Shaft	
16	5086 911AA	1	2, 3						1.092 MM-1.219 MM	
	5086 912AA	1	2, 3						1.245 MM-1.371 MM	
	5086 913AA	1	2, 3						1.397 MM-1.524 MM	
	5086 911AA	1	7, 8						1.092 MM-1.219 MM	
	5086 912AA	1	7, 8						1.245 MM-1.371 MM	
	5086 913AA	1	7, 8						1.397 MM-1.524 MM	
	5086 909AA								LOCK, Differential Bearing	
		2	2, 3						Adjuster	
	17		2	7, 8						Adjuster
		5086 916AD								GEAR PACKAGE, Differential
			1	2, 3						Without [DSA]
	18		1	7, 8						Without [DSA]
5086 695AA									BOLT	
		2	2, 3						Bearing Adjuster Lock	
19		2	7, 8						Bearing Adjuster Lock	
									BEARING, Differential	
20	5086 906AA	2	2, 3						Consists of 1 Bearing and 1 Cup	
		2	7, 8						Consists of 1 Bearing and 1 Cup	
	5086 908AA	2	2, 3						ADJUSTER, Differential Bearing	
21		2	7, 8							
	5086 915AB								CASE ASSEMBLY, Differential	
		1	2, 3						Without [DSA]	
22	5086 962AA	1	2, 3						With [DSA]	
	5086 915AB								Without [DSA]	
		1	7, 8						With [DSA]	
	5086 962AA								TONE RING, Sensor	
		1	7, 8							
23		1	7, 8							
	5086 919AC								GEAR PACKAGE, Ring And Pinion	
		1	2, 3						[DME]	
	5086 971AC	1	2, 3						[DMF]	

DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)					
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)					
				DEG = 6 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Axle Housing,Rear,With Differential Parts and Axle Shafts,American Axle 11.5' [DRQ,DRX] DH 2,3,7,8
 Figure 003-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24	5086 919AC	1	7, 8						[DME]
	5086 971AC	1	7, 8						[DMF]
	5086 917AA	1	2, 3						SHAFT, Differential Without [DSA]
		1	7, 8						Without [DSA]
25	5086 783AB	12	2, 3						BOLT, Ring Gear Mounting
		12	7, 8						Mounting
26	5086 918AA	1	2, 3						RING, Snap Without [DSA]
		1	7, 8						Without [DSA]
27	5086 905AA	1	2, 3						GASKET, Rear Cover Mounting
		1	7, 8						Mounting
28	5086 904AB	1	2, 3						COVER PACKAGE, Differential Includes 27,79.30
		1	7, 8						Includes 27,79.30
29	5086 683AA	14	2, 3						BOLT, Differential Cover Mounting
		14	7, 8						Mounting
30	5086 681AA	1	2, 3						PLUG, Differential Cover
		1	7, 8						

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Vent, Axle
Figure 003-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	J535 2955	1							VENT, Axle, Upper
2	52114 428AA	1							CLIP, Vent Tube
3	HFV00 516AB	1							HOSE, Fuel And Vapor, 25 Foot Roll 5/16"
4	6500 651	1							CLAMP, Hose, 5/16" Stainless Steel
5	4137 696AB	1							BOLT, Axle Vent, Lower

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – 004

Parking Brake


GROUP 4 - Parking Brake

Illustration Title


Group-Fig. No.

Parking Brake Lever and Cables

Parking Brake Lever and Front Cable,DH 2,3,7,8	Fig. 004-110
Parking Brake Cables,Rear,DH 2,3,7,8	Fig. 004-120
Parking Brake Assembly,Rear,Disc,DH 2,3,7,8	Fig. 004-130




004-100
Parking Brake Lever and Cables



Parking Brake Lever and Front Cable,DH 2,3,7,8
Figure 004-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52010 176AB	1							LEVER, Park Brake
2	4221 463	1							SWITCH, Parking Brake
3	52010 388AB	1							ROD, Parking Brake Release
4	6501 483	3							NUT, Hex Flange, M8x1.25, Park Brake Lever, Mounting
5	5102 088AA	1							PAD, Parking Brake Pedal
6	52010 133AC	1							CABLE, Parking Brake, Front




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Parking Brake Cables,Rear,DH 2,3,7,8
Figure 004-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6502 282	1							SCREW, Hex Head, M8x1.25x30, Parking Brake Cable Guide, Mounting
2	52013 644AA	1							GUIDE, Parking Brake Cable
3									CABLE, Parking Brake
	52121 101AA	1			41				Left
	52121 102AA	1			42, 62				Left
4									CABLE, Parking Brake
	52010 294AA	1			41				Right
	52010 414AA	1			42, 62				Right
5	6505 242AA	1							SCREW, Cable to Shock Bracket, Mounting
6	0152 472	1							NUT, Hex Flange Lock, .312-18, Parking Brake Wraparound, Mounting
7	52013 518AA	1							CLIP, Brake Cable Clip to Sensor Bolt, Mounting
8	52010 319AA	1							TENSIONER, Parking Brake Cable
9	52010 067AA	1			41, 42				CABLE, Parking Brake Extension
10	52010 133AC	1							CABLE, Parking Brake, Front

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Parking Brake Assembly,Rear,Disc,DH 2,3,7,8
Figure 004-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADAPTER, Parking Brake
	52010 141AB	2	2, 3						
		2	7, 8						
2									SPRING, Park Brake Shoe Return
	5018 553AA	1	2, 3						
		1	7, 8						
3									SHOE AND LINING KIT, Parking Brake
	5018 550AA	1	2, 3						
		1	7, 8						
4									PIN, Brake Shoe Hold Down
	4238 733	1	2, 3						
		1	7, 8						
5									CLIP, Brake Shoe Hold Down
	4383 543	1	2, 3						
		1	7, 8						
6									ADJUSTER, Parking Brake
	5018 551AB	1	2, 3						
		1	7, 8						
7									SPRING, Park Brake Shoe Return
	5018 554AA	1	2, 3						
		1	7, 8						
8									NUT Parking Brake Adapter, Mounting Parking Brake Adapter, Mounting
	5086 764AA	8	2, 3						
		8	7, 8						
9									PLUG, Brake Adjusting Hole
	4238 721	2	2, 3						
		2	7, 8						
10									STUD Parking Brake Adapter, Mounting Parking Brake Adapter, Mounting
	5018 556AA	4	2, 3						
		4	7, 8						
11									LEVER, Park Brake
	5080 569AC	1	2, 3						
		1	7, 8						
12									BOOT, Parking Brake Lever
	5018 555AA	1	2, 3						
		1	7, 8						

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year







September 19, 2005

Group – 005
Service Brakes


GROUP 5 - Service Brakes

Illustration Title	Group-Fig. No.
Front Brakes	
Brakes,Front,DH 2,3,7,8	Fig. 005-110
Rear Brakes	
Brakes,Rear,Disc,DH 2,3,7,8	Fig. 005-210
Power Brake Booster	
Booster,Power Brake and Hydro-Booster,DH 2,3,7,8	Fig. 005-310
Brake Master Cylinder	
Master Cylinder,Brake,DH 2,3,7,8	Fig. 005-410
Brake Lines and Hoses	
HCU,Lines And Hoses,Brake,Front With A.W.A.L. [BRT],DH 2,3,7,8	Fig. 005-510
Lines and Hoses,Brake,Rear,with Rear Disc Brakes,DH 2,3,7,8	Fig. 005-520
Brake Pedals	
Pedal,Brake,Standard	Fig. 005-610
Pedal,Brake,Power Adjustable	Fig. 005-620



005-100 Front Brakes 	005-200 Rear Brakes 	005-300 Power Brake Booster 	005-400 Brake Master Cylinder 
005-500 Brake Lines and Hoses 	005-600 Brake Pedals 		

Brakes,Front,DH 2,3,7,8
Figure 005-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes: [WLA]=Wheels,Dual Rear									
1	6505 830AA	4							BOLT, Caliper Adapter to Knuckle, Mounting
2									ADAPTER, Disc Brake Caliper
	5093 268AA	1							Right
	5093 270AA	1							Left
3	5014 431AA	1							BLEEDER SCREW, Brake
4	4238 717	1							CAP, Bleeder
5									CALIPER, Disc Brake
	5093 266AA	1							Right
	5093 269AA	1							Left
6	4423 639	2							PIN, Caliper
7	5003 896AA	2							BUSHING, Disc Brake Caliper
8	5018 238AA	2							SLEEVE, Disc Brake Caliper
9	5066 246AA	1							RETAINER, Leading
10	5093 267AA	1							PAD KIT, Front Disc Brake
11	5066 245AA	1							RETAINER, Trailing
12	5003 911AA	2							BOOT, Brake Piston
13	5003 910AA	2							SEAL, Caliper Piston
14	5003 912AA	2							PISTON, Brake
15									BOLT, Hub
	6507 298AA	4	2, 3						Knuckle to Hub and Bearing-Short, Mounting
	6507 299AA	2	2, 3						Knuckle to Hub and Bearing-Long, Mounting
	5086 661AA	8	7, 8						Knuckle to Hub and Bearing, Mounting
16									SHIELD, Brake
	52010 214AB	1	2, 3						Right
	52010 215AB	1	2, 3						Left
	5086 663AA	1	7, 8						Right
	5086 664AA	1	7, 8						Left
17									HUB AND BEARING, Brake
	52010 206AB	2	2, 3						Right or Left
	5103 507AA	1	7, 8						Right or Left
18									STUD, Hub
	5096 144AA	8	2, 3						Wheel
		8	3						With [WLA] Bolts 17 to 20
		8	7, 8						Wheel
		8	8			42, 62			With [WLA] Bolts 17 to 20
19									ROTOR, Brake


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Brakes,Front,DH 2,3,7,8
Figure 005-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	52121 050AA	2	2, 3						Right or Left
		1	7, 8						Right or Left
	5015 234AA	1	3						EXTENSION, Wheel House
		1	8		42, 62				With [WLA], Right or Left
21									With [WLA], Right or Left
	5096 144AA	8	3						STUD, Hub
		8	8		42, 62				Wheel-With [WLA]
									Wheel-With [WLA]
22	5086 659AA	2	7, 8						WASHER, Flat
23	5086 660AA	2	7, 8						NUT, Axle Hub
-24	5086 669AB-	2	7, 8						PIN, Cotter
25									NUT
	4746 899	8	3						With [WLA] Bolts 20 to 18
		8	8		42, 62				With [WLA] Bolts 20 to 18
									SENSOR KIT, Anti-Lock Brakes
26	5093 834AA	1	2, 3						Includes Sensor,Bolt,Wire,Instr.
									Sheet, Right or Left
	5103 493AA	1	7, 8						Includes Sensor,Bolt,Wire,Instr.
									Sheet, Right or Left
-27	5175 284AA-	1	7		41, 62				ACTUATOR, Axle Locker, [DSE]
-28	5175 279AA-	2	7		41, 62				BOLT, [DSE]
-29	5175 280AA-	1	7		41, 62				BRACKET, [DSE]
-30	5175 281AA-	1	7		41, 62				TIE STRAP, Cable, [DSE]
-31	5175 297AA-	1	7		41, 62				CLIP, Wiring, [DSE]

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Brakes,Rear,Disc,DH 2,3,7,8
Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;
[DRQ]=Axle - Rear, 11.50
[DRW]=Axle - Rear, 10.50
[DRX]=Axle - Rear,11.50, Dual Wheels
[WLA]=Wheel - Dual Rear

1	6504 691	4							BOLT, Adapter to Axle, Mounting
2	5093 258AA	1							ADAPTER, Disc Brake Caliper, Right or Left
3									CALIPER, Disc Brake
	5104 758AA	1							Without [WLA], Right
	5104 759AA	1							Without [WLA], Left
	5093 263AA	1	3, 8						With [WLA], Right
	5093 264AA	1	3, 8						With [WLA], Left
4	5014 431AA	1							BLEEDER SCREW, Brake
5	4238 717	1							CAP, Bleeder
6	4423 639	2							PIN, Caliper
7									PISTON, Brake
	5018 589AA	2							Without [WLA]
	5018 572AA	2	3, 8						With [WLA]
8	5003 896AA	2							BUSHING, Disc Brake Caliper
9									SEAL, Caliper Piston
	5018 588AA	2							Without [WLA]
	5018 574AA	2	3, 8						With [WLA]
10	5018 238AA	1							SLEEVE, Disc Brake Caliper
11									BOOT, Brake Piston
	5018 590AA	2							Without [WLA]
	5018 573AA	2	3, 8						With [WLA]
12	5018 579AA	1							CLIP, Brake Anti-Rattle
13	5093 257AA	1							PAD KIT, Rear Disc Brake
14									BOLT, Hub and Rotor
	5017 651AA	8	3			42, 62			[DRX,WLA] Bolts Rotor to Hub
		8	8			42, 62			[DRX,WLA] Bolts Rotor to Hub
15									ROTOR, Brake
	52010 144AA	2	2, 3						
		2	7, 8						
16									SEAL, Wheel Bearing
	5086 773AB	2	2, 3						[DRQ,DRW]
	5086 983AA	2	3			42, 62			[DRX,WLA]
	5086 773AB	2	7, 8						[DRQ,DRW]
	5086 983AA	2	8			42, 62			[DRX,WLA]
17									BEARING, Wheel


DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)					
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)					
				DEG = 6 Spd. Manual					

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Brakes,Rear,Disc,DH 2,3,7,8

Figure 005-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 774AA	2	2, 3						[DRQ,DRW], Inner
	5086 982AA	2	3		42, 62				[DRX,WLA], Inner
	5086 774AA	2	7, 8						[DRQ,DRW], Inner
	5086 982AA	2	8		42, 62				[DRX,WLA], Inner
18									CUP, Wheel Bearing
	4746 918	2	2, 3						[DRQ,DRW], Inner
	2955 374	2	3		42, 62				[DRX,WLA], Inner
	4746 918	2	7, 8						[DRQ,DRW], Inner
	2955 374	2	8		42, 62				[DRX,WLA], Inner
19									HUB, Wheel
	52121 158AA	2	2, 3						[DRQ,DRW]
	5083 727AA	2	3		42, 62				[DRX,WLA]
	52121 158AA	2	7, 8						[DRQ,DRW]
	5083 727AA	2	8		42, 62				[DRX,WLA]
20	5018 578AA	1							CLIP, Brake Anti-Rattle
21									STUD, Hub
	5096 145AA	8	2, 3						[DRQ,DRW]
	4746 916	8	3		42, 62				[DRX,WLA]
	5096 145AA	8	7, 8						[DRQ,DRW]
	4746 916	8	8		42, 62				[DRX,WLA]
22									CUP, Wheel Bearing
	2955 374	2	2, 3						Outer
		2	7, 8						Outer
23									BEARING, Wheel
	5086 772AA	2	2, 3						Outer
		2	7, 8						Outer
24									RETAINER, Hub Nut
	5086 804AA	2	2, 3						
		2	7, 8						
25									LOCK, Wheel Bearing Adj Nut
	5086 762AA	2	2, 3						
		2	7, 8						
26									NUT, Bearing Adjusting
	5086 760AA	2	2, 3						
		2	7, 8						
27									GASKET, Axle Shaft
	5086 767AB	2	2, 3						Mounting
		2	7, 8						Mounting
28									BOLT
	5086 770AB	16	2, 3						Axle Shaft to Hub, Mounting
		16	7, 8						Axle Shaft to Hub, Mounting
-29									NUT, Push

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST


LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY
41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE
EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION
DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Figure 005-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 803AA-	6	2, 3						Rotor Retainer
		6	7, 8						Rotor Retainer

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Booster,Power Brake and Hydro-Booster,DH 2,3,7,8 Figure 005-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52010 402AC	1	2, 7						HOSE, Brake Booster
-2	55398 042AA-	1	2, 7						CLIP, Hose, Hose to Resonator, Mounting
3	4241 618	1	3, 8						CAP, Vacuum
4									VALVE, Vacuum Check
	5072 522AA	1	2, 7						
		1	3, 8						
5									NUT
	5072 523AA	2	2, 7						Master Cylinder to Booster, Mounting
		2	3, 8						Master Cylinder to Booster, Mounting
	5093 410AA	2	2, 7						Master Cylinder to Hydro Booster, Mounting
		2	3, 8						Master Cylinder to Hydro Booster, Mounting
6									BOOSTER, Power Brake
	5102 068AA	1	2, 7						
		1	3, 8						
7									TUBE, Brake
	52010 337AA	1							Hydro Booster Pump Port
		1	3, 8						Hydro Booster Pump Port
8									CLIP, Brake Tube
	52009 651AA	2							
		2	3, 8						
9									CLIP, Line&Hose
	6503 071	1							
		1	3, 8						
10									CLAMP, Hose, M18.5
	6504 217	2	2, 7						
		2	3, 8						
11									HOSE, Brake
	52010 339AC	1	2, 7						Hydro Booster Reservoir Return Port, Mounting
		1	3, 8						Hydro Booster Reservoir Return Port, Mounting
12									TUBE, Brake
	52010 336AA	1							Hydro Booster Gear Port, Mounting
		1	3, 8						Hydro Booster Gear Port, Mounting
13									BRACKET, Brake Booster Mounting
	5093 411AA	1	2, 7						


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Booster,Power Brake and Hydro-Booster,DH 2,3,7,8
 Figure 005-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3, 8						Mounting
14	6506 618AA	4							NUT, Hex, M10-1.5, Brake/Hydro Booster to Firewall, Mounting
15	5093 406AA	1	2, 7						HYDRO-BOOSTER, Power Brake Up To 12-01-04-Used With Item 16
	5093 406AB	1	2, 7						From 12-02-04-Used Without Item 16
	5093 406AA	1	3, 8						Up To 12-01-04-Used With Item 16
	5093 406AB	1	3, 8						From 12-02-04-Used Without Item 16
16	5093 409AA	1	2, 7						SPACER, Brake Booster Up To 12-01-04, Mounting
		1	3, 8						Up To 12-01-04, Mounting
-17	4241 618	1	3, 8						CAP, Vacuum, For Booster Fitting on Engine
-18	5205 254	2							O RING, Power Steering Hose, As Required

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Master Cylinder,Brake,DH 2,3,7,8
Figure 005-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes; [EZ0]=Engines - All 5.7L 8 Cylinder Gas									
1	5093 407AA	1	2, 7						MASTER CYLINDER, Brake Up To 12-01-04-Used With Brake Booster Spacer
	5093 407AB	1	2, 7						From 12-02-04-Used Without Brake Booster Spacer
	5093 407AA	1	3, 8						Up To 12-01-04-Used With Brake Booster Spacer
	5093 407AB	1	3, 8						From 12-02-04-Used Without Brake Booster Spacer
2	4683 656	1	2, 7						CAP, Master Cylinder Reservoir
		1	3, 8						
3	5093 408AA	1	2, 7						RESERVOIR, Brake Master Cylinder
		1	3, 8						
4	4723 394	2	2, 7						PIN, Master Cylinder Reservoir Mounting
		2	3, 8						Mounting
5									GROMMET, Master Cylinder Reservoir
	4723 389	2	2, 7						Mounting
		2	3, 8						Mounting
6									SEAL, Master Cylinder To Booster
	5017 035AA	1	2, 7						Mounting
		1	3, 8						Mounting
7	5093 410AA	2	2, 7						NUT Master Cylinder to Booster,
		2	3, 8						Mounting Master Cylinder to Booster,
									Mounting
8									CAP, Master Cylinder Reservoir
	5072 525AA	1	2, 7						[EZ0]
		1	3, 8						[EZ0]
9	5080 890AA	1	2, 7						SCREW [EZ0] Reservoir, Mounting
		1	3, 8						[EZ0] Reservoir, Mounting
10	5072 523AA	1	2, 7						NUT [EZ0] Master Cylinder to Booster,
									Mounting



DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Master Cylinder,Brake,DH 2,3,7,8
Figure 005-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3, 8						[EZ0] Master Cylinder to Booster, Mounting
11									MASTER CYLINDER, Brake
	5080 888AB	1	2, 7						[EZ0]
		1	3, 8						[EZ0]

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

HCU,Lines And Hoses,Brake,Front With A.W.A.L. [BRT],DH 2,3,7,8 Figure 005-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[BRT]=Brakes - Anti-Lock 4-Wheel Disc									
[ET0]=Engines - All 5.9L Turbo Diesels									
[EZ0]=Engines - All 5.7L 8 Cylinder Gas									
1	52010 299AA	1							TUBE, Brake, HCU to Junction Block, Left
2	52010 298AA	1							TUBE, Brake, HCU to Junction Block, Right
3									CONTROL UNIT, Anti-Lock Brake
	52121 408AD	1							[ET0] Without [WLA]
	52121 410AD	1	3, 8			42, 62			[ET0] With [WLA]
	52121 409AD	1							[EZ0] Without [WLA]
	52121 411AD	1	3, 8			42, 62			[EZ0] With [WLA]
4									MODULE, Anti-lock Brakes
	5114 540AD	1	3, 8			42, 62			[ET0] With [WLA]
	5114 538AD	1							[ET0] Without [WLA]
	5114 541AD	1	3, 8			42, 62			[EZ0] With [WLA]
	5114 539AD	1							[EZ0] Without [WLA]
5									TUBE, Brake
	52010 304AB	1	3, 8						[WLA] Master Cylinder to HCU, Secondary
	52009 954AC	1							[EZ0] Master Cylinder to HCU, Secondary
	52010 304AB	1							[ET0] Master Cylinder to HCU, Secondary
6	6506 584AA	2							BOLT, HCU Side, Mounting
7	52007 820AB	2							GROMMET, Hydraulic Control Unit, HCU Side, Mounting
-8	52010 153AA-	1							GROMMET, Hydraulic Control Unit, HCU Rear, Mounting
9									TUBE, Brake
	52010 305AB	1	3, 8						[WLA] Master Cylinder to HCU, Primary
		1							[ET0] Master Cylinder to HCU, Primary
	52009 955AC	1							[EZ0] Master Cylinder to HCU, Primary
10									CLIP, Brake Tube
	6506 155AA	2	3, 8						As Required, Mounting
		2							As Required, Mounting
11	52010 297AA	1							TUBE, Brake, HCU to Junction Block, Rear

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

HCU,Lines And Hoses,Brake,Front With A.W.A.L. [BRT],DH 2,3,7,8
Figure 005-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	6506 155AA	2							CLIP, Brake Tube, As Required, Rear
13	6505 178AA	1							SCREW, Hex Head Right Brake Hose to Frame, Mounting
		2							Left Brake Hose to Frame, Mounting
14	52010 311AE	1	2, 3						HOSE, Brake Includes Junction Block, Left
	52010 313AE	1	7, 8						Includes Junction Block, Left
15	6502 114	2							WASHER, Brake Hose, Mounting
16	6505 801AA	4							BOLT, Banjo, Mounting
17									TUBE, Brake
	52010 314AA	1	2, 3						Junction Block to Brake Hose, Right
	52010 316AA	1	7, 8						Junction Block to Brake Hose, Right
18	6506 465AA	3	2, 3						CLIP, Brake Line Brake Hose, Mounting
		5	7, 8						Brake Hose, Mounting
19	6505 178AA	1							SCREW, Hex Head, As Required, Mounting
20	52010 310AC	1	2, 3						HOSE, Brake With Items 15,16, Right
	52010 312AD	1	7, 8						With Items 15,16, Right

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Lines and Hoses,Brake,Rear,with Rear Disc Brakes,DH 2,3,7,8
Figure 005-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;
[ET0]=Engines - All 5.9L & 6.7L Diesels
[EZA]=Engines - Hemi Magnum 5.7L SMPI V8


1	2208 893	1							LOCK, Brake Hose
2									TUBE, Brake
	52010 343AD	1			41				To Front Junction Block, Chassis
	52010 346AD	1			42				To Front Junction Block, Chassis
	52010 345AD	1			62				To Front Junction Block, Chassis
3	6505 178AA	2							SCREW, Hex Head, Tube and Hose
									to Rear Axle, Mounting
4	52013 027AC	1							TUBE AND HOSE, Brake, Left
5	52121 118AC	1							HOSE, Brake, Rear
6	4137 696AB	1							BOLT, Axle Vent
7	0152 472	1							NUT, Hex Flange Lock, .312-18
8	6035 887	1							STUD, Axle Housing
9	56028 187AE	1							SENSOR, Wheel Speed
10	6505 801AA	4							BOLT, Banjo, To Caliper, Mounting
11	52013 026AC	1							TUBE AND HOSE, Brake, Right
12	6502 114	2							WASHER, Brake Hose, To Caliper, Mounting

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Pedal,Brake,Standard
Figure 005-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[DBB]=Transmissions - All Manual									
[DG0]=Transmissions - All Automatic									
1	55351 190AE	1							BRACKET, Steering Column, Clutch and Brake Pedal
2	52010 309AA	8							BUSHING, Brake Pedal
		4							[DBB]
									[DG0]
3	52010 318AA	2							SHAFT, Brake Pedal Pivot
		1							[DBB]
									[DG0]
4	6023 879	4							SNAP RING
		2							[DBB]
									[DG0]
5	4294 036	1							CLIP
6	52010 221AC	1							PEDAL AND PAD, Brake
	52010 322AC	1							[DBB]
									[DG0]
7	4779 027	1							PAD, Pedal
	5200 2750	1							[DG0]
									[DBB]
8	52010 331AB	1							PIN, Clutch Pedal, [DBB]
9	52009 944AB	1							PEDAL, Clutch, [DBB]

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005

Pedal,Brake,Power Adjustable
Figure 005-620

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;
[DBB]= Transmissions - All manual
[DG0]=Transmissions - All Automatic

1									PEDAL AND BRACKET, BRAKE
	55366 033AB	1							[DBB] Complete Assembly
	55366 032AB	1							[DG0] Complete Assembly
2									PAD, Pedal
	5200 2750	2							[DBB]
	4779 027	1							[DG0]



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Group – 006

Clutch


GROUP 6 - Clutch

Illustration Title Group-Fig. No.

Clutch	
Clutch	Fig. 006-110
Clutch Housing	
Housing And Pan, Clutch	Fig. 006-210
Clutch Controls	
Controls, Hydraulic Clutch	Fig. 006-310
Clutch Pedals	
Pedal, Clutch	Fig. 006-410



Clutch
Figure 006-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes
[DBB] = All Manual Transmissions
[DDP] = Five Speed Manual Transmission
[DEE] = Six Speed Heavy Duty Manual Transmission
[DEG] = Six Speed Manual Transmission
[ET0] = All 5.9 and 6.7 Diesel Engines
[EZ0] = All 5.7 L Gas Engines


1									DISC, Clutch
	5032 472AB	1				EZ0	DBB		
	52104 725AA	1				ET0	DBB		
		1				ET0	DEG		
	52854 030AA	4	7, 8			ET0	DG8		
	5102 522AA	1				ET0	DEE		
2	6035 626	6				EZ0	DBB		BOLT, Hex Head, .375-16x.84
3									CLUTCH PACKAGE
	5086 555AB	1				EZ0	DBB		
		1				EZ0	DDP		
4									CLUTCH
	5139 236AA	1				ET0	DEE		Clutch Kit: Includes Pressure Plate & Disc
	52104 724AC	1				ET0	DEG		Clutch Kit: Includes Pressure Plate & Disc

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Housing And Pan, Clutch Figure 006-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[DBB] = All Manual Transmissions									
[ETC]=5.9L Cummins 24V Turbo Diesel Engine									
[ETH]=5.9L Cummins High Output Turbo Diesel Engine									
[EZA] = MAGNUM 5.7L SMPI Eight Cylinder Gas Engines									
[EZ0] = All 5.7L Eight Cylinder Gas Engines									
1	5003 582AA	1	2, 3			ET0	DEE		HOUSING, Clutch
		1	7, 8			ET0	DEE		
	52107 540AC	1				EZ0	DDP		
2	52107 753AC	1				EZA	DBB		COVER, Transmission Case
3	5300 5474	1				EZ0	DDP		SHIELD, Clutch Housing Vent
4									COVER, Engine
	53021 491AA	1				EZ0	DG0		
	53021 584AA	1				EZ0	DBB		
5	6023 092	1				EZA	DBB		SCREW AND WASHER, Hex Head, .25-20x.50
6									SCREW, .437-14x1.25, (NOT SERVICED) (Not Serviced)
7									SCREW AND WASHER, M10x1.50x45.00
	6101 985	6				EZ0	DBB		
		8				EZ0	DG0		
		2				EZ0	DDP		
8	6022 266	4				EZ0	DBB		SCREW, Hex Head, .375-16x1.5
9									SCREW, Hex Head, .375-16x1.5, (NOT SERVICED) (Not Serviced)
10	6028 758	2				EZ0	DBB		WASHER, Coned, .480x.885x.121
11	1122 532	2				EZ0			DOWEL, Block To Clutch Housing
12	52107 761AA	1				EZ0	DBB		PLUG
13	6024 055	4				EZ0	DBB		SCREW AND WASHER
14	0154 596	1				EZ0	DDP		SCREW
15	6034 249	8				ET0	DEE		SCREW AND WASHER
-16									SCREW
	5015 221AA-	12	2, 3			ET0	DEE		
		12	7, 8			ET0	DEE		

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE


EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Controls, Hydraulic Clutch

Figure 006-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Codes									
[DBB] = All Manual Transmissions									
[DDP] = Five Speed Manual Transmission									
[DEE] = Six Speed Heavy Duty Manual Transmission									
[DEG] = Six Speed Manual Transmission									
[ET0] = All 5.9 and 6.7 Diesel Engines									
[EZA] = MAGNUM 5.7L SMPI Eight Cylinder Gas Engines									
[EZ0] = All 5.7L Eight Cylinder Gas Engines									
1									HYDRAULIC CONTROL UNIT
	52110 495AC	1				ET0	DEE		
	52110 496AB	1				EZA	DBB		
	55366 325AA	1				ET0	DBB		
2	6506 618AA	2					DBB		NUT, Hex, M10-1.5
3	6104 716AA	2				ET0, EZ0	DBB		NUT
4	0152 472	2				ET0, EZ0	DDP, DEE		NUT, Hex Flange Lock, .312-18
5									PIVOT, Clutch Release
	5208 7542	1				EZ0	DDP		
		1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
6	4338 855	1				ET0, EZ0	DBB		SPRING, Clutch Release
7	5210 7555	1				EZ0	DBB		FORK, Clutch Release
8	5208 7515	1				ET0	DBB		LEVER, Clutch Release
9									BEARING, Clutch Release
	5208 7514	1				ET0	DBB		
	5300 8342	1				EZ0	DBB		
10	6505 668AA	2				ET0, EZ0	DEG		STUD, Double Ended, M8 x 1.25 x 46.50
11	6032 878	2				ET0, EZ0	DDP, DEE		STUD, .312-18x2.00
12									WASHER
	6022 190	1				EZ0	DDP		
		1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Pedal, Clutch
Figure 006-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[DBB] = All Manual Transmissions

[DDT] = Five Speed Manual Transmisson [TR405]

[EZA] = MAGNUM 5.7L SMPI Eight Cylinder Gas Engines

[EZ0] = All 5.7L Eight Cylinder Gas Engines

1	52009 944AB	1					DBB		PEDAL, Clutch
2	5200 2750	1					DBB		PAD, Pedal
3	55351 190AE	1							BRACKET, Steering Column, Clutch and Brake Pedal
4	6023 879	4					DBB		SNAP RING, Vacuum Motor
5	52010 309AA	8					DBB		BUSHING, Brake Pedal
6	52010 318AA	1					DBB		SHAFT, Brake Pedal Pivot
7	52010 331AB	1					DBB		PIN, Clutch Pedal


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year








September 19, 2005

Group – 007
Cooling




GROUP 7 - Cooling

Illustration Title	Group-Fig. No.
Radiator and Related Parts	
Radiator And Related Parts, Gas Engines	Fig. 007-125
Radiator And Related Parts, Diesel Engines	Fig. 007-130
Radiator Closure Frame Support	Fig. 007-150
Water Pump and Related Parts	
Water Pump 5.7L Engine	Fig. 007-207
Water Pump Diesel Engine	Fig. 007-220
Tank, Coolant Engine	
Coolant Tank	Fig. 007-320
Pulleys and Related Parts	
Drive Pulleys 5.7L Engine	Fig. 007-407
Drive Pulleys Diesel Engine	Fig. 007-420
Drive Belts	
Drive Belts 5.7L Engine	Fig. 007-512
Drive Belts Diesel Engine	Fig. 007-530
Lines, Transmission Oil Cooler	
Oil Cooler And Lines 5.7L Engine	Fig. 007-617
Oil Cooler And Lines Diesel Engine	Fig. 007-625
Grilles	
Grille And Related Parts	Fig. 007-720

007-100 Radiator and Related Parts 	007-200 Water Pump and Related Parts 	007-300 Tank, Coolant Engine 	007-400 Pulleys and Related Parts 
007-500 Drive Belts 	007-600 Lines, Transmission Oil Cooler 	007-700 Grilles 	

Radiator And Related Parts, Gas Engines Figure 007-125



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code NMC = Heavy Duty Cooling									
Note: Sales Code NMS = Severe Duty Cooling									
Note: Sales Code DG0 = Auto Transmission									
Note: Sales Code DBB = Manual Transmission									
Note: Sales Code DGT = 4 Speed Auto Transmission									
Note: Sales Code DG4 = Multi-Speed Auto Transmission									
1	55056 481AA	1				EZ0	DBB		RADIATOR, Engine Cooling
		1				EZ0	DG0		
-2	5086 226AA-	1				EZ0	DBB		CAP, Coolant Reserve Tank
		1				EZ0	DG0		
3	4644 269	1				EZ0	DBB		DRAINCOCK, Radiator
		1				EZ0	DG0		
4	52028 945AA	1				EZ0	DBB		ISOLATOR, Radiator, Upper
		1				EZ0	DG0		
5	52028 942AA	2				EZ0	DBB		ISOLATOR, Radiator, Lower
		2				EZ0	DG0		
6	4401 950	1				EZ0	DBB		ISOLATOR, Radiator
		1				EZ0	DG0		
-7	55056 472AA-	1				EZ0	DG0		COOLER, Transmission Oil
-8	52029 306AD-	1				EZ0	DBB		COOLER, Power Steering
		1				EZ0	DG0		
9	52028 870AD	1				EZ0			HOSE, Radiator, Upper
10	55056 982AA	1				EZ0			HOSE, Radiator, Lower
11	52029 090AA	1				EZ0			CLAMP, Hose to Radiator, Upper
12	3200 2366	1				EZ0			CLAMP, Hose, 55mm Black, Lower
-13	5200 6750	1				EZ0			CLAMP, Radiator
14	52028 851AE	1				EZ0			SHROUD, Fan
15	52027 846AB	1				EZ0	DBB		FAN, Cooling
	52027 999AB	1				EZ0	DBB		[-AHD]
		1				EZ0	DG0		[AHD]
16	52028 877AC	1				EZ0	DG0		DRIVE, Fan
	55056 963AA	1				EZ0			[-AHD]
									[AHD]


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Figure 007-125

[illegible]


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Radiator And Related Parts, Diesel Engines

Figure 007-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code ETC,ET0 = 5.9L Diesel Engine									
1	55056 423AA	3				ET0			CLIP, Shroud
2	52028 900AD	1				ET0			RADIATOR, Engine Cooling
3	5200 6750	1				ET0			CLAMP, Radiator
4	52028 872AD	1				ET0			HOSE, Radiator, Inlet,Upper
5	55056 980AA	1				ET0			SHROUD, Fan
	55056 985AA	1				ET0			Upper
6									Lower
									BOLT, Hex Head
	4429 630	2				ETH	DBB		
		2				ETH	DG0		
7	5139 067AA	1				ETH	DBB		BRACKET, Shroud
		1				ETH	DG0		Center
8	5139 068AA	1				ETH	DBB		BRACKET, Shroud
		1				ETH	DG0		Left
									Left
9	5139 069AA	1				ETH	DBB		BRACKET, Shroud
		1				ETH	DG0		Right
10	52028 873AC	1				ET0			HOSE, Radiator, Outlet,Lower
11	55056 432AA	1				ET0			CLAMP, Radiator
12	5202 7828	2				ET0			ISOLATOR, Radiator
	52029 086AA	2				ET0			Lower
	52029 088AA	2				ET0			Upper
13	5086 226AA	1				ET0			Mounting, Upper
14	52028 878AB	1				ET0			CAP, Coolant Reserve Tank
15	55056 990AA	1				ET0			FAN, Cooling
16	6022 225	6				ET0			DRIVE, Fan
17	4429 460	3				ETH	DBB		SCREW AND WASHER, Hex Head,
		11				ETH	DG0		.312-18x.75
18	5093 120AA	1				ETH	DBB		SCREW, Water Inlet, M10x1.5x25
		1				ETH	DG0		Water Inlet Connection
19	4429 484	2				ETH	DBB		CONNECTOR, Water Inlet
		2				ETH	DG0		
20									PIN, Roll
									PLUG, Pipe

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Radiator And Related Parts, Diesel Engines
Figure 007-130

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5011 903AA	1				ETH	DBB		
		1				ETH	DG0		
21	5016 651AA	3				ETH	DBB		SCREW, Hex Flange Head
		3				ETH	DG0		
22	5015 713AA	1				ETH	DBB		HOUSING, Thermostat
		1				ETH	DG0		
23									THERMOSTAT
	5086 739AA	1				ETH	DBB		
		1				ETH	DG0		
24	5086 740AA	1				ETH	DBB		SEAL, Thermostat
		1				ETH	DG0		
25									SEAL, Water Outlet
	4429 697	1				ETH	DBB		
		1				ETH	DG0		
26									BOLT, Hex Head, M12x1.75x25
	4429 495	3				ETH	DBB		
		3				ETH	DG0		
-27	52029 087AA-	1				ET0			DRAINCOCK, Radiator
-28	55056 672AA-	1				ET0			COOLER, Charge Air
-29									DUCT, Charge Air Cooler
	55056 538AA-	1				ET0			With [XCK], Inlet
	55056 539AA-	1				ET0			With [XCK], Outlet
	52028 895AD-	1				ET0			Without [XCK], Outlet
-30	52028 977AA-	1				ET0			CLAMP, Hose
-31	55056 561AA-	1				ET0			CLAMP, Hose
-32	55056 517AB-	1				ET0			SEAL, Charge Air Cooler

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Radiator Closure Frame Support
Figure 007-150

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLOSURE, Radiator
	55275 694AH	1							Right
	55275 695AG	1							Left
2	55275 686AH	1							CROSSMEMBER, Radiator
3	55276 096AC	1							CROSSMEMBER, Radiator
4									SCREW, M8x1.25x20, (NOT SERVICED) (Not Serviced)




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Water Pump 5.7L Engine
Figure 007-207



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	53021 380AK	1				EZ0			PUMP, Water
2	53021 384AC	1				EZ0			GASKET, Water Pump
3	6506 268AA	2				EZ0			SCREW AND WASHER, Hex
4	6506 269AA	3				EZ0			SCREW AND WASHER, Hex
5	6506 270AA	5				EZ0			SCREW AND WASHER, Hex
6	6506 684AA	1				EZ0			STUD
7	53021 536AC	1				EZ0			HOUSING, Thermostat

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Water Pump Diesel Engine
Figure 007-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:
DBB = All Manual Transmissions
ETC = 5.9L Cummins 24V Diesel Engine
ETH = 5.9L HO Cummins Turbo Diesel Engine
ETO = All 5.9L Diesel Engines


1	4429 698	1				ETH	DBB		SEAL, Water Pump To Front Cover
		1				ETH	DG0		
		1				ETH	DEE		
2	5086 959AA	1				ETH	DBB		PUMP, Water
		1				ETH	DG0		
		1				ETH	DEE		
3	5003 666AA	2				ETH	DBB		SCREW, Cap
		2				ETH	DG0		
		2				ETH	DEE		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Coolant Tank
Figure 007-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BOTTLE, Coolant Recovery
	55056 493AA	1				ET0			
	55056 502AA	1				EZ0			
2									SCREW, M4.8x1.59x11, (NOT SERVICED) (Not Serviced)
3	6101 718	2							SCREW AND WASHER, Oval Head, M6x1x25
4	5207 9331	1				EZ0			CAP, Coolant Reserve Tank
5									CAP, Washer Reservoir
	55077 261AA	1				ET0			
		1				EZ0			
6									PUMP, Washer, Windshield
	5103 452AA	1				ET0			
		1				EZ0			
7									SENSOR, Washer Fluid Level
	55077 351AA	1				ET0			
	55077 484AA	1				EZ0			
8									GROMMET, Washer Reservoir, (NOT SERVICED) (Not Serviced)
9	5011 809AA	1				EZ0			GROMMET, Windshield Washer Pump

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual


Drive Pulleys 5.7L Engine
Figure 007-407



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6506 688AA	1				EZ0			SCREW AND WASHER, Hex
2	6506 723AA	1				EZ0			STUD, Double Ended
3	53032 131AA	1				EZ0			PULLEY, Idler
4	53032 645AA	2				EZ0			PULLEY, Idler
-5	6507 442AA-	2				EZ0			SCREW AND WASHER, Hex
-6	6507 103AA-	1				EZ0			NUT, Hex Flange Lock, M10x1.5
7	6101 695	3				EZ0			NUT, Hex Flange Lock
8	53032 130AA	1				EZ0			TENSIONER, Belt

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Drive Pulleys Diesel Engine
Figure 007-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code ETC,ET0 = 5.9L Diesel Engine									
1	4429 445	2				ETH	DBB		BOLT, Hex Head, M8
		2				ETH	DG0		
2	4429 114	3				ETH	DBB		SCREW, Hex Flange Head
		3				ETH	DG0		
3	4429 639	1				ETH	DBB		BEARING, Idler Pulley
		1				ETH	DG0		
4	5086 744AA	1				ETH	DBB		SUPPORT, Fan
		1				ETH	DG0		
5	5086 746AA	1				ETH	DBB		HUB, Fan
		1				ETH	DG0		
6	5086 747AA	1				ETH	DBB		RETAINER, Fan Hub
		1				ETH	DG0		
7	4886 003AA	6				ETH	DBB		SCREW, Hex Flange Head
		6				ETH	DG0		
8	5086 743AA	1				ETH	DBB		PULLEY, Fan
		1				ETH	DG0		
9	4429 779	1				ETH	DEG		BOLT, Hex Head
		1				ETH	DEE		
		1				ETH	DG0		
10	5086 958AA	1				ETH	DBB		TENSIONER, Belt
		1				ETH	DG0		
-11	5086 748AA-	1				ETH	DBB		PULLEY, Idler
		1				ETH	DG0		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005

Drive Belts 5.7L Engine
Figure 007-512

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code EZ0 = 5.7L Engine

1	53032 132AK	1				EZ0			BELT, Accessory Drive
---	-------------	---	--	--	--	-----	--	--	-----------------------





DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Drive Belts Diesel Engine
Figure 007-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------



Note:									
ETC = 5.9L Cummins 24V Diesel Engine									
ETH = 5.9L HO Cummins Turbo Diesel Engine									
ETO = All 5.9L Diesel Engines									
1									BELT, Accessory Drive
	53041 138AA	1				ETO			With Air Conditioning
	53041 139AA	1				ETO			Without Air Conditioning
-2	5304 0076	2				ETO			LABEL, Battery Jump Start

DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EZA = 5.7L HEMI Magnum V8		DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		ETH = 5.9LD Cummins HO		DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)				DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)				DEE = 6 Spd. Manual (5600)			
						DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Oil Cooler And Lines 5.7L Engine
Figure 007-617



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code EZ0 = 5.7L Engine
Note: Sales Code DG0 = Auto Transmission
Note: Sales Code DBB = Manual Transmission
Note: Sales Code DGT = 4 Speed Auto Transmission
Note: Sales Code DG4 = Multi-Speed Auto Transmission

1	52028 924AH	1				EZ0	DG0		TUBE AND HOSE, Oil Cooler
2	52028 925AH	1				EZ0	DG0		TUBE AND HOSE, Oil Cooler
3	52079 789AB	1				EZ0	DG0		CLIP, Cooler Lines
4	6035 358	2				EZ0	DG0		CLIP, Oil Cooler Tube
5									COOLER, Transmission Oil
	52028 967AC	1				EZ0	DG0		Without [NMC]
	55056 472AA	1				EZ0	DG0		With [NMC]
6									COOLER, Power Steering
	52029 306AD	1				EZ0	DBB		
		1				EZ0	DG0		


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Oil Cooler And Lines Diesel Engine
Figure 007-625

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52028 920AH	1				ET0	DG0		TUBE, Oil Cooler
2	52028 918AI	1				ET0	DG0		TUBE AND HOSE, Oil Cooler
3	52028 922AJ	1				ET0	DG0		TUBE AND HOSE, Oil Cooler
4	50010 185AB	1				ET0	DG0		HOSE AND VALVE, Vacuum
5	5202 8621	2				ET0	DG0		CLIP, 8.5-40/ 55
6	52029 083AB	1				ET0	DG0		CLIP, Tube
-7	6035 637	2				ET0	DG0		NUT HEXAGON, Hex Flange Serrations
-8	56051 054AA-	1				ET0			BRACKET, Transmission Line .
-9	52028 915AC-	1				ET0	DG0		COOLER, Transmission Oil
-10	6503 543	2				ET0	DG0		BOLT AND CONED WASHER, Hex Head, M8x1.25x25



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Grille And Related Parts
Figure 007-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code MFD= Grille Chrome									
Note: Sales Code MFW= Grille Chrome/Body Color									
Note: Sales Code MFD= Grille Chrome/Black									
Note: Sales Code MFD= Grille Body Color									
Note: Sales Code MFU = Grille Chrome/Bright									
1	5JF05 1SPAB	1							GRILLE, Radiator
	5073 276AB	1							[MFV]
	55077 185AF	1							[MF1]
	5GR97 CDMAE	1							[MFD], SLT
	5GR97 DX8AE	1							[MFN], DM
	5GR97 GW7AE	1							[MFN], X8
	5GR97 PR4AE	1							[MFN], W7
	5GR97 VYHAE	1							[MFN], R4
	5GR97 WS2AE	1							[MFN], YH
	5GR97 ZBJAE	1							[MFN], S2
	5GR97 ZBJAE	1							[MFN], BJ
2	55077 186AE	1							BRACKET, Radiator Grille, With
									bushing
3	6504 288	6							SCREW AND WASHER, Hex Head
4	6102 101AA	6							NUT AND WASHER, Hex, m5x0.80
5	6507 167AA	6							SCREW
6	5073 296AB	1							GRILLE, Panel
	5073 297AB	1							[MFN], Right
	5073 296AA	1							[MFN], Left
	5073 297AA	1							[MF1], Right
	5127 734AA	1							[MF1], Left
	5127 735AA	1							[MFD], Right
									[MFD], Left
7									SHIELD KIT, Air - Front, (NOT
									REQUIRED)
8	5073 290AB	1							MEDALLION, Hood, Rams Head
9	5073 327AA	1							RETAINER


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – 008

Electrical



008-100 Starters	008-200 Alternators	008-400 Modules	008-500 Relays
008-600 Sensors	008-700 Single Board Engine Controllers	008-800 Switches	008-900 Horns

Group – 008


Electrical

008-1000 Battery Tray, Cables and Block Heaters	008-1100 Lamps – Front, Rear and Courtesy	008-1200 Wiring–Engine & Related Parts	008-1300 Wiring–Headlamp to Dash
008-1400 Wiring–Instrument Panel	008-1500 Wiring–Body & Accessories	008-1600 Wiring Repair	008-1700 Air Bag Systems
008-1900 Spark Plugs–Cables–Coils			

GROUP 8 - Electrical		GROUP 8 - Electrical	
Illustration Title	Group-Fig. No.	Illustration Title	Group-Fig. No.
Starters		Wiring-Engine & Related Parts (Continued)	
Starter Gas Engine [5.7L EZ0]	Fig. 008-105	Wiring, Engine (Diesel)	Fig. 008-1210
Starter Diesel Engine [5.9L ET0]	Fig. 008-110	Wiring and Intake Heater Diesel	Fig. 008-1215
Alternators		Wiring-Headlamp to Dash	
Alternator [5.7L EZ0]	Fig. 008-205	Headlamp to Dash	Fig. 008-1305
Alternator [5.9L ET0]	Fig. 008-210	Wiring-Instrument Panel	
Modules		Wiring Instrument Panel	Fig. 008-1405
Modules	Fig. 008-405	Wiring-Body & Accessories	
Relays		Wiring Body Front	Fig. 008-1505
Power Distribution Center, Fuses, Relays	Fig. 008-505	Wiring Body Rear	Fig. 008-1510
Sensors		Wiring Seats	Fig. 008-1515
Sensors, Engine [5.7 EZ0]	Fig. 008-605	Wiring Repair	
Sensors, Engine [5.9L ET0]	Fig. 008-610	Wiring Repair	Fig. 008-1605
Sensors, Oxygen	Fig. 008-615	Air Bag Systems	
Sensors, Drivetrain	Fig. 008-620	Air Bag Modules and Sensors	Fig. 008-1705
Sensors, Body	Fig. 008-625	Air Bags, Clock Spring, Switch	Fig. 008-1710
Single Board Engine Controllers		Spark Plugs-Cables-Coils	
Powertrain Control Modules	Fig. 008-705	Spark Plugs, Cables, and Coil	Fig. 008-1905
Engine Control Module Diesel Engine [ET0]	Fig. 008-710		
Switches			
Switches, Instrument Panel	Fig. 008-805		
Switches, Body	Fig. 008-810		
Switches, Drivetrain	Fig. 008-815		
Horns			
Horns	Fig. 008-905		
Battery Tray, Cables and Block Heaters			
Battery Tray and Wiring [5.7L [EZ0]	Fig. 008-1005		
Battery, Tray, and Wiring [5.9L ET0]	Fig. 008-1010		
Block Heater [5.7L EZ0]	Fig. 008-1015		
Block Heater [5.9L ET0]	Fig. 008-1020		
Lamps - Front, Rear and Courtesy			
Lamps Front	Fig. 008-1105		
Lamps Rear	Fig. 008-1110		
Lamps Courtesy	Fig. 008-1115		
Bulbs	Fig. 008-1120		
Wiring-Engine & Related Parts			
Wiring, Engine (Gas)	Fig. 008-1205		


Starter Gas Engine [5.7L EZ0]
 Figure 008-105

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									STARTER
	4801 253AA	1				EZ0	DG0		
	56029 274AA	1				EZ0	DD0		
		1				EZ0	DBB		
2									SCREW AND WASHER, M10x1.50x45.00
	6101 985	2				EZ0	DBB		Starter mounting
		2				EZ0	DG0		Starter mounting
3									WIRING, Battery Positive, To starter [XE5,DSE]
	56051 165AC	1				EZ0			
	56051 991AB	1				EZ0			



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Figure 008-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Starter
	5114 422AA	1				ETH	DBB		
		1				ETH	DG0		
		1				ETH	DEE		
2									STARTER
	5086 932AA	1				ETH	DBB		
		1				ETH	DG0		
		1				ETH	DEE		
3									NUT
	4761 364	1				ETH	DBB		
		1				ETH	DG0		
		1				ETH	DEE		
-4									SCREW, Starter Motor
	4429 834	3				ETH	DBB		
		3				ETH	DG0		
		3				ETH	DEE		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Alternator [5.7L EZ0]
Figure 008-205



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:


[EK0]=3.7L Engine
[EM0]=5.9L Engine
[EV0]=4.7L Engine
[EW0]=8.0L Engine
[EZ0]=5.7L Engine
[EZA]=5.7L 'Magnum' SMPI Engine

1									ALTERNATOR 160 Amp
	56028 697AA	1				EZA			136 Amp
2	6506 337AA	1				EZ0			SCREW AND WASHER, Hex Head, Alternator attaching
3	6506 724AA	1				EZ0			STUD, Double Ended, Alternator Attaching
4	6507 071AA	1				EZ0			SCREW AND WASHER, Hex, Alternator bracket attaching
5	53032 387AA	1				EZ0			BRACKET, Alternator And Compressor
6	6101 695	3				EZ0			NUT, Hex Flange Lock
7	53032 131AA	1				EZ0			PULLEY, Idler
8	6506 688AA	1				EZ0			SCREW AND WASHER, Hex, Idler attaching
9									BUSHING, Idler Pulley, Serviced with idler pulley, (NOT SERVICED) (Not Serviced)
10	53032 132AK	1				EZ0			BELT, Accessory Drive
11	53032 130AA	1				EZ0			TENSIONER, Belt

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Alternator [5.9L ET0]
Figure 008-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
1	56028 732AA	1				ET0			ALTERNATOR, 136 Amp
2	6506 337AA	2				ET0			SCREW AND WASHER, Hex Head
3	53041 138AA	1				ET0			BELT, Accessory Drive With Air Condition
	53041 139AA	1				ET0			Without Air Condition
4	5086 744AA	1				ETH	DBB		SUPPORT, Fan
		1				ETH	DG0		
		1				ETH	DEE		
5	5086 748AA	1				ETH	DBB		PULLEY, Idler
		1				ETH	DG0		
		1				ETH	DEE		
6	4429 445	2				ETH	DBB		BOLT, Hex Head, M8
		2				ETH	DG0		
		2				ETH	DEE		
7	5093 120AA	1				ETH	DBB		CONNECTOR, Water Inlet
		1				ETH	DG0		Alternator support
		1				ETH	DEE		Alternator support
8	5086 958AA	1				ETH	DBB		TENSIONER, Belt
		1				ETH	DG0		
		1				ETH	DEE		
9	4429 779	1				ETH	DEG		BOLT, Hex Head
		1				ETH	DEE		
		1				ETH	DG0		
-10	6506 929AA-	1				ET0, EZ0			NUT, Hex Flange Lock, M8x1.25, Wiring connector

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Modules Figure 008-405



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MODULE, Overhead Console
	56049 706AE	1			41, 42				[CUS]
		1			62				[CUS]
	56049 707AE	1			41, 42				[CV2]
		1			62				[CV2]
2									MODULE, Front Control
	56051 036AD	1				EZ0			
		1				ET0			
3									MODULE, Anti-lock Brakes
	5114 538AB	1				ET0			
	5114 539AB	1				EZ0			
	5114 540AB	1	3, 8		42, 62	ET0			[WLA]
	5114 541AB	1	3, 8		42, 62	EZ0			[WLA]
4	56045 275AC	1							MODULE, Immobilizer
5									MODULE, Heated Seat Control
	56010 113AA	1			62				
		1			41, 42				
6	56028 589AD	1	7, 8						MODULE, Transfer Case Control
7									MODULE, Occupant Restraint
	56043 702AE	1							[CG1,CGS]
	56043 704AE	1							[CG1]
8	56045 755AB	1							RECEIVER, Keyless Entry
9	5064 022AG	1							MODULE, Telematics, With bracket


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Power Distribution Center, Fuses, Relays
Figure 008-505



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5026 033AB	1				EZ0			POWER DISTRIBUTION CENTER
	5026 035AC	1				ET0			
2	5086 631AA	1				ET0			RELAY, Electrical
3	56028 367AD	1				ET0			BRACKET, Relay, Intake Heater
4	4727 370AA	1							RELAY, Mini, Rear Window Defogger
5	00AT M10	6				EZ0			FUSE, Mini, 10 AMP, Red
		7				ET0			
6	00AT M15	10				EZ0			FUSE, Mini, 15 AMP, Light Blue
		8				ET0			
7	00AT M20	12				EZ0			FUSE, Mini, 20 AMP, Yellow
		13				ET0			
8	00AT M25	3				EZ0			FUSE, Mini, 25 Amp, Natural
		2				ET0			
9	4868 007AA	7				EZ0			FUSE CARTRIDGE, 30 Amp
		6				ET0			
10	4868 008AA	8				EZ0			FUSE CARTRIDGE, 40 Amp
		6				ET0			
11	6102 078AA	2				EZ0			FUSE CARTRIDGE, 50 Amp
		2				ET0			
-12	5114 449AB-	1				EZ0			COVER, Power Distribution Center
	5140 660AC-	1				ET0			
13	56021 922AA	1				EZ0			PULLER, Fuse
		1				ET0			
-14	5134 118AA-	1							BREAKER, Circuit

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

Sensors, Engine [5.7 EZ0]
Figure 008-605




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56041 584AE	1				EZ0			SENSOR, Camshaft
2	56028 815AA	1				EZ0			SENSOR, Crankshaft Position
-3	6501 957	1				EZ0			SCREW
		1				EZ0			Cam sensor
		1				EZ0			Crank Sensor
4	56028 563AA	2				EZ0			SENSOR, Knock
5									SENSOR, Throttle Position, Serviced with throttle body, (NOT SERVICED) (Not Serviced)
6	56028 364AA	1				EZ0			SENSOR, Air Temperature
7	56028 562AB	1				EZ0			SENSOR, Map
-8									SCREW, M4x16, Map sensor attaching, (NOT SERVICED) (Not Serviced)
-9									SCREW, Pan Head, (NOT SERVICED) (Not Serviced)
10	5269 870AB	1				EZ0			SENSOR, Coolant Temperature

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Sensors, Engine [5.9L ET0]
Figure 008-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5093 101AA	2				ETH	DBB		SENSOR, Engine Speed
		2				ETH	DG0		Crank Sensor
		2				ETH	DEE		Crank Sensor
2	5093 102AA	1				ETH	DBB		O RING
		1				ETH	DG0		
		1				ETH	DEE		
3	5093 106AA	2				ETH	DBB		SCREW
		2				ETH	DG0		
		2				ETH	DEE		
4	53032 649AA	1				ETH	DBB		SENSOR, Temperature/Pressure
		1				ETH	DG0		
		1				ETH	DEE		
5	5093 097AA	1				ETH	DBB		O RING
		1				ETH	DG0		
		1				ETH	DEE		
6	5114 413AA	1				ETH	DBB		SENSOR, Temperature Sending Unit
		1				ETH	DG0		
		1				ETH	DEE		
7	5139 278AA	1				ETH	DBB		SENSOR, Temperature/Pressure
		1				ETH	DG0		Air boost pressure
		1				ETH	DEE		Air boost pressure
8	5093 104AA	1				ETH	DEG		O RING
		1				ETH	DEE		
		1				ETH	DG0		
9	5093 107AA	2				ETH	DBB		SCREW
		2				ETH	DG0		
		2				ETH	DEE		
10	5093 112AA	1				ETH	DEG		SENSOR, Fuel Pressure
		1				ETH	DEE		
		1				ETH	DG0		
11									SWITCH, Oil Pressure

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

Sensors, Engine [5.9L ET0]
Figure 008-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5083 366AA	1				ETH	DBB		
		1				ETH	DG0		
		1				ETH	DEE		
12	5093 097AA	1				ETH	DBB		O RING
	5093 101AA	1				ETH	DG0		
		1				ETH	DEE		
		2				ETH	DBB		SENSOR, Engine Speed
	5093 097AA	2				ETH	DG0		Cam sensor
		2				ETH	DEE		Cam sensor
		1				ETH	DBB		O RING
14	5093 097AA	1				ETH	DG0		
		1				ETH	DEE		


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Sensors, Oxygen
Figure 008-615

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56028 994AB	1				EZ0			SENSOR, Oxygen, Before catalyst, Right
2	56028 994AB	1				EZ0			SENSOR, Oxygen, Before catalyst, Left
3	56029 050AA	1				EZ0			SENSOR, Oxygen, After catalyst, Right
4	56029 050AA	1				EZ0			SENSOR, Oxygen, After catalyst, Left




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Sensors, Drivetrain
Figure 008-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

[DG4] = Multi-Speed Automatic Transmission

[DGT] = 4 Speed Automatic Transmission

[DBB] = All Manual Transmissions

1									TRANSDUCER, Pressure Sensor
	4799 758	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
2									SENSOR, Transmission Output Speed
	4800 879	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
3	56028 187AE	1							SENSOR, Wheel Speed

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Sensors, Body
Figure 008-625


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

[DBB] = All Manual Transmissions

[DG0] = All Automatic Transmissions

1	5604 1053	1							SENSOR, Battery Temperature
2	55077 484AA	1				EZ0			SENSOR, Washer Fluid Level
3	5604 2395	1							SENSOR, Ambient Temperature, Bracket Included
4	5103 493AA	1	8		42, 62				SENSOR KIT, Anti-Lock Brakes
5	56028 187AE	1							SENSOR, Wheel Speed
6	56043 167AA	2							SENSOR, Side Airbag Impact
-7	6100 048	2							NUT, Hex, M6x1.00, Side Airbag Impact Sensor Attaching




DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Powertrain Control Modules
Figure 008-705



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MODULE, Powertrain Control
	56028 873AC	1				EZ0	DG0		[NAA,NFV,NZD]
	56028 875AC	1				EZ0	DG0		[NAE,NFV,NZD]
	56028 876AC	1				EZ0	DG0		[NAA,NFV,NZD,ACP]
	56028 883AC	1				EZ0	DG0		[NAE,NFV,NZD,ACP]
	56028 885AC	1				EZ0	DG0		[NAA,NFU,NZD]
	56028 887AC	1				EZ0	DG0		[NAE,NFU,NZD]
	56028 888AC	1				EZ0	DG0		[NAA,NFU,NZD,ACP]
	56028 890AC	1				EZ0	DG0		[NA1,NZD]
	56028 927AB	1				EZ0	DBB		[NAS,NFU,NZD,NHM,ACP]
	56028 928AB	1				EZ0	DBB		[NAS,NFU,NZD,ACP]
	56028 956AB	1				EZ0	DBB		[NAS,NFV,NZD,NHM,ACP]
	56028 959AB	1				EZ0	DG0		[NAE,NFV,NZD,ACP,NHM]
	56028 961AB	1				EZ0	DBB		[NAS,NFV,NZD,NHM]
	56028 962AB	1				EZ0	DBB		[NAS,NFV,NZD]
	56028 963AB	1				EZ0	DBB		[NAS,NFV,NZD,ACP]
	56028 964AB	1				EZ0	DBB		[NAS,NFU,NZD,NHM]
	56028 965AB	1				EZ0	DBB		[NAS,NFU,NZD]
	56028 966AB	1				EZ0	DBB		[NA1,NZD,NHM]
	56028 967AB	1				EZ0	DG0		[NAA,NFV,NZD,NHM]
	56028 968AB	1				EZ0	DG0		[NAE,NFV,NZD,NHM]
	56028 969AB	1				EZ0	DG0		[NAA,NFV,NZD,NHM,ACP]
	56028 970AB	1				EZ0	DG0		[NAA,NFU,NZD,NHM]
	56028 971AB	1				EZ0	DG0		[NAE,NFU,NZD,NHM]
	56028 972AB	1				EZ0	DG0		[NA1,NZD,NHM]
	56028 976AB	1				EZ0	DBB		[NA1,NZD]
	56028 988AB	1				EZ0	DG0		[NAA,NFU,NZD,ACP,NHM]
	56028 990AB	1				EZ0	DG0		[NAE,NFU,NZD,ACP,NHM]
2									SCREW, Tapping, M4x8, SCREW, Mounting M4.8x1.59x45.00, (NOT SERVICED) (Not Serviced)
3									NUT, NUT (M6x1.00) Not Serviced ***, (NOT SERVICED) (Not Serviced)
4	56028 286AB	1							BRACKET, Module


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Engine Control Module Diesel Engine [ET0]
Figure 008-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MODULE, Engine Controller
	5135 590AA	1				ETH	DBB		
	5135 591AA	1				ETH	DG0		
2									BOLT, Hex Head, M8
	4429 445	5				ETH	DBB		
		5				ETH	DG0		
		5				ETH	DEE		
3									SCREW
	5093 105AA	2				ETH	DBB		
		2				ETH	DG0		
		2				ETH	DEE		
4									ISOLATOR
	5093 099AA	2				ETH	DBB		
		2				ETH	DG0		
		2				ETH	DEE		
5									ISOLATOR
	5093 098AA	2				ETH	DBB		
		2				ETH	DG0		
		2				ETH	DEE		
6									ISOLATOR
	5093 100AA	4				ETH	DBB		
		4				ETH	DG0		
		4				ETH	DEE		
7									BRACKET, Engine Control Module
	5086 969AA	1				ETH	DBB		
		1				ETH	DG0		
		1				ETH	DEE		
8									SCREW
	5093 106AA	2				ETH	DBB		
		2				ETH	DG0		
		2				ETH	DEE		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Switches, Instrument Panel
Figure 008-805



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

[DBB] = All Manual Transmissions

[DG0] = All Automatic Transmissions

1									SWITCH, Headlamp
	56045 536AC	1							
	56045 537AC	1							With Fog Lamps
2	56045 515AA	1							SWITCH, Multifunction
3									SWITCH, Ignition
	56045 112AC	1					DG0		
		1					DBB		
4									SWITCH KIT, Overdrive Lockout, Served with gera shift lever, (NOT SERVICED) (Not Serviced)
5	56045 614AA	1							SWITCH, Transfer Case Mode
6	4565 022	1							SWITCH AND LAMP, Glove Box
7	56045 702AB	1							SWITCH, Adjustable Pedals
8	5083 344AA	1							SWITCH PACKAGE, Stop Lamp
9	4221 463	1							SWITCH, Parking Brake
10									SWITCH, Remote Radio
	4685 728AB	1							Right
	4685 729AB	1							Left
11									SWITCH, Speed Control
	56049 378AB	1							Right
	56049 379AB	1							Left
12									SWITCH, Heated Seat
	56045 625AB	1							Left
	56045 626AB	1							Right
13	56045 496AA	1							SWITCH, Passenger Airbag Disarm
14									BEZEL, Accessory Switch
	52851 543AB	1							[CMA,SHG]
	56045 624AB	1							[CMA,DH3]
	56045 639AA	1							[CMA]
	56049 710AB	1							[SHG]
	56051 052AA	1							[DH3]


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Switches, Body Figure 008-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56007 695AC	1							SWITCH, Power Window
2	56049 776AA	1			41, 42				SWITCH, Seat
3	56007 695AC	1			41, 42				SWITCH, Power Window, Single gang
4	5GS19 DX9AB	1							SWITCH, Door Lock
5	56007 695AC	1			41, 42				SWITCH, Power Window, [JPB,JPD]
6	UY11 1L5AA	1			41, 42				BEZEL, Door Trim Panel [L5]
	UY11 XDVA	1			41, 42				[DV]
	UY14 1DVAA	1			41, 42				[DV][JPB,JPD]
	UY14 1L5AA	1			41, 42				[L5][JPB,JPD]
7	55136 557AA	1							SWITCH, Security Alarm
8									SWITCH, Window and Door Lock
	56049 804AA	1			62				
	56049 805AA	1			41, 42				
9									SWITCH, Seat
	56049 777AA	1			62				
		1			41, 42				
10									BEZEL, Power Window/Door Lock Switch
	5HZ70 WL5AE	1			62				[L5], Left
	5HZ70 XDVAE	1			62				[DV]
	5HZ71 WL5AD	1			41, 42				[L5]
	5HZ71 XDVA	1			41, 42				[DV]
11									BEZEL, Power Window/Door Lock Switch
	5HZ72 WL5AB	1							[L5], Right
	5HZ72 XDVA	1							[DV], Right
12	56007 695AC	1			41, 42				SWITCH, Power Window, Single gang

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Switches, Drivetrain
Figure 008-815



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4868 672AA	1				EZA			SWITCH, Oil Pressure
	5083 366AA	1				ETH	DBB		
		1				ETH	DG0		
		1				ETH	DEE		
2	56045 489AC	1	2, 3			ET0	DG8		SWITCH, Neutral, Safety, Back Up
		1	7, 8			ET0	DG8		
3	56049 014AA	1	2, 3			ET0	DG8		BRACKET Nuetral safety switch
		1	7, 8			ET0	DG8		
4	5099 770AA	1	2, 3			ET0	DEG		SWITCH, Back Up Lamp
		1	7, 8			ET0	DEG		
	5600 7270	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
	5099 770AA	1	7, 8			EZ0	DEG		
		1	2, 3			EZ0	DEG		
	5600 7270	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
5	56041 335AB	1	2, 3			EZ0			SWITCH, Power Steering Pressure
		1	7, 8			EZ0			
		1	3, 8			EZ0			


DODGE RAM 2500/3500 (DH)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)				
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)				
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)				
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)				
				DEG = 6 Spd. Manual				

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Horns
Figure 008-905

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56043 181AD	1							HORN AND BRACKET, Dual
2									SCREW AND WASHER, Oval Head, M6x1x25, M8x1.25x23, (NOT SERVICED) (Not Serviced)
3									WIRING, Serviced in Headlamp to Dash Harness, (NOT SERVICED) (Not Serviced)




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Battery Tray and Wiring [5.7L [EZ0]
Figure 008-1005



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Battery Positive
	56051 165AC	1				EZ0			[XE5,DSE]
	56051 991AB	1				EZ0			
2									WIRING, Battery Negative
	56051 166AA	1				EZ0			[XE5,DSE]
	56051 989AA	1				EZ0			
3									SCREW, Tapping, M8x1.25x25, (NOT SERVICED) (Not Serviced)
4	56028 472AA	1							SHIELD, Battery
5	5604 1053	1							SENSOR, Battery Temperature
6	55275 831AA	1							TRAY, Battery
7									BATTERY, Storage
	56028 450AB	1				EZ0			[BCE]
	56028 452AC	1				EZ0			[BCQ]
8									SCREW AND WASHER, Hex Head, M8x1.25x25, (NOT SERVICED) (Not Serviced)
9	55276 348AA	1							BRACKET, Battery Hold Down

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Battery, Tray, and Wiring [5.9L ET0]
Figure 008-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56028 472AA	1				ET0			SHIELD, Battery
2	56028 452AC	2				ET0			BATTERY, Storage
3	55276 348AA	1				ET0			BRACKET, Battery Hold Down
4									SCREW AND WASHER, M6x1x45.5, (NOT SERVICED) (Not Serviced)
5	56028 472AA	1				ET0			SHIELD, Battery
6	5604 1053	1							SENSOR, Battery Temperature
7	55276 205AA	1				ET0			TRAY, Battery
8	55275 831AA	1							TRAY, Battery
9	56000 977AA	1				ET0			WIRING, Battery Positive
10	55056 423AA	3				ET0			CLIP, Shroud
11	56000 978AA	1				ET0			WIRING, Battery Negative
12	56000 979AA	1				ET0			WIRING, Battery Negative
13									SCREW, Tapping, M8x1.25x25, (NOT SERVICED) (Not Serviced)
14									WIRING, Battery Positive
	56000 976AB	1				ETH	DBB		Left
		1				ETH	DG0		Left
		1				ETH	DEE		Left
		1				ETH	DEG		Left



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Block Heater [5.7L EZ0]
Figure 008-1015

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56051 713AA	1				EZ0			CORD, Engine Block Heater
2	56044 359AA	1				EZ0			HEATER, Engine Block





DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Figure 008-1020

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HEATER, Engine Block
	5003 619AA	1				ETH	DBB		
		1				ETH	DG0		
		1				ETH	DEE		
2	56051 181AA	1				ET0			CORD, Engine Block Heater
3									CAP, (NOT SERVICED) (Not Serviced)




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Lamps Front Figure 008-1105



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: See 8 1120 for Bulbs									
1	55077 120AG	1							LAMP, Headlamp Park And Turn Right
	55077 121AG	1							Left
-2	5303 228	1							SOCKET, Park And Turn Signal
-3	5126 316AA-	1							RETAINER, Headlamp Bulb
4									PANEL, Headlamp Mounting, Serviced in Lamp Assy, (NOT SERVICED) (Not Serviced)
5									SCREW, Hex Head Serrated Flange, M6.3x1.81x25, (NOT SERVICED) (Not Serviced)
6									NUT, U Multi Thread, M6.3x1.81, (NOT SERVICED) (Not Serviced)
7	5072 638AC	1							WELT, Headlamp To Grille Right
	5072 639AC	1							Left
-8	5072 642AA-	1							CLIP, Lamp
9	55077 474AB	1							LAMP AND BRACKET, Fog Lamp Right
	55077 475AB	1							Left
10	55077 238AD	1							BEZEL, Fog Lamp Right
	55077 239AD	1							Left
11	56045 501AC	1							WIRING, Fog Lamp Jumper
-12	52029 083AB-	1				ET0	DG0		CLIP, Tube, Fog Lamp Wiring
13	55077 559AB	5							LAMP, Cab
14	L000 0168	1							BULB, 168
15	J400 0141	10							NUT, Square, .286x.355, Cab Marker Lamps
-16	5602 1441	1							LAMP, Underhood

DODGE RAM 2500/3500 (DH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Lamps Rear

Figure 008-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: See 8 1120 for Bulbs									
1	55077 347AF	1							LAMP, Tail Stop Backup Left
	55077 348AF	1							Right
2	5505 5270	1							LAMP, Tail Stop Turn Without Box, Right
	5505 5271	1							Without Box, Left
-3	5600 6514	1							LENS, Taillamp, Without Box
-4									BRACKET, Tail Lamp
	5020 574AB-	1							Right
	5020 575AB-	1							Left
5	55077 343AC	1							SOCKET, Tail, Stop, and Turn Lamp
6	6504 072	4							CLIP
7									SCREW, Tapping, .19-16x.625, (NOT SERVICED) (Not Serviced)
8	55077 291AF	1							LAMP, License Plate Left
	55077 292AF	1							Right
-9	55156 027AB-	1							SOCKET, High Mounted Stop Lamp
-10	55077 370AB-	2							CLIP, Lamp
11	5072 594AD	1							HOUSING, CHMSL
-12	5072 577AA-	1							WIRING, High Mounted Stop Lamp
13									SCREW, Tapping, 0.190-16-1.25, (NOT SERVICED) (Not Serviced)
14									NUT, Spring, M4.8x1.59, (NOT SERVICED) (Not Serviced)
15	55077 458AA	2	3, 8			42, 62			LAMP, Fender Marker Red
	55077 459AA	2	3, 8			42, 62			Amber
16	5086 509AA	1							LAMP BAR, Tailgate


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Lamps Courtesy
Figure 008-1115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: See 8 1120 for Bulbs									
1	5JG55 TL2AB	1			62				LAMP, Dome
		1			41, 42				
	5JG58 TL2AB	1			41, 42				[LCL]
		1			62				[LCL]
2	5093 413AA	1			62				LENS, Dome Lamp
		1			41, 42				
	5093 414AA	1			62				[LCL]
		1			41, 42				[LCL]
3	55077 559AB	5							LAMP, Cab
4	5086 509AA	1							LAMP BAR, Tailgate
5	L000 0168	1							BULB, 168
6									SCREW, (NOT SERVICED) (Not Serviced)
7	J400 0141	10							NUT, Square, .286x.355
-8	5086 510AA-	1							WIRING, Tailgate
9									LAMP, Fender Marker
	55077 458AA	2	3, 8		42, 62				Red
	55077 459AA	2	3, 8		42, 62				Amber
-10	55361 226AA-	1							LAMP, Ash Receiver
-11	5602 1441	1							LAMP, Underhood
-12	4897 446AA-	1							LENS, Lamp Module, Under hood lamp
-13									WIRING, Underhood Lamp
	56051 176AB-	1							Up to 06/06/05
	56051 176AC-	1							After 06/06/05

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Bulbs
Figure 008-1120

SPECIFICATIONS
LAMPS/LIGHTING — EXTERIOR

BULB APPLICATION TABLE	
LAMP	BULB
BACKUP (PICK-UP)	3057K ①
BACKUP (CAB & CHASSIS)	1156 ②
BRAKE (PICK-UP)	3057K ③
BRAKE (CAB & CHASSIS)	1157 ④
CAB CLEARANCE	168 ⑤
CENTER HIGH MOUNTED STOP	912 ⑥
FRONT FOG	9006LL ⑦
FRONT PARK	3157NA ①
FRONT SIDE MARKER	3157NA ①
FRONT TURN SIGNAL	3157NA ①
HEADLAMP	9007QL ⑦
LICENSE (PICK-UP)	168 ⑤
LICENSE (CAB & CHASSIS)	1157 ④
REAR FENDER MARKER (DUAL REAR WHEEL PICK-UP)	168 ⑤
REAR PARK (PICK-UP)	3057K ③
REAR PARK (CAB & CHASSIS)	1157 ④
REAR SIDE MARKER (PICK-UP)	3057K ③
REAR TAIL (PICK-UP BOX)	3057K ③
REAR TAIL (CAB & CHASSIS)	1157 ④
REAR TURN SIGNAL (PICK-UP)	3057K ③
REAR TURN SIGNAL (CAB & CHASSIS)	1157 ③
TAILGATE MARKER (DUAL REAR WHEEL PICK-UP)	168 ⑤
UNDERHOOD	561 ⑧

LAMPS/LIGHTING — INTERIOR

BULB APPLICATION TABLE	
LAMP	BULB
FRONT DOME/READING WITH OVERHEAD CONSOLE AND WITHOUT SUNROOF	212-2 ⑨
FRONT DOME/READING WITH OVERHEAD CONSOLE AND WITH SUNROOF	192 ⑩
GLOVE BOX LAMP	194 ⑪
VANITY LAMP	37 ⑫

PANEL LAMPS

BULB APPLICATION TABLE	
LAMP	BULB
COMPASS MINI-TRIP CONTROL	MOPAR 04437661
A/C-HEAT CONTROL	MOPAR 05135537AA

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	L000 3057	1							BULB, 3057
2	L000 1156	1							BULB, 1156
3	L000 03157A	1							BULB, 3157A
4	L000 2057	1							BULB, 2057
5	L000 0168	1							BULB, 168
6	L000 0912	1							BULB, 912
7	L0009 007QL	1							BULB, Headlamp
	L000 9006	1							Fog lamp
8	L000 0561	1							BULB, 561
9	L002 1202	2			62				BULB, 212-2
		2			41, 42				
10	L000 0192	2			41, 42				BULB, 192
11	L000 0194	1							BULB, 194
12	L000 0037	2			41, 42				BULB, 37
-13	L000 0578	1			41, 42				BULB, 578


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Wiring, Engine (Gas)
Figure 008-1205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	WIRING, Engine								
	56051 167AB	1	7, 8			EZ0	DDP		[DH1,DSE]
	56051 168AB	1	7, 8			EZ0	DG0		[DH1,DSE]
	56051 395AB	1	7, 8			EZ0	DEG		[DH1]
		1	2, 3			EZ0	DEG		Base
	56051 396AB	1	7, 8			EZ0	DEG		[DH3]
	56051 620AB	1	7, 8			EZ0	DDP		[DH3]
	56051 621AB	1	2, 3			EZ0	DDP		Base
		1	7, 8			EZ0	DDP		[DH1]
	56051 622AB	1	7, 8			EZ0	DG0		[DH3]
	56051 623AB	1	2, 3			EZ0	DG0		Base
		1	7, 8			EZ0	DG0		[DH1]
	56051 669AB	1	7, 8			EZ0	DEG		[DH1,DSE]
2	56051 399AA	1				EZ0			WIRING, Fuel Module, Air Fuel Module Wiring
3									STRAP, Ground Cab to Box
	4311 888AB	1							[XBC]
	52121 253AA	1				EZ0			
	56043 078AC	1				EZ0			Engine to Heat Shield
4	56051 075AB	1	7, 8						WIRING, Transfer Case Jumper
5	56051 184AA	1							BRACKET, Engine Wiring, [HCA]
6	56051 159AA	1				EZ0			A/C Delete BRACKET, Engine Wiring

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Wiring, Engine (Diesel)
Figure 008-1210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Engine
	5143 251AA	1				ETH	DG0		
	5143 252AA	1				ETH	DBB		
		1				ETH	DEE		
2									WIRING, Injector
	5139 865AA	3				ETH	DBB		
		3				ETH	DG0		
		3				ETH	DEE		
3									WIRING, Engine
	5143 253AA	1				ETH	DG0		
	5143 254AA	1				ETH	DBB		
		1				ETH	DEE		
-4									WIRING, Transmission
	56051 086AB-	1	7, 8			ET0	DEG		[DH1]
		1	2, 3			ET0	DEG		
	56051 087AB-	1	7, 8			ET0	DEG		[DH3]
	56051 146AD-	1	7, 8			ET0	DG8		[DH3]
	56051 147AD-	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		[DH1]
	56051 774AA-	1	7, 8			ET0	DEE		[DH1]
		1	2, 3			ET0	DEE		
	56051 775AA-	1	7, 8			ET0	DEE		[DH3]
5									SCREW, Hex Head, M8x1.25x12
	5011 818AA	9				ETH	DBB		
		9				ETH	DG0		
		9				ETH	DEE		
6									SCREW, Hex Head
	5086 961AA	1				ETH	DBB		
		1				ETH	DG0		
		1				ETH	DEE		
7									BOLT, Hex Head
	4429 630	1				ETH	DBB		
		1				ETH	DG0		
		1				ETH	DEE		
8									BOLT, Hex Head
	4429 638	3				ETH	DBB		
		3				ETH	DG0		
		3				ETH	DEE		
9									SCREW, Hex Head, M8x1.25x45
	4761 242	2				ETH	DBB		
		2				ETH	DG0		

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Wiring, Engine (Diesel)
Figure 008-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	5086 963AA	2				ETH	DEE		BRACKET, Engine Wiring
		1				ETH	DBB		
		1				ETH	DG0		
		1				ETH	DEE		
11	5086 964AB	6				ETH	DBB		CLAMP
		6				ETH	DG0		
		6				ETH	DEE		
12	5086 957AA	1				ETH	DBB		SCREW, Hex Head
		1				ETH	DG0		
		1				ETH	DEE		

DODGE RAM 2500/3500 (DH)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
				H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
				L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
					3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
						62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
								DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Wiring and Intake Heater Diesel
Figure 008-1215

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5011 818AA	1				ETH	DBB		SCREW, Hex Head, M8x1.25x12
		1				ETH	DG0		
		1				ETH	DEE		
2	5086 961AA	1				ETH	DBB		SCREW, Hex Head
		1				ETH	DG0		
		1				ETH	DEE		
3	4429 316	2				ETH	DBB		NUT
		2				ETH	DG0		
		2				ETH	DEE		
4	4429 959	1				ETH	DBB		NUT, Tappet Cover
		1				ETH	DG0		
		1				ETH	DEE		
5	4882 110	1				ETH	DBB		SCREW, Hex Head, M8x1.25x16
		1				ETH	DG0		
		1				ETH	DEE		
6	5086 720AC	1				ETH	DBB		HEATER, Engine
		1				ETH	DG0		
		1				ETH	DEE		
7	5086 721AB	1				ETH	DBB		GASKET, Air Intake Connector
		1				ETH	DG0		
		1				ETH	DEE		
8	5135 782AA	1				ETH	DBB		WIRING, Air Intake Heater
		1				ETH	DG0		
		1				ETH	DEE		
9	56051 058AA	1				ET0			WIRING, Jumper, Air heater


DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Headlamp to Dash Figure 008-1305

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Headlamp to Dash
	56051 157AD	1				EZ0			[BRT,DSE]
	56051 233AD	1				ET0	DG0		[BRT,DH3]
	56051 234AD	1				ET0	DG0		[BRT]
	56051 235AD	1				ET0	DBB		[BRT]
	56051 236AD	1				ET0	DBB		[BRT,DH3]
	56051 237AD	1				EZ0			[BRT]
	56051 239AD	1				EZ0			[BRT,DH3]
-2	56051 473AA-	1				EZ0			PLUG, Wiring, A/C delete




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Wiring Instrument Panel
Figure 008-1405




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Instrument Panel
	56051 209AB	1							Base
	56051 210AB	1							[JPB,GXX]
	56051 211AB	1							[RSP]
	56051 212AB	1							[XAP]
	56051 213AB	1							[RCK]
	56051 214AB	1							[RCK,RSP]
	56051 215AB	1							[CMA,RCK]
	56051 216AB	1							[CMA,RCK,RSP]
	56051 247AB	1							[RCK,RSB]
	56051 248AB	1							[CMA,RCK,RSB]
	56051 605AB	1							[CMA]
	56051 606AB	1							[CMA,RSP]
-2	56049 423AF-	1							WIRING, Steering Wheel
		1							[SCF,NHM]
		1							[SCV,NHM]
		1							[SCF]
	56049 424AF-	1							[RDZ,SCV,NHM]
-3	56045 653AA-	1							BRACKET, Connector
									Instrument Panel Connector
									Bracket
	56051 136AA-	1				ET0			Instrument Panel Connector
									Bracket
-4	56051 075AB-	1	7, 8						WIRING, Transfer Case Jumper
-5	56051 163AB-	1	7						WIRING, Jumper, Off road switches in center stack

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Wiring Body Front
Figure 008-1505




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Headliner, Serviced with Headliner, (NOT SERVICED) (Not Serviced)
2	56051 932AB	2							WIRING, Front Door Base
	56051 934AB	1							[JPB], Right
	56051 935AB	1							[JPB], Left
	56051 937AB	1							[JPB,LAS], Left
3									WIRING, Body
	56051 976AD	1			41, 42				Base
	56051 977AD	1			41, 42				[CGS]
4									WIRING, Rear Door
	56051 930AA	2			41, 42				
	56051 931AA	2			41, 42				[JPB]
5									WIRING, Clearance Lamp Jumper
	56051 316AA	1							[LNC,GNK,RSP]
	56051 299AA	1							[LNC,GNK]
	56051 370AA	1							[LNC]
6									WIRING, Electric Back Light
	56051 096AA	1			41, 42				
	56051 095AA	1			62				
7	56051 171AA	1							WIRING, Jumper, Heated Backlight Option
8	56051 176AB	1							WIRING, Underhood Lamp
9									WIRING, Mirror Jumper
	56051 317AA	1							[GNK,RSP]
	56051 318AA	1							[GNK]

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Wiring Body Rear
Figure 008-1510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Chassis
	56051 162AC	1	7		41, 62				[AHC,DSE]
	56051 404AA	1			41, 62				Base
	56051 405AA	1			41, 62				[AHC]
	56051 406AA	1	3, 8		62				[WLA]
	56051 407AA	1	3, 8		62				[AHC,WLA]
	56051 408AA	1			41, 62				[XBC]
	56051 411AA	1			42				Base
	56051 412AA	1			42				[AHC]
	56051 413AA	1	3, 8		42				[WLA]
	56051 414AA	1	3, 8		42				[AHC,WLA]
	56051 415AA	1			42				[XBC]
-2	56045 795AA-	1							WIRING, Trailer Tow, Includes 'E'
									Brake Pigtail
3	56038 366AB	1							CONNECTOR, 7 Way, Trailer Tow
4	55077 360AB	1							TAPPING PLATE, 7-Way Trailer Tow
									Connector Mounting Plate
-5	6034 912	4							SCREW, Pan Head, .19-16x.75, 7-Way Trailer Tow Connector
									Mounting Plate Attaching
6	56051 048AA	2	3, 8		42, 62				WIRING, Fender Lamp
7	5086 510AA	1							WIRING, Tailgate

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Wiring Seats Figure 008-1515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WIRING, Seat
	5127 787AA	1			41, 42				[JTH], Left Seat
		1			62				[JTH], Left Seat
2									WIRING, Power Seat
	5127 779AA	1			41, 42				[JTH,CMA], Left
	5127 781AA	1			41, 42				[JTD,CMA], Left
		1			41, 42				[JTD], Left
		1			41, 42				[JTH], Left
3									WIRING, Seat
	5127 786AA	1			41, 42				Right Seat
		1			62				Right Seat
4									WIRING, Power Seat
	5127 778AA	1			41, 42				[JTD,CMA], Right Seat
	5127 780AA	1			41, 42				[JTD], Right Seat
5									WIRING, Jumper
	5127 776AA	1			41, 42				Power sear, Right
	5127 777AA	1			41, 42				Power sear, Left
6									WIRING, Seat
	5127 785AA	1			41, 42				For seat belt, Left
		1			62				For seat belt, Left
7									WIRING, Jumper
	5127 759AA	1			41, 42				
	5127 760AA	1			41, 42				[CMA]
8									WIRING, Jumper
	5127 759AA	1			41, 42				Armrest
	5127 760AA	1			41, 42				[CMA], Armrest
		1			62				[CMA], Armrest

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Wiring Repair
Figure 008-1605

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-1									WIRING PACKAGE, Underhood
									Connector Repair, For Electrical Connector Repair Information visit the World Wide Web at http://dto.vftis.com/mopar/disclaimer.asp , (NOT SERVICED) (Not Serviced)
-2	5073 039AA-	1							STRAP, Tie
		1				ET0	DG0		

For Electrical Connector Repair Information visit
the World Wide Web at

<http://dto.vftis.com/mopar/disclaimer.asp>

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Air Bag Modules and Sensors

Figure 008-1705

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56043 167AA	2							SENSOR, Side Airbag Impact
2									MODULE, Occupant Restraint
	56043 702AH	1							[CG1,CGS]
	56043 704AH	1							[CG1]




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Air Bags, Clock Spring, Switch
Figure 008-1710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									AIR BAG, Side Curtain
	55350 932AF	1			62				Right
	55350 933AF	1			62				Left
	55350 934AF	1			41, 42				Right
	55350 935AF	1			41, 42				Left
2	56045 496AA	1							SWITCH, Passenger Airbag Disarm
3									AIR BAG, Passenger
	5JD13 WL5AC	1							[L5]
	5JD13 XDVAC	1							[DV]
4									AIR BAG, Driver
	XE29 WL8AC	1							[L5]
	XE29 XDVAC	1							[DV]
5									COVER, Air Bag Module
	YT70 WL8AA	1							[L5]
	YT70 XDVAA	1							[DV]
6	56049 795AA	1							CLOCKSPRING

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Spark Plugs, Cables, and Coil
Figure 008-1905



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	56028 578AE	1				EZ0			CABLE PACKAGE, Ignition
2	SPRE1 4MCC4 16					EZ0			SPARK PLUG
3	56028 377AC	1				EZ0			CABLE, Ignition, Coil 6 to plug 1
4	56028 378AC	1				EZ0			CABLE, Ignition, Coil 3 to plug 2
5	56028 379AC	1				EZ0			CABLE, Ignition, Coil 2 to plug 3
6	56028 380AC	1				EZ0			CABLE, Ignition, Coil 7 to plug 4
7	56028 382AC	1				EZ0			CABLE, Ignition, Coil 8 to plug 5
8	56028 384AC	1				EZ0			CABLE, Ignition, Coil 1 to plug 6
9	56028 386AC	1				EZ0			CABLE, Ignition, Coil 4 to plug 7
10	56028 388AC	1				EZ0			CABLE, Ignition, Coil 5 to plug 8
11	56028 394AD	8				EZ0			COIL, Ignition
12	56028 656AA	1				EZ0			TRAY, Ignition Cable


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – 08A

Instrument Panel and Radios and Consoles




08A-100 Instrument Panel	08A-200 Instrument Panel Cluster	08A-300 Radio, Antenna, and Speakers	08A-400 Consoles

GROUP 8A - Instrument Panel and Radios and Consoles

Illustration Title	Group-Fig. No.
Instrument Panel	
Instrument Panel	Fig. 08A-110
Instrument Panel Cluster	
Instrument Cluster	Fig. 08A-210
Radio, Antenna, and Speakers	
Radio	Fig. 08A-310
Speakers	Fig. 08A-320
Antenna	Fig. 08A-330
Consoles	
Overhead Console	Fig. 08A-410
Floor Console	Fig. 08A-420

Instrument Panel
Figure 08A-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[DBB]= All Manual Transmissions									
[DG0]= All Automatic Transmissions									
1	5GT31 WL8AA	1							COVER, Instrument Panel [L5] Clips Serviced in Assembly Only
	5GT31 XDVAA	1							[DV] Clips Serviced in Assembly Only
2									PANEL, Instrument, Deadner Pad, HEVAC Bracket, Defroster Duct, Glovebox, Airbag & I/Panel Lower Not Included)
	ZF26 1DVA	1							[DV]
	ZF26 1L5A	1							[L5]
-3	5080 596AA-	1							PANEL, Instrument, Base
4	55056 146AA	1							REINFORCEMENT, Instrument Panel, Located Below Steering Column
-5									INSULATION, Dash Panel
	55350 873AG-	1				EZ0			
	55350 892AF-	1				ET0			
-6									BRACKET, Instrument Panel
	5080 588AA-	1							HEVAC
	5080 597AA-	1							Park brake release handle
-7									HANDLE, Parking Brake
	WL85 1DVAA-	1							[DV]
	WL85 1L5AA-	1							[L5]
-8	5080 589AB-	1							PAD, Deadener
-9	5080 590AA-	1							DUCT, Defroster
10									PANEL, Instrument Upper
	1BH90 1DVAA	1							[DV]
	1BH90 1L5AA	1							[L5]
-11	5080 598AA-	1							DUCT, Demister
12									GRILLE, Demister
	WL88 1DVAA	1							[DV], Right
	WL88 1L5AA	1							[L5], Right
	WL89 1DVAA	1							[DV], Left
	WL89 1L5AA	1							[L5], Left
13									OUTLET, Air
	WP34 1DVAA	1							[DV]
	WP34 1L5AA	1							[L5]
14									CUPHOLDER, Instrument Panel

DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EZA = 5.7L HEMI Magnum V8		DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		ETH = 5.9LD Cummins HO		DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)				DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)				DEE = 6 Spd. Manual (5600)			
						DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Instrument Panel
Figure 08A-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5GT15 1DVAE	1					DG0		[DV] Latch & Latch Spring Included (Automatic Transmission)
	5GT15 1L5AE	1					DG0		[L5] Latch & Latch Spring Included (Automatic Transmission)
-15	5080 679AA-	1					DG0		LATCH, Instrument Panel
16	5GT23 WL5AA	1					DG0		COVER, Control Unit
	5GT23 XDVA	1					DG0		[L5] AECM (Clips Included)
-17	6504 301	2							CLIP, Moulding
18	5GT17 DX9AA	1							BIN, Instrument Panel
-19	5080 650AA-	1							MAT, Instrument Panel
20	5GT16 1DVAC	1					DBB		[DV]
	5GT16 1L5AC	1					DBB		[L5]
-21	6504 485AB-	4							NUT, Plastic Snap-in
22	56045 702AB	1							SWITCH, Adjustable Pedals
23	5GV52 1DVAB	1							[DV]
	5GV52 1L5AB	1							[L5]
	5GV53 1DVAC	1							[DV][JBM]
	5GV53 1L5AC	1							[L5][JBM]
24	WP36 1DVAA	1							OUTLET, Air
	WP36 1L5AA	1							[DV], Right
	WP37 1DVAA	1							[L5], Right
	WP37 1L5AA	1							[DV], Left
25	5GY91 WL5AA	1							[L5], Left
	5GY91 XDVA	1							BEZEL, Instrument Panel, Left
									[L5] Outlet & Clips
									[DV] Outlet & Clips
26	WP33 WL5AA	1							OUTLET, Air
	WP33 XDVA	1							[L5]
27	5GZ93 WL8AC	1							[DV]
	5GZ93 XDVA	1							BEZEL, Instrument Cluster
									[L5] Clips Included
									[DV] Clips Included
28	5GY82 WL8AB	1							END CAP, Instrument Panel
	5GY82 XDVA	1							[L5], Right
	5GY83 WL8AB	1							[DV], Right
	5GY83 XDVA	1							[L5], Left
									[DV], Left
29									COVER, Instrument Panel, Steering Column Opening

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Figure 08A-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5GT24 WL5AC	1							[L5] Clips Included
	5GT24 XDVAC	1							[DV] Clips Included
-30	6504 301	2							CLIP, Moulding
31	5HK92 WL5AB	1							BEZEL, Instrument Panel, Left
	5HK92 XDVAB	1							[L5] with Adjustable Pedals (Clips Included)
	5HK93 WL5AB	1							[DV] with Adjustable Pedals (Clips Included)
	5HK93 XDVAB	1							[L5] without Adjustable Pedals (Clips Included)
-32	6504 301	2							[DV] without Adjustable Pedals (Clips Included)
33	55055 978AA	1							CLIP, Moulding
34	55056 045AA	1							ADAPTER, A/C And Heater Unit
35	5HC58 WL5AA	1							ADAPTER, Defroster Duct
	5HC58 XDVAA	1							PLATE, Switch Opening
36	6101 945	4							[L5] Without Passenger Airbag Switch
37	6101 945	2							[DV] Without Passenger Airbag Switch
38									SCREW
39									SCREW
	56045 536AC	1							SCREW, (NOT SERVICED) (Not Serviced)
	56045 537AC	1							SWITCH, Headlamp
-40	56021 922AA-	1				EZ0			With Cargo Lamp & without Foglamp
		1				ET0			With Cargo Lamp & Foglamp
-41	56045 496AA-	1							PULLER, Fuse
-42	5HD08 WL5AA-	1							SWITCH, Passenger Airbag Disarm
	5HD08 XDVAA-	1							BEZEL, Instrument Panel Switch
	5HD09 WL5AA-	1							[L5] Passenger Airbag Deactivation (English)
	5HD09 XDVAA-	1							[DV] Passenger Airbag Deactivation (English)
	5HD09 WL5AA-	1							[L5] Passenger Airbag Deactivation (French)
	5HD09 XDVAA-	1							[DV] Passenger Airbag Deactivation (French)
-43	4685 164	1							COVER, Glove Box Lamp Hole

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
 DGQ = Multi-Speed Auto.(45RFE)
 DG8 = 4 Spd. Auto.(48RE)
 DEE = 6 Spd. Manual (5600)
 DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Instrument Panel
Figure 08A-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
44									GLOVE BOX, Instrument Panel
	WL80 1DVAA	1							[DV]
	WL80 1L5AA	1							[L5]
-45	4565 022	1							SWITCH AND LAMP, Glove Box
46									LATCH, Glovebox
	WL81 1DVAA	1							[DV]
	WL81 1L5AA	1							[L5]
-47									BUMPER, Glove Box Door
	5019 386AA-	2							Stop
	5080 591AA-	2							Overslam
48	5080 593AA	1							STRIKER, Glove Box Door Latch
49									PANEL, Instrument Lower
	WL82 1DVAB	1							[DV]
	WL82 1L5AB	1							[L5]
-50									CAP, Cigar Lighter
	4685 591	1			41, 42				
		1			62				
-51									POWER OUTLET
	4793 554AB-	1			41, 42				
		1			62				
-52	6034 833	3							CLIP, Push, .164-7.5
-53									ASH RECEIVER, Instrument Panel
	WL83 1DVAA-	1							[DV]
	WL83 1L5AA-	1							[L5]
-54	5080 772AA-	1							RECEPTACLE, Ash Receiver
55									AIR BAG, Passenger
	5JD13 WL5AC	1							[L5]
	5JD13 XDVAC	1							[DV]
-56	4685 590	1							BASE, Cigar Lighter
-57	4685 536	1							KNOB AND ELEMENT, Cigar Lighter
-58	4793 555	1							RING, Cigar Lighter Mounting
59									LABEL, Air Bag Warning
	4595 748AA	1							English
	4595 749AA	1							Bilingual
60									BEZEL, Accessory Switch
	52851 543AB	1							[CMA,SHG]
	56045 624AB	1							[CMA,DH3]
	56045 639AA	1							[CMA]
	56049 710AB	1							[SHG]
	56051 052AA	1							[DH3]
-61									MAT, Storage Tray
	56045 623AA-	1							[CMA]

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Instrument Panel
Figure 08A-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	56051 053AA-	1							[DH3]
-62	56021 909AA-	2							GROMMET, Body Wiring


DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Instrument Cluster
Figure 08A-210**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CLUSTER
	56051 104AE	1				ET0			[JAY,JCB,JPB]
	56051 105AE	1				ET0			[JAY,JDC]
	56051 106AE	1				ET0			[JAY,JCB]
	56051 101AE	1				EZ0			[JAY,JCB,JPB]
	56051 102AE	1				EZ0			[JAY,JDC]
	56051 103AE	1				EZ0			[JAY,JCB]
2									MASK AND LENS, Instrument Cluster
	4829 851AC	1				EZ0			
		1				ET0			
-3									BULB AND SOCKET
	4839 738AA-	11				EZ0			
		11				ET0			
-4	6101 945	4							SCREW, M4.2X1.70X15.00, Cluster Mounting



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Radio
Figure 08A-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

[RAZ] = AM/FM Cassette & CD
[RBB] = AM/FM Cassette/CD Changer
[RBY] = AM/FM Cassette/CD & CD Changer
[RBK] = AM/FM/CD
[RBP]=AM/FM Cassette/CD/CD Changer
[RBQ] = AM/FM/CD (6 Disc)
[RBU] = AM/FM Cassette & CD

1	5091 605AC	1							RADIO, AM/FM with CD and Cassette, [RAZ]
2	5091 609AD	1							RADIO, AM/FM/Cassette With CD, [RBY]
3	5091 505AB	1							RADIO, AM/FM/Cassette With CD, [RBB]
4	5091 506AB	1							RADIO, AM/FM with CD and Equalizer, [RBK]
5	5091 507AB	1							RADIO, AM/FM with CD and Equalizer, [RBQ]
-6	56043 286AD-	1							RADIO, AM/FM CD W/NAV/DVD & CD-CTRL, [RB4]
-7	56043 290AA-	1				ET0			STRAP, Ground
-8	6505 815AA-	1							SCREW, Ground Strap to Box Attaching
-9	4274 258	1							TAPE, Radio Connector, Foam
-10	6102 085AA-	1				ET0			SCREW AND WASHER, Hex Head, M8x1.25x20, Ground Strap to Engine Attaching
-11	5091 501AE-	1							COMPACT DISC, Navigation

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Speakers
Figure 08A-320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
[RCD] = Four Speaker System									
[RCK] = Six Speaker System (Infinity)									
[RCY] = Eight with subwoofer{Infinity}									
1	5081 671AA	2							SPEAKER, 3.5"
2	5081 672AA	1							SPEAKER, Front, 2.25
3	6101 945	6							SCREW
4									SPEAKER, Front Door
	56040 953AB	2							[RCK]
	56043 385AB	2							[RCD]
5									SCREW, 190-16X1.00, (NOT SERVICED) (Not Serviced)
6	6036 565AA	8							CLIP, Speaker
7									SPEAKER, 5.25"
	56043 085AC	2							[RCD] Four Speaker System
	56043 086AC	2							[RCK] [RCY] Six Speaker System (Infinity) Rear Door (Quad Cab) or Rear Storage Area (Club Cab)
8	56043 295AD	1							AMPLIFIER, Radio
9	6506 150AA	3							SCREW, Hex Head, M6x1x20, Amplifier mounting


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Antenna Figure 08A-330

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4685 574AE	1							MAST, Antenna
2	5600 6990	1							PLUG, Antenna Hole
3	56043 089AD	1							CABLE, Antenna
4	5600 7570	1							NUT, M6x1, Antenna base mounting
5	2860 332	1							PLUG, Anti-Rattle
6									GASKET, Antenna, Serviced with antenna cable, (NOT SERVICED) (Not Serviced)
7	56043 088AB	1							ADAPTER, Antenna
-8	5080 594AA-	1							CABLE, Antenna, Instrument Panel
-9	56043 276AB-	1							ANTENNA, Global Positioning, [RB4]




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Overhead Console Figure 08A-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOUSING, Overhead Console
	YQ17 TL2AA	1			62				
		1			41, 42				
2									BULB, 212-2
	L002 1202	2			62				
		2			41, 42				
3									LENS, Reading Lamp
	5073 070AA	1			62				Right
		1			41, 42				Right
	5073 071AA	1			62				Left
		1			41, 42				Left
4									BRACKET, Overhead Console
	5102 972AA	1			62				
		1			41, 42				
5									MODULE, Overhead Console
	56049 706AE	1			41, 42				[CUS]
		1			62				[CUS]
	56049 707AE	1			41, 42				[CV2]
		1			62				[CV2]
6									WIRING, Overhead Console, Serviced with Housing Only, (NOT SERVICED) (Not Serviced)
7									CLIP, Console, Serviced with Housing Only, (NOT SERVICED) (Not Serviced)

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

$$\begin{aligned} 1, 6 &= 1500 \\ 2, 7 &= 2500 \\ 3, 8 &= 3500 \end{aligned}$$

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO




TRANSMISSION

DDP = 5 Spd. Manual (4500)
 DGQ = Multi-Speed Auto.(45RFE)
 DG8 = 4 Spd. Auto.(48RE)
 DEE = 6 Spd. Manual (5600)
 DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Floor Console
Figure 08A-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:
[DBB] = All Manual Transmissions
[DG0] = All Automatic Transmissions

1	5GT26 1DVAC	1					DD0		CONSOLE, Floor [DV]
	5GT26 1L5AC	1					DD0		[L5]
2	5GT28 WL5AA	1	7, 8				DG0		BEZEL, Transfer Case [L5]
	5GT28 XDVAA	1	7, 8				DG0		[DV]
3	5GT27 DX9AB	1	2, 3				DD0, DEG DBB		BIN, Floor Console
		1	7, 8						
4	5HA80 DX9AA	1					DD0, DEG		MAT, Console Cup Holder, Right
5	5HA81 DX9AA	1					DD0, DEG		MAT, Console Cup Holder, Left
6	5HD65 DX9AC	1			41, 42				CUP HOLDER, Rear Seat, Black
7	5HF60 DX9AA	1					DD0, DEG		MAT, Floor Console
8									SCREW, 190-16X.70, (NOT SERVICED) (Not Serviced)

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005


Group – 009

Engine and Transmission Mounting



GROUP 9 - Engine and Transmission Mounting

Illustration Title	Group-Fig. No.
Engine Mounting	
Engine Front	Fig. 009-120
Transmission Rear	Fig. 009-140



<div><div>009-100</div><div>Engine Mounting</div><div></div></div>			
---	--	--	--

Engine Front
Figure 009-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes
[ET0]= All 5.9L Diesel Engines
[EZ0] = All 5.7L Eight Cylinder Gas Engines


1									BRACKET, Engine Mount Right
	52021 136AA	1				ET0			
	52021 138AA	1				EZ0			Right
2	52021 712AA	2				ET0			INSULATOR, Engine Mount
3									SCREW AND WASHER, Hex Head, M10x1.5x28
	6503 699	8				EZ0			
		6							
4									BRACKET, Engine Mount Left
	52021 135AA	1	2, 3			ET0			
	52021 137AA	1	7, 8			ET0			Left
	52021 139AA	1	2, 3			EZ0			Left
	52021 163AA	1	7, 8			EZ0			Left
5	52021 713AB	2				EZ0			INSULATOR, Engine Mount
6	6507 250AA	8				ET0			SCREW, Hex Flange Head
7	6507 784AA	2							SCREW AND WASHER, Hex Head, M12x1.75x155
8	6101 448	2							NUT AND WASHER, Hex Nut-Coned Washer, M10 x 1.5

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Transmission Rear
Figure 009-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes
[DDP] = All Five Speed Manual Transmissions
[DGQ] = Five Speed Automatic Transmission
[DG8] = Four Speed Automatic Transmission
[ET0]= All 5.9L Diesel Engines

1	52021 470AC	1							BRACKET AND INSULATOR, Transmission Support
2	52021 103AA	1					DDP		BRACKET, Transmission Mount
3									SCREW AND WASHER, Hex Head Locking, .437-14x1.25
	6033 358	3	2, 3				DG8		
		4	7, 8						
		2					DDP		
4	6506 019AA	2							BOLT AND WASHER, Hex Head, M10x1.5x30
5	6502 585	2							NUT
6									BRACKET, Transmission Mount
	52021 105AA	1	7, 8			ET0	DG8		
	52021 130AA	1	2, 3				DGQ		
		1	2, 3			ET0	DG8		
	52021 131AA	1	7, 8				DGQ		
7									SCREW AND WASHER, Hex Head, M10x1.5x28
	6503 699	4	7, 8				DGQ		
		3	2, 3				DGQ		
8	52121 157AA	1	2, 3			ET0	DG8		DAMPER, Mass





DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Group – 5.7L
Engine 5.7L Eight Cylinder




GROUP 5.7L - Engine 5.7L Eight Cylinder

Illustration Title	Group-Fig. No.
Cylinder Head Cylinder Head 5.7L [EZA]	Fig. 5.7L-210
Cylinder Block Cylinder Block 5.7L [EZA]	Fig. 5.7L-310
Crankshaft, Pistons and Torque Converter Crankshaft, Pistons and Torque Converter 5.7L [EZA]	Fig. 5.7L-410
Camshafts and Valves Camshaft and Valves 5.7L [EZA]	Fig. 5.7L-510
Timing Belt and Cover Timing Cover and Related Parts 5.7L [EZA]	Fig. 5.7L-610
Engine Oiling Engine Oiling 5.7L [EZA]	Fig. 5.7L-710
Manifolds Manifolds, Intake and Exhaust 5.7L [EZA]	Fig. 5.7L-820
Crankcase Ventilation Crankcase Ventilation	Fig. 5.7L-910

5.7L-200 Cylinder Head	5.7L-300 Cylinder Block	5.7L-400 Crankshaft, Pistons and Torque Converter	5.7L-500 Camshafts and Valves
			
5.7L-600 Timing Belt and Cover	5.7L-700 Engine Oiling	5.7L-800 Manifolds	5.7L-900 Crankcase Ventilation

Cylinder Head 5.7L [EZA]
Figure 5.7L-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:
Upper Engine Gasket Package Includes: Cylinder Head Gaskets, Rocker Cover Gasket Kits, Intake and Exhaust Manifold Seals, Valve Guide Seals, Throttle Body Seals and PCV Seals

NOTES:
Gasket Kit Contains: 1 Valve Cover Gasket and 4 Spark Plug Well Gaskets


SALES CODES: [EZA]=Engine - Hemi "MAGNUM" 5.7L SMPI V8 [EZ0] = All 5.7L, 8 Cylinder Gas Engines									
-1	5135 357AE-	1				EZ0			GASKET PACKAGE, Engine Upper, See Notes
2	53021 599AH	2				EZ0			COVER, Cylinder Head
3	5114 179AB	2				EZ0			GASKET KIT, Rocker Cover, See Notes
4	53021 569AD	8				EZ0			GASKET, Spark Plug Well
5	53021 609BK	1				EZ0			HEAD, Cylinder, Left
-6	53021 608BK-	1				EZ0			HEAD, Cylinder, Right
7									GASKET, Cylinder Head Right
	53021 620AE	1				EZ0			Left
	53021 621AE	1				EZ0			STUD, Double Ended
8	6507 007AA	2				EZ0			STUD, Double Ended
9	6507 366AA	18				EZ0			SCREW AND WASHER, Hex Head, [M12x1.5x135.0], Cylinder Head To Block
10	6506 694AA	20				EZ0			SCREW AND WASHER, Hex Head, [M8x1025x45.0], Cylinder Head To Block
11	6506 334AA	10				EZ0			PLUG, Core, 1.25 Diameter
-12	4556 020	2				EZ0			STRAP, Ground
-13	56029 062AC-	2				EZ0			

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Cylinder Block 5.7L [EZA]
Figure 5.7L-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[EZA] = 5.7L Magnum V-8

[EZ0]= All 5.7L, 8 Cylinder Gas Engines

1	5139 102AB	1	2, 3			EZA	DBB		BLOCK, Short
2	5140 028AA	1	7, 8			EZA	DBB		RETAINER PACKAGE, Crankshaft Rear Oil Seal
3						EZ0			RETAINER, (NOT SERVICED) (Not Serviced)
4	53021 339AC	1				EZ0			GASKET, Rear Oil Seal Retainer
5	5203 466	2				EZ0			PIN, Dowel
6	53021 338AB	1				EZ0			SEAL, Crankshaft Bearing Oil
-7	6506 342AA-	5				EZ0			SCREW, Hex Flange Head, [M6x1. 0x24.0]
8	53032 221AA	4				EZA			PLUG, Cylinder Block, Multiple Displacement Soleniod
9	6034 331	2				EZ0			PLUG, Hex Socket, 3/8-18NPTx.475
10									BEARING KIT, Camshaft, Standard, Serviced with block, (NOT SERVICED) (Not Serviced)
11	6036 307AA	2				EZ0			PLUG
12	6036 286AA	1				EZ0			PLUG, Cylinder Block
13	6036 417AA	4				EZ0			PLUG, Cylinder Block
14	1122 532	2				EZ0			DOWEL, Block To Clutch Housing
15	5240 849	4				EZ0			DOWEL, Cylinder Head To Cylinder Block


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Crankshaft, Pistons and Torque Converter 5.7L [EZA]
Figure 5.7L-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Crankshaft Includes Tone Wheel.
Piston Assemblies Include Piston, Connecting Rod, Piston Rings, Rod Bearings. Piston Rings Used In This Assembly Must Be Used In All Applications.

Sales Codes:


[DBB]= All Manual Transmissions
[DG0]= All Automatic Transmissions
[EZ0]= All 5.7L 8 Cylinder Gas Engines

1	5086 002AB	8				EZ0			RING PACKAGE, Piston, Standard Size
2	53021 538AD	4				EZ0			PISTON PIN AND ROD, See Note Right
	53021 539AD	4				EZ0			Left
	5086 011AC	4				EZ0			Piston Only, Left
	5086 010AB	4				EZ0			Piston Only
3	6506 335AA	8				EZ0			SCREW, Hex Flange Head
4	5086 003AA	8				EZ0			BEARING PACKAGE, Connecting Rod, Standard
5	6506 340AA	1				EZ0			SCREW AND WASHER
6	53021 303AA	1				EZ0			DAMPER, Crankshaft
7	53021 302AD	1				EZ0			CRANKSHAFT
8	5083 993AA	5				EZ0			BEARING PACKAGE, Crankshaft, A Grade
-9	5083 994AA-	5				EZ0			BEARING PACKAGE, Crankshaft, B Grade
-10	5083 995AA-	5				EZ0			BEARING PACKAGE, Crankshaft, C Grade
-11	5083 979AA-	1				EZ0			WASHER PACKAGE, Washer
12	53009 180AB	1				EZ0	DBB		BEARING, Pilot
13	6507 697AA	10				EZ0			SCREW AND WASHER, Hex, [M8X1.25X45.0]
14	6506 272AA	10				EZ0			SCREW, Hex Flange Head, [M12x1.75x91.2]
-15	6506 333AA-	1				EZ0			STUD, Double Ended, Bearing Cap
16									CAP, Serviced With Short Block Assembly, (NOT SERVICED) (Not Serviced)
17	53021 562AA	1				EZ0	DBB		FLYWHEEL
-18	4736 587AB-	1	2, 3			EZ0	DGQ		TORQUE CONVERTER
		1	7, 8			EZ0	DGQ		

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Crankshaft, Pistons and Torque Converter 5.7L [EZA]
Figure 5.7L-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	2843 214	1				EZ0	DBB		GEAR, Flywheel Ring
20	6504 398	8				EZ0	DBB		SCREW, [M10x1.0x26.0]

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Camshaft and Valves 5.7L [EZA]
Figure 5.7L-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes;

SALES CODES:

[EZ0] = All 5.7L, 8 Cylinder Gas Engines

1	53021 730BA	1				EZ0			CAMSHAFT, Engine
-2	6507 663AA-	1				EZ0			PLUG
3	53021 550AA	8				EZ0			VALVE, Intake, Standard
4	53021 551AA	8				EZ0			VALVE, Exhaust, Standard
5	53021 552AA	2				EZ0			ROCKER ARM, Intake
6	53021 553AA	2				EZ0			ROCKER ARM, Exhaust
7	53021 676AB	16				EZ0			RETAINER, Valve Spring
8	53021 580AD	16				EZ0			SPRING, Valve
9	53021 578AA	16				EZ0			SEAL, Valve Guide
10	53010 515AA	32				EZ0			LOCK, Valve Spring Retainer
-11	6507 072AA-	10				EZ0			SCREW, Hex Flange Head, Rocker Shaft Mounting
12	53021 556AA	8				EZ0			PUSH ROD, Valve, Intake
13	53021 557AA	8				EZ0			PUSH ROD, Valve, Exhaust
14	53021 721AA	4				EZ0			YOKE, Tappet Aligning
15	53021 720AA	4				EZ0			TAPPET, Hyd. Roller
16	6507 067AA	4				EZ0			SCREW, Hex Flange Head

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Timing Cover and Related Parts 5.7L [EZA]
Figure 5.7L-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Timing Case Cover includes: Cover Gasket, Oil Seal, Stud, Bushings and Hollow Dowel Pins

SALES CODES:

[EZ0] = All 5.7L, 8 Cylinder Gas Engines

1	53021 323AH	1				EZ0			COVER, Timing Case, See Notes
2	5139 933AA	1				EZ0			GASKET PACKAGE, Front Cover
3	53021 585AB	1				EZ0			SEAL, Crankshaft Oil, Front
4	6506 343AA	1				EZ0			STUD
5	6506 697AA	3				EZ0			BUSHING, Timing Cover
6	6506 332AA	2				EZ0			PIN, Dowel
7	6506 268AA	1				EZ0			SCREW AND WASHER, Hex, [M8x1.25x130.0]
8	6506 269AA	1				EZ0			SCREW AND WASHER, Hex [M8x1.25x35.0]
	6506 270AA	4				EZ0			[M8x1.25x80.0]
9	53021 581AC	1				EZ0			TIMING DRIVE KIT, Engine
10	53021 582AD	1				EZ0			TENSIONER, Belt
11	6507 479AA	3				EZ0			SCREW AND WASHER, Hex, [M8x1.25x20.0], Tensioner To Block
12	6506 397AA	1				EZ0			KEY, Woodruff
13	6507 480AA	1				EZ0			SCREW AND WASHER, Hex, [M12x1.75x37.0], Camshaft Sprocket Attaching


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Engine Oiling 5.7L [EZA]
Figure 5.7L-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes;									
SALES CODES:									
[EZ0] = All 5.7L 8 Cylinder Gas Engines									
1	53021 321AB	1				EZ0			INDICATOR, Engine Oil Level
2	53021 322AB	1				EZ0			TUBE, Oil Gauge
3	6508 065AA	2				EZ0			BOLT
4	53021 144AA	1				EZ0			O RING, Engine Oil Indicator
5	5281 090	1				EZ0			FILTER, Engine Oil
6									CONNECTOR, Oil Filter Adapter
	4104 511AB	1	2, 3			EZ0			
		1	7, 8			EZ0			
7	53021 610AE	1	7, 8			EZ0			ADAPTER, Oil Filter
-8	53021 660AC-	1	7, 8			EZ0			SEAL
-9	53021 661AA-	1	7, 8			EZ0			SEAL
-10	6102 041AA-	3	7, 8			EZ0			SCREW
11	53021 622AE	1				EZ0			PUMP, Engine Oil
12	6101 383	4				EZ0			SCREW AND WASHER, Hex Head,
									M8x1.25x55, Oil Pump To Block
13									HOUSING, Oil Fill, Serviced With
									Intake Manifold Assembly, (NOT
									SERVICED) (Not Serviced)
14	53032 372AD	1				EZ0			CAP, Oil Filler
15	53021 334AF	1				EZ0			PAN, Engine Oil
16	6508 066AA	3				EZ0			STUD
17	6508 065AA	18				EZ0			BOLT
18	53021 568AE	1				EZ0			GASKET, Oil Pan
19	53021 522AD	1				EZ0			TUBE, Oil Pickup
20	6102 046AA	1				EZ0			SCREW AND WASHER
21	5302 0861	1				EZ0			SEAL, Oil Pick Up Tube
22	6502 756	1				EZ0			NUT, Hex Lock, M8x1.25
23	6506 100AA	1				EZ0			PLUG, Oil Drain

DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EZA = 5.7L HEMI Magnum V8		DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		ETH = 5.9LD Cummins HO		DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)				DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)				DEE = 6 Spd. Manual (5600)			
						DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Manifolds, Intake and Exhaust 5.7L [EZA] Figure 5.7L-820

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes;

SALES CODES:

[EZ0] = All 5.7L, 8 Cylinder Gas Engines

1									MANIFOLD, Exhaust
	53032 197AE	1				EZ0			Left
	53032 198AE	1				EZ0			Right
2									GASKET, Exhaust Manifold
	53032 097AD	1				EZ0			Left
	53032 098AD	1				EZ0			Right
3	6507 746AA	8				EZ0			BOLT, Exhaust Manifold
4	6508 218AA	9				EZ0			STUD, Exhaust Manifold
5	6505 316AA	8				EZ0			NUT
6	53032 208AH	2				EZ0			SHIELD, Exhaust Manifold
7	5127 193AD	1				EZ0			MANIFOLD PACKAGE, Intake
8									MANIFOLD, Intake, Serviced in Package, (NOT SERVICED) (Not Serviced)
9	53032 382AB	8				EZ0			SEAL, Intake Manifold
10	53032 383AB	1				EZ0			SEAL, Throttle Body to Intake
11	53032 384AB	2				EZ0			SEAL, PCV
12	6506 725AA	10				EZ0			SCREW, Hex Flange Head, [M6x1.0 48.0], Intake Manifold Attaching
13	53032 772AA	1				EZ0			PAD, Engine, Intake Valley
-14	6100 842	2				EZ0			NUT, Push On, Valley Pad Attaching
15	6505 069AA	4				EZ0			BOLT, Hex Flange Head, [M6x1. 0x25.0], Fuel Rail To Manifold
16	6504 968AA	8				EZ0			NUT, J, [M6x1.0], Fuel Rail To Manifold
17	6507 066AA	4				EZ0			SCREW AND WASHER, Hex, [M6x1.0x65.0], Throttle Body Attaching
18	53032 531AE	1				EZ0			VALVE, Crankcase Vent
19	6506 982AA	2				EZ0			NUT, [M6x1.0] U-Type
20	53032 372AD	1				EZ0			CAP, Oil Filler

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Crankcase Ventilation
Figure 5.7L-910


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Notes:

SALES CODES;

[EZ0] = All 5.7L, 8 Cylinder Gas Engines

1	53032 531AE	1				EZ0			VALVE, Crankcase Vent
2	53032 811AA	1				EZ0			HOSE, Crankcase Vent
3	53032 384AB	2				EZ0			SEAL, PCV



DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005

Group – 5.9LD

Engine 5.9L Six Cylinder (Diesel)

3	1	2	3	4	5	6
Model Year	1994	1995	1996	1997	1998	1999
Unit	1	2	3	4	5	6
Unit	1	2	3	4	5	6
Unit	1	2	3	4	5	6


5.9LD-100



Group – 5.9LD

Engine 5.9L Six Cylinder (Diesel)

5.9LD-1100
Oil Cooler



5.9LD-200 Cylinder Head	5.9LD-300 Cylinder Block	5.9LD-400 Crankshaft, Piston and Torque Converter	5.9LD-500 Camshafts & Valves
5.9LD-600 Timing Belt and Cover	5.9LD-700 Engine Oiling	5.9LD-800 Manifolds	5.9LD-900 Crankcase Ventilation


GROUP 5.9LD - Engine 5.9L Six Cylinder (Diesel)

Illustration Title	Group-Fig. No.
Cylinder Head	
Cylinder Head Covers 5.9L Diesel ETH	Fig. 5.9LD-210
Cylinder Head and Rocker Housing 5.9L Diesel ETH	Fig. 5.9LD-220
Cylinder Block	
Cylinder Block, 5.9L Diesel ETH	Fig. 5.9LD-310
Crankshaft, Piston and Torque Converter	
Crankshaft and Piston, 5.9L Diesel ETH	Fig. 5.9LD-410
Flywheel and Torque Converter 5.9L Diesel ETH	Fig. 5.9LD-420
Camshafts & Valves	
Camshaft and Valves 5.9L Diesel ETH	Fig. 5.9LD-510
Timing Belt and Cover	
Timing Gear and Cover 5.9L Diesel ETH	Fig. 5.9LD-610
Engine Oiling	
Engine Oiling 5.9L Diesel [ETC, ETH]	Fig. 5.9LD-710
Manifolds	
Intake and Exhaust Manifolds 5.9L Diesel [ETC ETH]	Fig. 5.9LD-810
Crankcase Ventilation	
Crankcase Ventilation 5.9L Diesel ETH	Fig. 5.9LD-910
Oil Cooler	
Engine Oil Cooler, 5.9L Diesel (ETC,ETH)	Fig. 5.9LD-1110
Oil Lines, 5.9L Diesel (ETC,ETH)	Fig. 5.9LD-1115



Cylinder Head Covers 5.9L Diesel ETH

Figure 5.9LD-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
SALES CODES:									
[ETH] = 5.9L HO Cummins Turbo Diesel									
[DBB] = All Manual Transmissions									
[DEG] = 6 Speed Manual Transmission									
[DEE] = 6 Speed H.D. Manual Transmission									
[DGO] = All Automatic Transmissions									
-1									GASKET KIT, Cylinder Head Overhaul
	5093 228AA-	1				ETH	DEG		
		1				ETH	DEE		
		1				ETH	DGO		
2									CAP, Oil Filler
	5014 704AC	1				ETH	DEG		
		1				ETH	DEE		
		1				ETH	DGO		
3									O RING
	5083 148AA	1				ETH	DEG		
		1				ETH	DEE		
		1				ETH	DGO		
4									SCREW, Hex Head, M8x1.25x50
	4429 633	1				ETH	DEG		
		1				ETH	DEE		
		6				ETH	DGO		
5									O RING
	5086 953AA	1				ETH	DEG		
		1				ETH	DEE		
		1				ETH	DGO		
6									COVER, Cylinder Head
	5086 955AB	1				ETH	DBB		[ETH DBB NAE]
		1				ETH	DBB		[ETH DBB NAA]
		1				ETH	DGO		[ETH DGO NAE]
		1				ETH	DGO		[ETH DGO NAA]
		1				ETH	DEE		[ETH DEE NAE]
		1				ETH	DEE		[ETH DEE NAA]
7									COVER, Breather Cover
	5086 956AA	1				ETH	DEG		
		1				ETH	DEE		
		1				ETH	DGO		
8									SCREW, Hex Head
	5086 957AA	1				ETH	DEG		


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Cylinder Head Covers 5.9L Diesel ETH Figure 5.9LD-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		3				ETH	DEE		
9	5086 954AA	1				ETH	DG0		GASKET, Valve Cover
		1				ETH	DEG		
		1				ETH	DEE		
		1				ETH	DG0		


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Cylinder Head and Rocker Housing 5.9L Diesel ETH

Figure 5.9LD-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
SALES CODES:									
[ETH] = 5.9L HO Cummins Turbo Diesel									
[DBB] = All Manual Transmissions									
[DEG] = 6 Speed Manual Transmission									
[DEE] = 6 Speed H.D. Manual Transmission									
[DGO] = All Automatic Transmissions									
1									SCREW, Hex Head Header Point, 24x.44
2	4429 096	5				ETH	DBB		BOLT, Hex Head, M8
		5				ETH	DGO		
3	4638 665	2				ETH	DBB		HOUSING, Engine Cover
		2				ETH	DGO		
4	5101 850AA	1				ETH	DBB		GASKET, Rocker Housing
		1				ETH	DGO		
5	5114 418AA	1				ETH	DBB		SCREW, Hex Flange Head, [M12x1.75x25.0]
		1				ETH	DGO		
6	4638 666	1				ETH	DEG		SCREW, Stud [M12x1.75xM8x1.25]
		1				ETH	DEE		
		1				ETH	DGO		
7	5166 529AA	1				ETH	DBB		BRACKET, Engine Lift
		1				ETH	DGO		
8	5086 830AA	1				ETH	DBB		SCREW, Water Inlet, M10x1.5x25
		1				ETH	DGO		
9	4429 460	3				ETH	DBB		BRACKET, Engine Lift
		3				ETH	DGO		
10	5086 831AA	1				ETH	DBB		SCREW
		1				ETH	DGO		
11	5011 403AA	26				ETH	DBB		HEAD, Cylinder
		26				ETH	DGO		

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Cylinder Head and Rocker Housing 5.9L Diesel ETH
Figure 5.9LD-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
12	5135 783AA	1				ETH	DBB		GASKET, Cylinder Head
		1				ETH	DG0		
	5086 859AB	1				ETH	DBB		
		1				ETH	DG0		
13	5016 559AB	7				ETH	DBB		PLUG, Expansion
		7				ETH	DG0		
14	5017 786AA	2				ETH	DBB		PLUG, Expansion
		2				ETH	DG0		
15	4429 735	13				ETH	DBB		PLUG, Expansion
		13				ETH	DG0		
16	5003 605AA	11				ETH	DBB		PLUG, Expansion
		11				ETH	DG0		
17	5016 558AA	2				ETH	DBB		PLUG, Expansion
		2				ETH	DG0		
18	4429 955	1				ETH	DEE		PLUG, Expansion

DODGE RAM 2500/3500 (DH)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)				
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)				
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)				
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)				
				DEG = 6 Spd. Manual				

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Cylinder Block, 5.9L Diesel ETH
Figure 5.9LD-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Notes:									
SALES CODES:									
[ETH] = 5.9L HO Cummins Turbo Diesel									
[DBB] = All Manual Transmissions									
[DEG] = 6 Speed Manual Transmission									
[DEE] = 6 Speed H.D. Manual Transmission									
[DGO] = All Automatic Transmissions									
-1									GASKET KIT, Cylinder Head Overhaul
	5093 228AA-	1				ETH	DEG		
		1				ETH	DEE		
		1				ETH	DGO		
-2									GASKET KIT, Lower Engine Set
	5093 229AA-	1				ETH	DEG		
		1				ETH	DEE		
		1				ETH	DGO		
3									ENGINE, Short
	5140 911AA	1				ETH	DGO		
		1				ETH	DEG		
		1				ETH	DEE		
4									DOWEL, Ring
	4429 343	2				ETH	DBB		
		2				ETH	DGO		
5									PLUG, Expansion
	4429 958	5				ETH	DBB		
		5				ETH	DGO		
6									PLUG, Expansion
	5093 058AA	3				ETH	DBB		
		3				ETH	DGO		
7									PLUG, Expansion
	4429 956	4				ETH	DBB		
		4				ETH	DGO		
8									PLUG, Threaded
	5086 938AA	2				ETH	DBB		
		2				ETH	DGO		
9									INSERT
	5101 847AA	1				ETH	DBB		
		1				ETH	DGO		
10									PLUG, Expansion
	5003 614AA	2				ETH	DBB		
		2				ETH	DGO		
11									DOWEL, Block To Clutch Housing

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Cylinder Block, 5.9L Diesel ETH
Figure 5.9LD-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4429 068	2				ETH	DBB		
		2				ETH	DG0		
12	5018 294AB	1				ETH	DEG		CAP
		1				ETH	DEE		
		1				ETH	DG0		
13	5093 063AB	1				ETH	DBB		PLATE, Cylinder Block Stiffener
		1				ETH	DG0		
14	4429 460	3				ETH	DBB		SCREW, Water Inlet, M10x1.5x25
		3				ETH	DG0		
15									SCREW
	5093 062AA	1				ETH	DBB		
		1				ETH	DG0		
16	5003 615AA	14				ETH	DBB		BOLT, Hex Head
		14				ETH	DG0		
17	4429 955	2				ETH	DBB		PLUG, Expansion
		2				ETH	DG0		
18	5003 617AA	2				ETH	DBB		BUSHING, Camshaft
		2				ETH	DG0		
	4429 342	1				ETH	DBB		Oversized Intermediate
		1				ETH	DG0		Oversized Intermediate
	4429 368	1				ETH	DBB		Oversized Front
		1				ETH	DG0		Oversized Front
19									DOWEL
	5101 848AA	2				ETH	DBB		
		2				ETH	DG0		
20	4429 483	1				ETH	DBB		PIN, Crankshaft Gear
		1				ETH	DG0		
21	5086 737AB	1				ETH	DBB		CORD, Engine Block Heater
		1				ETH	DG0		
22	5003 619AA	1				ETH	DBB		HEATER, Engine Block
		1				ETH	DG0		
23									PLUG, Expansion

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Cylinder Block, 5.9L Diesel ETH
Figure 5.9LD-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5003 605AA	1				ETH	DBB		
		1				ETH	DG0		
24	4429 369	1				ETH	DBB		PLUG, Pipe
		1				ETH	DG0		
25	4429 166	1				ETH	DBB		SLEEVE, Cylinder Block
		1				ETH	DG0		
26	5093 057AA	1				ETH	DBB		CAP
		1				ETH	DG0		
-27	5093 059AA-	1				ETH	DBB		KIT, Block Hardware
		1				ETH	DG0		
-28	5135 821AA-	6				ETH	DBB		JET, Piston Oil Cooler
		6				ETH	DG0		
-29	5102 126AB-	6				ETH	DBB		SCREW, Hex Head, M8x1.25x12
		6				ETH	DG0		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Crankshaft and Piston, 5.9L Diesel ETH
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

SALES CODES:

[ETH] = 5.9L HO Cummins Turbo Diesel

[DBB] = All Manual Transmissions

[DEG] = 6 Speed Manual Transmission

[DEE] = 6 Speed H.D. Manual Transmission

[DGO] = All Automatic Transmissions


1									CRANKSHAFT
	5102 117AA	1				ETH	DBB		
		1				ETH	DGO		
2	5086 726AA	1				ETH	DEG		GEAR, Crankshaft
		1				ETH	DEE		
		1				ETH	DGO		
3	4429 483	1				ETH	DBB		PIN, Crankshaft Gear
		1				ETH	DGO		
4	5086 734AA	1				ETH	DBB		BEARING KIT, Crankshaft, Standard
		1				ETH	DGO		
-5									BEARING KIT, Crankshaft, .25mm Oversize
	4429 271	1				ETH	DBB		
		1				ETH	DGO		
-6									BEARING KIT, Crankshaft, .50mm Oversize
	4429 272	1				ETH	DBB		
		1				ETH	DGO		
-7									BEARING KIT, Crankshaft, .75mm Oversize
	4429 273	1				ETH	DBB		
		1				ETH	DGO		
-8									BEARING KIT, Crankshaft, 1.00mm Oversize
	4429 274	1				ETH	DBB		
		1				ETH	DGO		
9									BEARING, Crankshaft Thrust, .50 mm U/S
	5012 552AA	1				ETH	DBB		
		1				ETH	DGO		
-10									BEARING, Crankshaft Thrust, 1.00 mm U/S

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Crankshaft and Piston, 5.9L Diesel ETH
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5012 551AA-	1				ETH	DBB		
		1				ETH	DG0		
11	5011 935AA	1				ETH	DBB		SLEEVE, Wear
		1				ETH	DG0		
12	4897 876AA	1				ETH	DBB		SLEEVE KIT, Wear
		1				ETH	DG0		
13									BEARING, Connecting Rod, STD.
	4429 175AB	6				ETH	DBB		Upper
		6				ETH	DG0		Upper
	5102 123AA	6				ETH	DBB		Lower
		6				ETH	DG0		Lower
-14									BEARING, Connecting Rod, .25 mm U/S
	4429 171	1				ETH	DBB		
		1				ETH	DG0		
-15									BEARING, Connecting Rod, .50 mm U/S
	4429 172	1				ETH	DBB		
		1				ETH	DG0		
-16									BEARING, Connecting Rod, .75 mm U/S
	4429 173	1				ETH	DBB		
		1				ETH	DG0		
-17									BEARING, Connecting Rod, 1.00 mm U/S
	4429 174	1				ETH	DBB		
		1				ETH	DG0		
18	5102 120AA	6				ETH	DBB		ROD, Connecting
		6				ETH	DG0		
19									SCREW, Connecting Rod, 24x.44
	5114 414AA	2				ETH	DBB		
		2				ETH	DG0		
20	5018 176AB	1				ETH	DBB		BUSHING, Also Serviced In Rod
		1				ETH	DG0		
21									PISTON AND RINGS, Diesel Engine, Standard Size
	5139 059AA	6				ETH	DBB		

DODGE RAM 2500/3500 (DH)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)				
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)				
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)				
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)				
				DEG = 6 Spd. Manual				

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Crankshaft and Piston, 5.9L Diesel ETH
Figure 5.9LD-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		6				ETH	DG0		
-22									PISTON AND RINGS, Diesel Engine, .50MM Oversize
	5086 892AA-	6				ETH	DBB		
		6				ETH	DG0		
-23									PISTON AND RINGS, Diesel Engine, 1.00MM Oversize
	5086 891AA-	6				ETH	DBB		
		6				ETH	DG0		
24									RING KIT, Piston, Standard
	5086 885AB	6				ETH	DBB		
		6				ETH	DG0		
-25									RING KIT, Piston, .50MM Oversize
	5086 886AA-	1				ETH	DBB		
		1				ETH	DG0		
-26									RING KIT, Piston, 1.00MM Oversize
	5086 887AA-	1				ETH	DBB		
		1				ETH	DG0		
27									RING, Piston Pin
	5003 650AA	12				ETH	DBB		
		12				ETH	DG0		
28									PIN, Piston
	5015 706AA	6				ETH	DBB		
		6				ETH	DG0		


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Flywheel and Torque Converter 5.9L Diesel ETH
Figure 5.9LD-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4429 630	2				ETH	DBB		BOLT, Hex Head
		2				ETH	DG0		
2	5086 757AA	1				ETH	DBB		SEAL
		1				ETH	DG0		
3	5086 755AB	1				ETH	DBB		HOUSING, Rear Main Seal
		1				ETH	DG0		
4	5114 027AA	1				ETH	DBB		SEAL
		1				ETH	DG0		
5	4429 678	2				ETH	DBB		PIN, Dowel
		2				ETH	DG0		
6	4429 638	6				ETH	DG0		BOLT, Hex Head
		6				ETH	DBB		
7	4761 248	8				ETH	DBB		BOLT, Flywheel Housing
		8				ETH	DG0		
8	5086 761AB	1				ETH	DEE		ADAPTER, Transmission
		1				ETH	DEG		[DEE, NAA, NA1]
		1				ETH	DEG		[DEE, NAA, NA1]
		1				ETH	DEG		[DEG, NAE]
		1				ETH	DEE		[DEG, NAE]
9	5086 759AA	1				ETH	DBB		COVER, Flywheel Housing
		1				ETH	DG0		
10	5086 754AA	1				ETH	DBB		GASKET, Rear Cover
		1				ETH	DG0		
11	6501 681	8				ETH	DEG		WASHER, Flat
		8				ETH	DEE		
12	6501 680	8				ETH	DEG		SCREW, Hex Head, M12x1.25x34.00
		8				ETH	DEE		
13	5018 079AC	1				ETH	DBB		FLYWHEEL
		1				ETH	DEE		

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Flywheel and Torque Converter 5.9L Diesel ETH
Figure 5.9LD-420




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	52104 721AD	1				ETH	DEG		
14	4429 903	1				ETH	DEG		GEAR, Ring
		1				ETH	DEE		
15	52107 562AB	1				ETH	DBB		BEARING, Pilot
16	4429 522	1				ETH	DG0		SCREW, Cap
17	4798 968	1				ETH	DG0		PLATE, Drive Plate Backing
18	5015 709AA	1				ETH	DG0		PLATE, Torque Converter Drive
19	6033 439	6				ET0	DG0		BOLT, Hex Head, .37-24x.55
20	52118 868AB	1				ET0	DG0		CONVERTER, Torque

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Camshaft and Valves 5.9L Diesel ETH Figure 5.9LD-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW
	5093 116AA	12				ETH	DBB		
		12				ETH	DG0		
2									SHAFT, Rocker Arm
	5016 647AA	12				ETH	DBB		
		12				ETH	DG0		
3									NUT, Hex
	4882 108	6				ETH	DBB		
		6				ETH	DG0		
4									ROCKER ARM, Intake
	5011 431AB	6				ETH	DBB		
		6				ETH	DG0		
-5									BALL, Rocker Arm, (NOT
									SERVICED) (Not Serviced)
-6									RETAINER, Rocker Arm Socket,
									(NOT SERVICED) (Not Serviced)
-7									SOCKET, Rocket Arm, (NOT
									SERVICED) (Not Serviced)
8									ROCKER ARM, Exhaust
	5011 432AB	6				ETH	DBB		
		6				ETH	DG0		
9									SCREW, Rocker Lever Adjusting
	5011 899AB	6				ETH	DBB		
		6				ETH	DG0		
10									SCREW
	5011 403AA	26				ETH	DBB		
		26				ETH	DG0		
11									PUSH ROD, Valve
	5011 892AA	12				ETH	DBB		
		12				ETH	DG0		
12									VALVE, Crosshead
	5011 477AA	12				ETH	DBB		
		12				ETH	DG0		
13									SUPPORT, Rocker Arm
	5114 421AA	6				ETH	DBB		
		6				ETH	DG0		
14									TAPPET, Valve
	5086 736AA	12				ETH	DBB		
		12				ETH	DG0		
15									GEAR, Camshaft, Serviced with
									Camshaft, (NOT SERVICED) (Not
									Serviced)

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Camshaft and Valves 5.9L Diesel ETH Figure 5.9LD-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16									CAMSHAFT, Includes Camshaft Gear
	5093 139AB	1				ETH	DBB		
		1				ETH	DG0		
17									KEY, Woodruff
	4429 332	1				ETH	DBB		
		1				ETH	DG0		
18									SUPPORT, Camshaft Thrust
	5086 893AA	1				ETH	DBB		
		1				ETH	DG0		
19									SCREW, Cap, .437-20x1.812
	4429 227	2				ETH	DBB		
		2				ETH	DG0		
20									VALVE, Intake, Standard
	5011 879AA	1				ETH	DBB		
		1				ETH	DG0		
21									VALVE, Exhaust, Standard
	5011 877AA	1				ETH	DBB		
		1				ETH	DG0		
22									INSERT, Intake Valve, Serviced in Head, (NOT SERVICED) (Not Serviced)
23									INSERT, Exhaust Valve, Serviced in Head, (NOT SERVICED) (Not Serviced)
24									SEAL, Valve Guide, Intake
	5086 861AA	12				ETH	DBB		
		12				ETH	DG0		
25									SEAL, Valve Guide, Exhaust
	5086 862AA	12				ETH	DBB		
		12				ETH	DG0		
26									SPRING, Valve
	5011 441AA	24				ETH	DBB		
		24				ETH	DG0		
27									RETAINER, Valve Spring
	5011 455AA	24				ETH	DBB		
		24				ETH	DG0		
28									LOCK, Valve Spring Retainer
	5011 878AA	48				ETH	DBB		
		48				ETH	DG0		

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Timing Gear and Cover 5.9L Diesel ETH Figure 5.9LD-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

SALES CODES:

[ETH] = 5.9L HO Cummins Turbo Diesel

[DBB] = All Manual Transmissions

[DEG] = 6 Speed Manual Transmission

[DEE] = 6 Speed H.D. Manual Transmission

[DGO] = All Automatic Transmissions

1	4429 735	13				ETH	DBB		PLUG, Expansion
		13				ETH	DGO		
2	5017 753AA	5				ETH	DBB		SCREW, Cap
		5				ETH	DGO		
3	5086 814AA	1				ETH	DBB		COVER, Timing Belt
		1				ETH	DGO		
4	5139 070AA	1				ETH	DEG		CASE, Front
		1				ETH	DEE		
		1				ETH	DGO		
5	5086 727AA	1				ETH	DBB		PIN, Crankshaft Gear
		1				ETH	DGO		
6	5093 070AA	1				ETH	DBB		RING, Tone
		1				ETH	DGO		
7	5086 735AA	1				ETH	DBB		DAMPER, Crankshaft
		1				ETH	DGO		
8	4429 857	4				ETH	DBB		SCREW, Hex Head Push Rod Point, 24x.44
		4				ETH	DGO		
9	4882 109	10				ETH	DBB		SCREW, Hex Head
		10				ETH	DGO		
10	5012 290AA	1				ETH	DBB		SEAL, Front Main Crankshaft
		1				ETH	DGO		
11	5086 853AA	1				ETH	DBB		SEAL

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE


EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Timing Gear and Cover 5.9L Diesel ETH
Figure 5.9LD-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DG0		
12	5086 850AA	1				ETH	DBB		COVER, Engine Block
		1				ETH	DG0		
13									BOLT, Hex Head, M8
	4638 665	7				ETH	DBB		
		7				ETH	DG0		
14									BOLT, Hex Head, M8
	4429 445	2				ETH	DBB		
		2				ETH	DG0		

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

Engine Oiling 5.9L Diesel [ETC, ETH] Figure 5.9LD-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:									
SALES CODES:									
[ETH] = 5.9L HO Cummins Turbo Diesel									
[DBB] = All Manual Transmissions									
[DEG] = 6 Speed Manual Transmission									
[DEE] = 6 Speed H.D. Manual Transmission									
[DGO] = All Automatic Transmissions									
1	5086 845AA	1				ETH	DBB		PUMP, Engine Oil
2	4429 677	4				ETH	DGO		SCREW, Hex Head Header Point, 24x.44
3	5086 856AA	1				ETH	DBB		GASKET, Oil Suction Pipe
4	4429 631	2				ETH	DBB		SCREW, Hex Head
5	4429 460	2				ETH	DGO		SCREW, Water Inlet, M10x1.5x25
6	5086 857AA	1				ETH	DBB		PICKUP, Engine Oil
7	5086 854AA	1				ETH	DGO		GASKET, Oil Pan
8	5086 855AA	1				ETH	DBB		PAN, Engine Oil
9	5080 631AA	1				ETH	DGO		PLUG, Oil Drain
10	4761 331	32				ETH	DBB		SCREW, Hex Flange Head
11	5086 843AB	1				ETH	DGO		INDICATOR, Engine Oil Level
12						ETH	DGO		SCREW, Hex Head, M8x1.25x16


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Engine Oiling 5.9L Diesel [ETC, ETH]
Figure 5.9LD-710**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	4882 110	1				ETH	DBB		NUT, M6x1.0
		1				ETH	DG0		
	4429 316	1				ETH	DBB		
		1				ETH	DG0		
14									TUBE, Engine Oil Indicator
	5086 844AA	1				ETH	DBB		
15		1				ETH	DG0		SEAL, O-Ring
	5017 783AA	1				ETH	DBB		
		1				ETH	DG0		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Intake and Exhaust Manifolds 5.9L Diesel [ETC ETH] Figure 5.9LD-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:									
SALES CODES:									
[ETH] = 5.9L HO Cummins Turbo Diesel									
[DBB] = All Manual Transmissions									
[DEG] = 6 Speed Manual Transmission									
[DEE] = 6 Speed H.D. Manual Transmission									
[DGO] = All Automatic Transmissions									
1	4638 761	4				ETH	DBB		BOLT, Hex Head, M8x1.25x80
2	5086 828AA	1				ETH	DBB		CONNECTOR, Air Intake
		1				ETH	DGO		
3	5086 721AB	1				ETH	DBB		GASKET, Air Intake Connector
		1				ETH	DGO		
4	5086 720AC	1				ETH	DBB		HEATER, Engine
		1				ETH	DGO		
5	5012 557AA	7				ETH	DBB		SCREW, Cap
		7				ETH	DGO		
6	5086 935AA	2				ETH	DBB		LOCK, Exhaust Manifold
		2				ETH	DGO		
7	5015 717AA	12				ETH	DBB		SPACER, Exhaust Manifold
		12				ETH	DGO		
8	5135 788AB	1				ETH	DBB		MANIFOLD, Exhaust
		1				ETH	DGO		
9	4638 695	7				ETH	DBB		SCREW, Fuel Tube Cap
		7				ETH	DGO		
10	5093 090AA	1				ETH	DBB		COVER, Intake Manifold
		1				ETH	DGO		
11	5086 829AA	1				ETH	DBB		GASKET, Intake Manifold Cover
		1				ETH	DGO		
12									GASKET, Exhaust Manifold

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Intake and Exhaust Manifolds 5.9L Diesel [ETC ETH]
Figure 5.9LD-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	5135 789AA	6				ETH	DBB		SCREW
		6				ETH	DG0		
	5014 169AA	5				ETH	DBB		
		5				ETH	DG0		
-14	5086 931AA-	1				ETH	DEG		SHIELD, Heat
		1				ETH	DEE		
		1				ETH	DG0		
-15	4429 862	4				ETH	DBB		NUT, Hex Flange, M10x1.5
		4				ETH	DG0		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Crankcase Ventilation 5.9L Diesel ETH
Figure 5.9LD-910


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									HOUSING, Engine Cover
	5093 067AA	1				ETH	DBB		
		1				ETH	DG0		
2									BOLT, Hex Head
	4429 638	2				ETH	DBB		
		2				ETH	DG0		
3									O RING
	5093 068AA	1				ETH	DBB		
		1				ETH	DG0		
4									TUBE, Breather
	5093 066AB	1				ETH	DBB		
		1				ETH	DG0		
5									CLIP
	5093 065AA	1				ETH	DBB		
		1				ETH	DG0		
6									SCREW, Hex Head
	5086 961AA	1				ETH	DBB		
		1				ETH	DG0		
7									TUBE, Oil Drain
	5093 069AA	1				ETH	DBB		
		1				ETH	DG0		
8									STRAP, Canister
	5018 186AA	1				ETH	DBB		
		1				ETH	DG0		
9									NUT, Tappet Cover
	4429 959	1				ETH	DBB		
		1				ETH	DG0		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Engine Oil Cooler, 5.9L Diesel (ETC,ETH) Figure 5.9LD-1110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

SALES CODES:

[ETH] = 5.9L HO Cummins Turbo Diesel

[DBB] = All Manual Transmissions

[DEG] = 6 Speed Manual Transmission

[DEE] = 6 Speed H.D. Manual Transmission

[DGO] = All Automatic Transmissions

1	4429 445	13				ETH	DBB		BOLT, Hex Head, M8
		13				ETH	DGO		
2	4429 619	2				ETH	DBB		PLUG, Pipe
		2				ETH	DGO		
3	5086 832AA	1				ETH	DBB		PLUG, Pipe
		1				ETH	DGO		
4	5086 833AA	1				ETH	DBB		PLUNGER, Oil Pressure Regulator
		1				ETH	DGO		
5	5086 836AB	1				ETH	DBB		HEAD, Oil Filter
		1				ETH	DGO		
6	4429 355	1				ETH	DEG		ADAPTER, Oil Filter
		1				ETH	DEE		
		1				ETH	DGO		
7	5086 826AA	2				ETH	DBB		SCREW, Hex Flange Head
		2				ETH	DGO		
8	4761 985	1				ETH	DBB		SPRING, Oil Pressure Relief Valve
		1				ETH	DGO		
9	4797 726AB	1				ETH	DBB		VALVE, Oil Pressure Relief
		1				ETH	DGO		
10	5003 647AA	1				ETH	DBB		O RING, Oil Cooler
		1				ETH	DGO		
11	5104 874AA	1				ETH	DBB		COOLER, Engine Oil
		1				ETH	DGO		
12									GASKET, Oil Cooler


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Engine Oil Cooler, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-1110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13	5135 787AA	1				ETH	DBB		GASKET, Oil Cooler
		1				ETH	DG0		
	5086 834AA	1				ETH	DBB		
		1				ETH	DG0		
14	5083 285AA	1				ETH	DBB		FILTER, Engine Oil
		1				ETH	DG0		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Oil Lines, 5.9L Diesel (ETC,ETH)
Figure 5.9LD-1115



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES:									
SALES CODES:									
[ETH] = 5.9L HO Cummins Turbo Diesel									
[DBB] = All Manual Transmissions									
[DEG] = 6 Speed Manual Transmission									
[DEE] = 6 Speed H.D. Manual Transmission									
[DGO] = All Automatic Transmissions									
1	5086 951AA	1				ETH	DBB		HOSE, Turbocharger Feed
2	5011 921AA	1				ETH	DGO		O RING, Turbo Oil Drain Tube
		1				ETH	DGO		
3	5011 922AB	2				ETH	DBB		FITTING, Oil Feed Line
		2				ETH	DGO		
4	5016 648AA	1				ETH	DBB		O RING, Turbo Oil Drain Tube
		1				ETH	DGO		
5	5086 949AA	1				ETH	DBB		GASKET, Oil Drain Plug
		1				ETH	DGO		
6	5086 948AA	2				ETH	DBB		CLAMP
		2				ETH	DGO		
7	3931 827	1				ETH	DBB		TUBE, Turbo Oil Drain
		1				ETH	DGO		
8	5011 924AA	1				ETH	DBB		O RING, Turbo Oil Drain Tube
		1				ETH	DGO		
9	5086 952AA	1				ETH	DBB		HOSE, Turbo Oil Drain
		1				ETH	DGO		
10	4429 630	2				ETH	DBB		BOLT, Hex Head
		2				ETH	DGO		
11	5135 786AA	1				ETH	DBB		TUBE, Turbo Oil Drain
		1				ETH	DGO		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005



Group – 011

Exhaust


GROUP 11 - Exhaust

Illustration Title	Group-Fig. No.
Exhaust System	
Exhaust System, 5.7L [EZA] 5.9L [ETO]	Fig. 011-110
Heat Shields	
Heat Shields5.7L [EZA] 5.9L [ETO]	Fig. 011-210



011-100 Exhaust System	011-200 Heat Shields		
			

**Exhaust System, 5.7L [EZA] 5.9L [ETO]
Figure 011-110**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6034 246	4				EZ0			BOLT, Hex Head, .375-16x.75
2	55366 000AA	4				EZ0			NUT, Hex Flange Lock
3	52121 291AA	1				EZ0			PIPE AND CONVERTER, Exhaust
	52121 564AA	1				EZ0			After 10-2004
4	52103 525AE	1			42	EZ0			PIPE, Exhaust Extension
	52121 124AA	1			41, 62	EZ0			
	52121 601AA	1			42	ET0			
5	6034 246	4				EZ0			BOLT, Hex Head, .375-16x.75
6	55366 000AA	4				EZ0			NUT, Hex Flange Lock
7	55366 000AA	4				EZ0			NUT, Hex Flange Lock
8	6034 246	4				EZ0			BOLT, Hex Head, .375-16x.75
9	52121 210AA	1				ET0			CONVERTER, Catalytic
10	52103 718AB	1				ET0			INSULATOR, Exhaust
11	52103 718AB	1				EZ0			INSULATOR, Exhaust
	52103 717AB	1				ET0, EZ0			TAILPIPE REAR
12	5201 8532	1				ET0			EXHAUST EXTENSION PIPE
	5201 8623	1				EZ0			CLAMP, Exhaust
	52121 285AA	1				ET0			THREAD M10 X 1.5
-13	52021 594AA-	1	2		41		DG0		U SHAPE EXHAUST THREAD
		1	3		62				M10 X 1.5
		1	8		62				V Band 7/16
		1	3		41		DG0		ROD, Exhaust Pipe Support
		1	8		41				
		1	3		41		DBB		
		1	7		62				
14	52103 510AE	1				EZ0			MUFFLER, Exhaust
	52121 604AA	1				ET0			
15	52103 513AC	1				EZ0			TAILPIPE, Exhaust
	52121 603AA	1				ET0			
-16	52103 595AB-	1				ET0	DDX, DEE		BRACKET, Exhaust, Manifold Pipe
-17	52121 600AA-	1				ET0			PIPE, Exhaust, To Manifold

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Figure 011-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-18	5208 5085	1				ET0	DDX, DEE		BUSHING, Exhaust Hanger


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Heat Shields5.7L [EZA] 5.9L [ETO]
Figure 011-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: [ETO]=ALL 5.9L & 6.7L									
[EZA]=Hemi "Magnum" 5.7L									
1	55275 778AC	1				EZ0			SHIELD, Heat Front Upper Right
	55275 779AC	1				EZ0			Front Upper Left
2	55275 554AC	1			41, 42	EZ0			SHIELD, Heat Rear Upper
	55276 243AC	1			62	EZ0			Rear Upper
3									NUT, M5X1.60, (NOT SERVICED)
									(Not Serviced)
4	6036 237AA	4				EZ0			SCREW
-5	52121 148AA-	1			42, 62	EZ0			SHIELD, Heat
-6	53032 208AH-	2				EZ0			SHIELD, Exhaust Manifold



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – 013

Frames and Bumpers

GROUP 13 - Frames and Bumpers

Illustration Title Group-Fig. No.

Frames

Frame Fig. 013-140

Front Bumper and Fascia

Bumper, Front Fig. 013-230

Bumper, Front, Sport Fig. 013-235

Winch, Front, Powerwagon Fig. 013-240

Rear Bumper and Fascia


Rear Bumper and Licence Plate Attaching Fig. 013-310






Body Hold Down

Body Hold Down And Front End Mounting Fig. 013-520


Trailer Tow

Hitch, Towing Fig. 013-610



013-100 Frames 	013-200 Front Bumper and Fascia 	013-300 Rear Bumper and Fascia 	013-500 Body Hold Down 
013-600 Trailer Tow 			

Frame
Figure 013-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	FRAME ASSEMBLY, Chassis								
	52021 553AI	1	7		42				
	52021 554AL	1	2		42				
	52021 555AL	1	2		62				
	52021 556AK	1	7		62				[-XEE]
	52021 558AI	1	7		41				[-XEE]
	52021 559AL	1	2		41				
	52022 443AG	1	8		42				
	52022 444AI	1	3		42				
	52022 445AI	1	3		62				
	52022 446AH	1	8		62				
	52022 448AF	1	8		41				[-XEE]
	52022 449AH	1	3		41				
	52121 297AD	1	7		62				[XEE]
	52121 298AD	1	8		41				[XEE]
	52121 299AD	1	7		41				[XEE]
2	CROSSMEMBER, Transmission								
	5135 677AA	1	2		41				
		1	3		41				
		1	7		41				
		1	8		41				
		1	2		42				
		1	3		42				
		1	8		42				
		1	2		62				
		1	3		62				
		1	7		62				
		1	8		62				
	5135 677AB	1	7		42				
3	BRACKET, Brake Hose								
	52121 213AA	1	2		41				
		1	3		41				
		1	7		41				
		1	8		41				
		1	2		42				
		1	3		42				
		1	7		42				
		1	8		42				
		1	2		62				
		1	3		62				
		1	7		62				

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Frame
Figure 013-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		62				
4	52020 681AB	1	2		41				BRACKET, Shock Mounting
		1	3		41				
		1	7		41				
		1	8		41				
		1	2		42				
		1	3		42				
		1	7		42				
		1	8		42				
		1	2		62				
		1	3		62				
		1	7		62				
-5	52020 844AA-	1	2		41				BRACKET, Fuel Tank
		1	3		41				
		1	7		41				
		1	8		41				
		1	2		42				
		1	3		42				
		1	7		42				
		1	8		42				
		1	2		62				
		1	3		62				
		1	7		62				
		1	8		62				
-6	52021 593AA-	1	2		41				ROD, Exhaust Pipe Support
		1	3		41				Front
		1	7		41				Front
		1	8		41				Front
		1	2		42				Front
		1	3		42				Front
		1	7		42				Front
		1	8		42				Front
		1	2		62				Front
		1	3		62				Front
		1	7		62				Front
		1	8		62				Front
	52021 594AA-	1	8		62				Inner

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Frame
Figure 013-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7		62				Inner
		1	3		62				Inner
		1	2		62				Inner
		1	8		42				Inner
		1	7		42				Inner
		1	3		42				Inner
		1	2		42				Inner
		1	8		41				Inner
		1	7		41				Inner
		1	3		41				Inner
		1	2		41				Inner
52021 596AA-		1	2		41				Center
		1	3		41				Center
		1	7		41				Center
		1	8		41				Center
		1	2		42				Center
		1	3		42				Center
		1	7		42				Center
		1	8		42				Center
52121 079AA-		1	2		42				Extension
		1	3		42				Extension
		1	7		42				Extension
		1	8		42				Extension
52121 082AA-		1	8		42				Front Muffler Support
		1	7		42				Front Muffler Support
		1	3		42				Front Muffler Support
		1	2		42				Front Muffler Support
		1	8		41				Front Muffler Support
		1	7		41				Front Muffler Support
		1	3		41				Front Muffler Support
		1	2		41				Front Muffler Support
		1	2		62				Front Muffler Support
		1	3		62				Front Muffler Support
		1	7		62				Front Muffler Support
		1	8		62				Front Muffler Support
52121 083AA-		1	2		42				Muffler Rear
		1	3		42				Muffler Rear
		1	7		42				Muffler Rear
		1	8		42				Muffler Rear
		1	2		62				Muffler Rear
		1	3		62				Muffler Rear

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Frame
Figure 013-140




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7		62				Muffler Rear
		1	8		62				Muffler Rear
		1	8		41				Muffler Rear
		1	7		41				Muffler Rear
		1	3		41				Muffler Rear
-7		1	2		41				Muffler Rear
	52021 680AB-	1	2		41				BRACKET, Vapor Canister
		1	3		41				
		1	7		41				
		1	8		41				
		1	2		42				
		1	3		42				
		1	7		42				
		1	8		42				
		1	2		62				
		1	3		62				
-8	6502 696	4			62				NUT, Hex Flange Lock, M10x1.5
9					62				NUT, Hex Flange Lock, M12x1.75
	6502 697	1	7, 8						
		2	2, 3						
-10									STUD, Double Ended
	6507 267AA-	1	3		62				
		1	7		62				
		1	8		62				
		1	3		41				
		1	2		41				
		1	8		41				
		1	7		41				
		1	3		42				
		1	2		42				
		1	8		42				
		1	7		42				
		1	2		62				
-11									SCREW, Hex Flange Head
	6507 268AA-	1	7		62				
		1	8		62				
		1	2		41				
		1	7		42				

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Frame
Figure 013-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		42				
		1	2		62				
		1	3		62				
		1	3		41				
		1	3		42				
		1	8		41				
		1	2		42				
		1	7		41				
12	55276 324AB	4							ISOLATOR, Frame To Body
-13									SCREW, Hex Head
	6506 501AA-	4	7		42				
		4	8		42				
		4	8		41				
		4	7		41				
		4	3		41				
		4	2		41				
		4	2		62				
		4	3		62				
		4	7		62				
		4	8		62				
		4	2		42				
		4	3		42				
-14									CUP, Jounce Bumper
	5205 8224	2	7		41				
		2	8		41				
		2	7		42				
		2	8		42				
		2	7		62				
		2	8		62				
-15									BRACKET, Spring
	52021 692AB-	1	8		41				Auxiliary,Right Front
		1	8		42				Auxiliary,Right Front
		1	8		62				Auxiliary,Right Front
	52021 693AB-	1	8		41				Auxiliary,Left Front
		1	8		42				Auxiliary,Left Front
		1	8		62				Auxiliary,Left Front
	52021 694AB-	1	8		41				Auxiliary,Right Rear
		1	8		42				Auxiliary,Right Rear
		1	8		62				Auxiliary,Right Rear
	52021 695AB-	1	8		62				Auxiliary,Left Rear
		1	8		42				Auxiliary,Left Rear

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION


DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Frame
 Figure 013-140

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	8		41				Auxiliary,Left Rear
	52121 030AB-	2	3		62				Auxiliary,Right Rear
		2	3		42				Auxiliary,Right Rear
		2	3		41				Auxiliary,Right Rear
	52121 033AB-	1	3		62				Auxiliary,Left Rear
		1	3		42				Auxiliary,Left Rear
		1	3		41				Auxiliary,Left Rear




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Bumper, Front Figure 013-230



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5073 002AC	1							FASCIA, Front, Primed, [MCM] Paint as Required
2	55077 355AC	1							FASCIA, Front Bumper, [MCL]
3	55077 103AB	1							BUMPER, Front, [MCT]
4	55077 337AD	1							AIR DAM, [MCT]
5	55077 208AA	1							BRACKET, Front Bumper Side Right
	55077 209AA	1							Left
6									SHIELD, Bumper
	55077 234AD	1							Right
	55077 235AD	1							Left
7	55077 378AC	1							BRACKET, Front Bumper Side Right
	55077 379AC	1							Left
8	3420 1686	3							BOLT, Hex Flange Head, M12x1. 18x35
9	6504 790	10							BOLT, Square Neck, M12x1.75x30.5
10	6101 678	4							NUT, Hex, M12x1.75
11	6502 625	4							SCREW AND RETAINER, Round Head, M6.35x25.4, M12
12									BRACKET, Fascia
	55077 504AE	1							Right
	55077 505AE	1							Left
13									BRACKET, Bumper
	55077 314AE	1							[-XEA], Right
	55077 315AE	1							[-XEA], Left
	55077 316AF	1							[XEA], Right
	55077 317AF	1							[XEA], Left
14	6507 667AA	2							BOLT AND RETAINER, Hex Head
15	55077 342AC	1							STEP PAD, Front Fascia
16									SCREW AND WASHER, Truss Head, M6-1.00x30.00, (NOT SERVICED) (Not Serviced)
17									PANEL, Front Bumper
	55077 630AA	1							[MCT-XEA], Right
	55077 631AA	1							[MCT-XEA], Left
	55077 840AA	1							[MCT,XEA]
-18	55077 158AE-	1							BRACKET, License Plate
-19	52020 587AB-	1							HOOK, Tow
20									BEZEL, Fog Lamp
	55077 238AD	1							Right
	55077 239AD	1							Left


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Bumper, Front, Sport
Figure 013-235



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5073 001AE	1							FASCIA, Front, Primed, [MBP]
2	55077 214AB	1							BEAM, Front Bumper
3									BRACKET, Fascia
	55077 504AE	1							Right
	55077 505AE	1							Left
4									SCREW AND WASHER, Truss Head, M6-1.00x30.00, 06503698, (NOT SERVICED) (Not Serviced)
5									BRACKET, Front Bumper Side
	55077 208AA	1							Right
	55077 209AA	1							Left
6									BRACKET, Support Front
	55077 374AC	1							Right
	55077 375AC	1							Left
7	55077 342AC	1							STEP PAD, Front Fascia
8	6502 625	4							SCREW AND RETAINER, Round Head, M6.35x25.4
9									SCREW AND WASHER, Truss Head, M6-1.00x30.00, 06503698, (NOT SERVICED) (Not Serviced)
10									BRACKET, Bumper
	55077 358AC	1							Right
	55077 359AC	1							Left
11	6101 678	4							NUT, Hex, M12x1.75
-12	55077 158AE-	1							BRACKET, License Plate
13									PANEL, Front Bumper
	55077 632AA	1							[-XEA], Right
	55077 633AA	1							[-XEA], Left
	55077 841AA	1							[XEA]
14	55077 387AA	2							BUMPER, Grille
15	6101 718	2							SCREW AND WASHER, Oval Head, M6x1x25
16	6502 871	4							RETAINER

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Winch, Front, Powerwagon Figure 013-240

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5161 062AA	1	2, 7						WINCH, Power
2	5161 040AA	1	2, 7						HOOK KIT, Winch
3	5161 063AA	1	2, 7						REMOTE CONTROL, Winch
4	52121 221AE	1	2, 7						BRACKET, Winch
5									BRACKET, Frame
	52121 224AC	1	2, 7						Right
	52121 225AC	1	2, 7						Left
6	6101 678	4	2, 7						NUT, Hex, M12x1.75
7	5143 198AA	2	2, 7						ROLLER PACKAGE, Winch,
									Horizontal
-8									ROLLER, Horizontal, (NOT SERVICED) (Not Serviced)
-9									ROLLER, Vertical, (NOT SERVICED) (Not Serviced)
-10									PIN, Track Roller, (NOT SERVICED) (Not Serviced)
11	52121 423AA	8	2, 7						BUSHING, Pin
12	52121 687AA	1	2, 7						CLIP, Retainer
13	6102 018	4	2, 7						BOLT, Hex Flange Head, M12x1. 75x65
14	6502 473	1	7, 8						BOLT, Hex Flange Head, M12x1. 75x65
15	6506 021AA	4	2, 7						SCREW, Hex Flange Head, M12X1. 75X110.00

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Rear Bumper and Licence Plate Attaching Figure 013-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BUMPER, Rear
	5073 625AC	1							[MBQ]
	55077 107AG	1							[MBF]
2									BRACKET, Bumper
	55077 704AA	1							Right
	55077 705AA	1							Left
	55077 358AC	1							[MBQ], Right
		1							[MBF], Right
	55077 359AC	1							[MBQ], Left
		1							[MBF], Left
3	6502 696	6							NUT, Hex Flange Lock, M10x1.5
4	6506 830AA	2							RETAINER
-5	3738 921	1							BRACKET, License Plate, [XBC]
6									BOLT AND RETAINER, M10X1.50X34.50, (NOT REQUIRED)
7	55077 361AD	1							PLUG, Wire Access Hole
8									NUT, U Multi Thread, (NOT SERVICED) (Not Serviced)
9	55077 340AC	1							STEP PAD, Rear Bumper
10	6507 391AA	6							BOLT, square neck
11	6502 979	6							NUT AND WASHER, Hex, M10x1.5
12									RIVET, Blind Bulb, [.250x.475], (NOT SERVICED) (Not Serviced)
13									HITCH, Trailer, Refer To Tailer Hitch Picture, (NOT REQUIRED)
-14	55077 311AB-	1							PLUG, Trailer Hitch
15									LAMP, License Plate
	55077 291AF	1							Right
	55077 292AF	1							Left
16									BRACKET
	56049 014AA	1	2, 3						
		1	7, 8						
17									RIVET, Blind, .250x.375/.562, (NOT SERVICED) (Not Serviced)
18									SCREW, .19-16x1.00, (NOT SERVICED) (Not Serviced)
19	55077 370AB	2							CLIP, Lamp

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Figure 013-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55275 749AB	8			41, 42				INSULATOR, Body Hold Down
2	55276 252AB	2							CUSHION, Body Hold Down
3	55276 255AB	2							CUSHION, Body Hold Down
4	55276 259AC	2							CUSHION, Body Hold Down
5	55276 257AB	2			41, 42				CUSHION, Body Hold Down
6	6501 557	8			41, 42				BOLT, Hex Flange Head, M12x1.75x95.50
-7									SCREW AND WASHER, Hex Flange Head, M12x1.75x45, Box Hold Down
	6506 948AA-	6			41				
		8			42, 62				

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

$$\begin{aligned} 1, 6 &= 1500 \\ 2, 7 &= 2500 \\ 3, 8 &= 3500 \end{aligned}$$

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
 DGQ = Multi-Speed Auto.(45RFE)
 DG8 = 4 Spd. Auto.(48RE)
 DEE = 6 Spd. Manual (5600)
 DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Hitch, Towing
Figure 013-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									RECEIVER KIT, Trailer Tow
	52110 367AE	1							[-AHC]
	52110 373AE	1							[AHC]
2	6502 696	6							NUT, Hex Flange Lock, M10x1.5
3	6505 961AA	4							SCREW AND WASHER, Hex Head, M10x1.5x40
4	6502 817	2							LOCK NUT, M14-2.00
-5	55077 311AB-	1							PLUG, Trailer Hitch
6	6507 219AA	4							BOLT AND WASHER, Hex Head, M10x1.5x30


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Group – 014









Fuel



Group – 014

Fuel

014-900 Air Intake System	014-1100 Accelerator Pedal		
			


014-100 Tank, Fuel	014-200 Fuel Tank Filler Tube	014-300 Fuel Lines	014-400 Fuel Rail
			
014-500 Fuel Pump and Sending Unit	014-600 Throttle Body	014-700 Throttle Controls	014-800 Air Cleaner
			

GROUP 14 - Fuel

Illustration Title	Group-Fig. No.
Tank, Fuel	
Fuel Tank,5.7L [EZA] 5.9L [ETO]	Fig. 014-110
Fuel Tank Filler Tube	
Fuel Filler Tube, 5.7 [EZA] 5.9L [ETO]	Fig. 014-210
Fuel Lines	
Fuel Lines, Front, 5.7 [EZA] 5.9L [ETO]	Fig. 014-310
Fuel Lines, Rear, 5.7L [EZA] 5.9 [ETO]	Fig. 014-315
Air Fuel Control	Fig. 014-320
Fuel Rail	
Fuel Rail, 5.7L [EZA] 5.9L [ETO]	Fig. 014-410
Fuel Pump and Sending Unit	
Fuel Module, 5.7 [EZA] 5.9 [ETO]	Fig. 014-510
Fuel Injection Pump 5.9 Diesel [ETO]	Fig. 014-515
Injection Plumbing 5.9 Diesel [ETO]	Fig. 014-520
Throttle Body	
Throttle Body 5.7L [EZO]	Fig. 014-610
Turbocharger, 5.9L Diesel	Fig. 014-620
Throttle Controls	
Throttle Controls, 5.9L [ETO]	Fig. 014-710
Air Cleaner	
Air Cleaner 5.7L [EZA] , 5.9L [ETO]	Fig. 014-810
Air Intake System	
Air Intake System,	Fig. 014-910
Duct Air cooler	Fig. 014-920
Accelerator Pedal	
Accelerator Pedal 5.7L [EZA] 5.9 [ETO}	Fig. 014-1110
Pedal Brake,Power Adjustable	Fig. 014-1120



Fuel Tank,5.7L [EZA] 5.9L [ETO]
Figure 014-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									STRAP, Fuel Tank
	52102 527AA	1			42, 62				35 Gallon
	52102 522AA	1							
2	52102 671AA	1			41				STRAP, Fuel Tank, 34 Gallon
3	6502 337	2							NUT, M10x1.5
4									TANK, Fuel
	52121 432AA	1			41	ET0			
	52121 434AA	1			42, 62	ET0			
	52122 206AA	1			41	EZ0			
	52122 201AB	1				EZ0			
5									SHIELD, Heat
	52102 524AB	1			41	ET0, EZ0			
	52121 148AA	1			42, 62	EZ0			
		1			42, 62	ET0			
6									BOLT, Retainer, (NOT SERVICED) (Not Serviced)
-7									PAD, Fuel Tank
	52121 165AA-	1			41	EZ0			
		1			42, 62	EZ0			
		1			41	ET0			
-8	52121 253AA-	1				ET0			STRAP, Ground
-9									SCREW, Hex Flange Head
	6507 268AA-	1	2		41		DG0		
		1	7		62				
		1	8		42				
		1	3		42				
-10	52121 265AA-	1	7, 8						SKID PLATE, Fuel Tank
-11									CROSSMEMBER, Skid Plate
	52022 046AD-	1	7, 8						Without XEF-ACP
	52121 444AB-	1	7, 8						With XEF+ACP
-12	6507 342AA-	10	7, 8						SCREW, M8x1.25x30
-13	52121 536AA-	1				ET0			HOSE, Rollover Valve

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Fuel Filler Tube, 5.7 [EZA] 5.9L [ETO]
Figure 014-210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5278 632AE	1				ET0, EZ0			CAP, Fuel Filler
2									HOUSING, Fuel Filler, Service in Item #3, (NOT SERVICED) (Not Serviced)
3									TUBE, Fuel Filler
	52121 252AA	1				ET0			DELETE PICKUP BOX
	52102 554AC	1				EZ0			34 Gallon
	52102 594AC	1				ET0			
	52121 251AA	1				EZ0			DELETE PICKUP BOX
4									HOSE, Fuel Filler
	52102 514AA	1			41	EZ0			34 Gallon
	52102 596AA	1			41	ET0			34 Gallon
	52102 662AA	1			42, 62	ET0			35 Gallon
	52102 663AA	1			42, 62	EZ0			35 Gallon
5									HOSE, Fuel Filler
	52028 970AA	1			41	ET0			
	52028 971AA	1			42, 62	ET0			
	52102 517AA	1			41	EZ0			
	52102 764AA	1			42, 62	EZ0			[NFV]
6	6505 322AA	2				ET0, EZ0			CLAMP, Hose
7	6504 998AA	2				ET0			CLAMP, Fuel Filler Pipe
-8	4682 676	1				ET0, EZ0			TETHER, Fuel Filler Cap
-9	52013 230AA-	1				ET0			CLIP, Fuel Tube
-10	5210 2306	1				EZ0			GASKET, Filler Tube Housing
-11									STRAP, Ground
	52121 253AA-	1				ET0			GROUND STRAP FOR FUEL FILLER
		1				EZ0			GROUND STRAP FOR FUEL FILLER

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Fuel Lines, Front, 5.7 [EZA] 5.9L [ETO]
Figure 014-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52121 935AA	1				EZA			BUNDLE, Fuel Line
2	5212 7788	2				EZA			CLIP, Fuel Line
3	6022 266	4				EZ0	DBB		SCREW, Hex Head, .375-16x1.5
		4				EZ0	DG0		
-4									TUBE, Fuel Return
	52102 606AD-	1			41	ET0			
	52102 614AD-	1			42	ET0			
	52102 611AD-	1			62	ET0			

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Fuel Lines, Rear, 5.7L [EZA] 5.9 [ET0] Figure 014-315



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52121 364AA	1			41	EZA			TUBE, Fuel Supply
	52121 440AA	1			41	ET0			
	52121 442AA	1			42	ET0			
	52121 365AA	1			42	EZA			
	52121 366AA	1			62	EZA			
2	52121 441AA	1			62	ET0			TUBE, Fuel Vapor
	52102 560AC	1			41	EZA			
		1			42	EZA			
		1			62	EZA			
3	52113 956AA	2			41	EZA			CLIP, Fuel Bundle
		2			42	EZA			
		2			62	EZA			
		2			41	ET0			
		2			62	ET0			
		2			42	ET0			
4	52102 603AC	1			41	EZA			CLIP, Fuel Bundle
		1			42	EZA			
		1			62	EZA			
		1			41	ET0			
		1			62	ET0			
		1			42	ET0			
		1			41	ET0			
		1			62	ET0			
5	52102 760AC	1			41	EZA			CLIP, Fuel Bundle Clip 2-Way Clip 2-Way Clip 2-Way Clip 2-Way Clip 2-Way Clip 2-Way
		1			42	EZA			
		1			62	EZA			
		1			41	ET0			
		1			62	ET0			
	52102 664AC	1			42	ET0			
		1			41	EZA			
		1			42	EZA			
		1			41	ET0			
		1			62	ET0			
-6	5066 429AB-	1			41	ET0			ISOLATOR
		1			42	ET0			
		1			42	ET0			

DODGE RAM 2500/3500 (DH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Fuel Lines, Rear, 5.7L [EZA] 5.9 [ET0]
Figure 014-315

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			62	ET0			
		1			41	EZA			
		1			42	EZA			
		1			62	EZA			
-7	52013 230AA-	1				ET0			CLIP, Fuel Tube




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Air Fuel Control Figure 014-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:[ETC]= 5.9L Cummins 24 Valve Diesel,[ETH]= 5.9L HO Cummins Turbo, [DBB]= Manual Transmissions, [DGO]= All Automatic Transmissions									
1									HEAD, Fuel Filter, Service as Assembly, (NOT SERVICED) (Not Serviced)
2	5093 129AA	4				ETH	DBB		O RING KIT This kit contains:Lid Oring Thermostat Oring rotary valve Oring (4) lift pump
		4				ETH	DGO		fasteners14MM wif Oring This kit contains:Lid Oring Thermostat Oring rotary valve Oring (4) lift pump
3	5015 581AB	1				ETH	DBB		fasteners14MM wif Oring FILTER, Fuel
		1				ETH	DGO		
-4	5114 437AA-	1				ETH	DBB		O RING Fuel filter
		1				ETH	DGO		Fuel filter
5	5015 585AC	1				ETH	DBB		HEATER
		1				ETH	DGO		
-6	5086 824AA-	1				ETH	DBB		COUPLING, Elbow Hose
		1				ETH	DGO		
7	5016 555AB	4				ETH	DGO		WASHER, Fuel Line Banjo
		4				ETH	DBB		
8	5093 089AA	1				ETH	DBB		VALVE, Check
		1				ETH	DGO		
9	5015 576AC	3				ETH	DBB		WASHER, Fuel Pump
		3				ETH	DGO		
10	5093 088AA	1				ETH	DBB		TUBE, Drain
		1				ETH	DGO		
11	4429 135	2				ETH	DGO		BOLT, Banjo
		2				ETH	DBB		
12									SCREW, Hex Head, M8x1.25x16

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Air Fuel Control Figure 014-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 110	4				ETH	DBB		
		1				ETH	DG0		
13	5114 435AA	1				ETH	DBB		HOSE
		1				ETH	DG0		
14	5086 811AA	1				ETH	DBB		TUBE, Fuel Return
		1				ETH	DG0		
15	5086 749AA	2				ETH	DBB		CLAMP, Hose
		2				ETH	DG0		
16	5086 751AA	1				ETH	DBB		HOSE, Fuel
		1				ETH	DG0		
17	5086 811AA	1				ETH	DBB		TUBE, Fuel Return
		1				ETH	DG0		
18	5093 128AA	1				ETH	DBB		SENSOR, Fuel/Water
		1				ETH	DG0		
19	5015 584AB	1				ETH	DG0		O RING
		1				ETH	DBB		
20	5015 586AA	1				ETH	DBB		THERMOSTAT
		1				ETH	DG0		
21	5015 576AC	3				ETH	DBB		WASHER, Fuel Pump
		3				ETH	DG0		
22	5102 116AA	1				ETH	DBB		SCREW, Banjo Connector
		1				ETH	DG0		
23	5143 543AA	1				ETH	DBB		HOUSING, Fuel Filter
		1				ETH	DG0		
24	4429 634	1				ETH	DEE		SCREW, Hex Head Header Point, 24x.44
		1				ETH	DG0		
25	5093 136AA	1				ETH	DBB		SCREW, Hex Flange Head

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Air Fuel Control
Figure 014-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-26	5093 129AA-	1				ETH	DG0		O RING KIT
		4				ETH	DBB		
		4				ETH	DG0		
-27	5080 552AA-	1				ETH	DBB		DRAIN, Fuel Filter Bowl
		1				ETH	DG0		
		1				ETH	DBB		
-28	4429 135	1				ETH	DBB		BOLT, Banjo
		1				ETH	DG0		
		1				ETH	DBB		
-29	5143 425AA-	1				ETH	DBB		PUMP, Fuel Injection
		1				ETH	DG0		
		1				ETH	DBB		
-30	5093 129AA-	4				ETH	DBB		O RING KIT
		4				ETH	DG0		
		1				ETH	DBB		
-31	5086 752AA-	1				ETH	DBB		TUBE, Fuel Supply
		1				ETH	DG0		
		1				ETH	DBB		

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Fuel Rail, 5.7L [EZA] 5.9L [ET0]
Figure 014-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes [ET0]=ALL 5.9L & 6.7L


[EZA]= Hemi "Magnum" 5.7L

1	53032 712AC	1				EZ0			RAIL, Fuel
2									INJECTOR, Fuel
	53032 713AA	8				EZ0			
	5135 790AB	6				ETH	DBB		
		6				ETH	DG0		
3	4418 257AB	8				EZ0			CLIP, Fuel Injector
-4	53032 772AA-	1				EZ0			PAD, Engine

DODGE RAM 2500/3500 (DH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Fuel Module, 5.7 [EZA] 5.9 [ET0]
Figure 014-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sale Code [ETO]=ALL 5.9L & 6.7L									
[EZA]=Hemi "Magnum " 5.7L									
1	55366 299AA	1			41	EZ0			RING, Lock, Fuel Module
		1			42, 62	EZ0			
		1			41	ET0			
		1			42, 62	ET0			
2	55366 298AA	1			41	EZ0			O RING, Fuel Pump and Level Unit
		1			42, 62	EZ0			
		1			41	ET0			
		1			42, 62	ET0			
3									MODULE PACKAGE, Fuel Pump/ Level Unit
	5104 696AB	1			42, 62	EZ0			
	5134 554AC	1			41	EZ0			
	5143 160AA	1			41	ET0			
	5143 162AA	1			42, 62	ET0			FILTER, Fuel RETAINER KIT, Quick Connect, Fuel Retainer Kit For Fuel Line to Fuel Module
4	5015 581AB	1				ETH	DG0		
-5									
	5139 086AA-	1			41	EZA			
		1			42	EZA			

Fuel Injection Pump 5.9 Diesel [ET0] Figure 014-515



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4429 629	1				ETH	DBB		SCREW, Hex Head, M8x1.25x16
		1				ETH	DG0		
2	5086 784AA	1				ETH	DBB		BRACKET, Pump
		1				ETH	DG0		
3	5014 230AB	1				ETH	DBB		GASKET, Fuel Pump Cover Plate
		1				ETH	DG0		
4	4429 689	3				ETH	DBB		NUT, Hex Flange
		1				ETH	DG0		
5	5143 425AA	1				ETH	DG0		PUMP, Fuel Injection
		1				ETH	DBB		
6	5086 766AA	1				ETH	DEE		GEAR, Injection Pump
		1				ETH	DG0		
7	5086 771AA	1				ETH	DBB		WASHER
		1				ETH	DG0		
8	5086 769AA	1				ETH	DBB		NUT, Hex
		1				ETH	DG0		
9	5086 768AA	3				ETH	DBB		STUD, Fuel Pump
		3				ETH	DG0		


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Injection Plumbing 5.9 Diesel [ET0]
Figure 014-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes:[ETC]= 5.9L, 24 Valve Cummins Diesel


1	5086 895AA	1				ETH	DBB		SEAL, Fuel Injector
		1				ETH	DG0		
		1				ETH	DEE		
2	5086 896AA	1				ETH	DBB		O RING, Fuel Injector
		1				ETH	DG0		
		1				ETH	DEE		
3	5135 790AB	6				ETH	DBB		INJECTOR, Fuel
		6				ETH	DG0		
		6				ETH	DEE		
4	4761 269	12				ETH	DBB		SCREW, Hex Flange Head
		12				ETH	DG0		
		12				ETH	DEE		
5	5086 869AA	1				ETH	DBB		MANIFOLD, Fuel
		1				ETH	DG0		
		1				ETH	DEE		
6	5086 876AB	1				ETH	DBB		TUBE, Fuel Injector Supply To Injector Number 6
		1				ETH	DG0		
		1				ETH	DEE		
7	5086 865AA	2				ETH	DBB		SCREW, Hex Head
		2				ETH	DG0		
		2				ETH	DEE		
8	5086 879AA	1				ETH	DBB		SHIELD, Fuel Line Injector Plumbing
		1				ETH	DG0		
		1				ETH	DEE		
	5102 030AA	1				ETH	DBB		Fuel Filter
		1				ETH	DEE		
		1				ETH	DG0		
9	4429 663	3				ETH	DEE		SCREW, Cap, .437-20x1.812
		3				ETH	DBB		
		3				ETH	DG0		
10									ISOLATOR, Tube

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Injection Plumbing 5.9 Diesel [ET0]
Figure 014-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5011 888AA	2				ETH	DBB		
		2				ETH	DG0		
		2				ETH	DEE		
11	5086 875AA	1				ETH	DBB		TUBE, Fuel Injector Supply To Injector Number 5
		1				ETH	DG0		To Injector Number 5
		1				ETH	DEE		To Injector Number 5
12	5086 872AA	1				ETH	DBB		TUBE, Fuel Injector Supply To Injector Number 2
		1				ETH	DG0		To Injector Number 2
		1				ETH	DEE		To Injector Number 2
13	4761 708	1				ETH	DBB		SCREW, Fuel Tube Bracket
		1				ETH	DG0		
		1				ETH	DEE		
14	5086 874AA	1				ETH	DBB		TUBE, Fuel Injector Supply To Injector Number 4
		1				ETH	DG0		To Injector Number 4
		1				ETH	DEE		To Injector Number 4
15	5086 873AA	1				ETH	DBB		TUBE, Fuel Injector Supply To Injector Number 3
		1				ETH	DG0		To Injector Number 3
		1				ETH	DEE		To Injector Number 3
16	4882 110	4				ETH	DBB		SCREW, Hex Head, M8x1.25x16
		1				ETH	DG0		
		1				ETH	DEE		
17	5086 871AA	1				ETH	DBB		TUBE, Fuel Injector Supply To Injector Number 1
		1				ETH	DG0		To Injector Number 1
		1				ETH	DEE		To Injector Number 1
18	5086 867AA	6				ETH	DBB		CONNECTOR, Injector
		6				ETH	DG0		
		6				ETH	DEE		
-19	5086 866AA-	6				ETH	DBB		RETAINER, Fuel Injector
		6				ETH	DG0		
		6				ETH	DEE		
20	5086 868AA	1				ETH	DBB		O RING

DODGE RAM 2500/3500 (DH)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)				
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)				
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)				
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)				
				DEG = 6 Spd. Manual				

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Figure 014-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1				ETH	DG0		
21	5086 870AA	1				ETH	DEE		TUBE, Fuel
		1				ETH	DBB		
		1				ETH	DG0		
-22	5086 810AA-	1				ETH	DEE		TUBE, Fuel Return
		1				ETH	DBB		
		1				ETH	DG0		
		1				ETH	DEE		

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

$$\begin{aligned} 1, 6 &= 1500 \\ 2, 7 &= 2500 \\ 3, 8 &= 3500 \end{aligned}$$

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION


DDP = 5 Spd. Manual (4500)
 DGQ = Multi-Speed Auto.(45RFE)
 DG8 = 4 Spd. Auto.(48RE)
 DEE = 6 Spd. Manual (5600)
 DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Throttle Body 5.7L [EZO] Figure 014-610

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6507 066AA	4				EZ0			SCREW AND WASHER, Hex
2	53032 801AA	1				EZ0			THROTTLE BODY
3	53032 383AB	1				EZ0			SEAL, Throttle Body to Intake
4	53032 455AB	1				EZ0			SEAL, Throttle Body to Intake




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Turbocharger, 5.9L Diesel
Figure 014-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5140 305AA	1				ETH			VALVE, Air Control
2	5143 256AA	1				ETH	DBB		TURBOCHARGER
		1				ETH	DG0		
		1				ETH	DEE		
3	5086 949AA	1				ETH	DBB		GASKET, Oil Drain Plug
		1				ETH	DG0		
		1				ETH	DEE		
4	5086 864AA	1				ETH	DBB		GASKET, Turbocharger
		1				ETH	DG0		
		1				ETH	DEE		
5	5135 785AA	4				ETH	DBB		STUD
		4				ETH	DG0		
		4				ETH	DEE		
6	4429 825	4				ETH	DBB		NUT, Turbo Mounting
		4				ETH	DG0		
		4				ETH	DEE		
-7	5161 570AA-	1				ETH	DBB		PIPE, Exhaust
-8	5159 965AA-	1				ETH	DBB		CLAMP, Turbo

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Throttle Controls, 5.9L [ET0]
Figure 014-710


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note; Sales Codes

[ET0]= All 5.9L Engines

[EV0]= All 4.7L Gas Engines


1	53041 140AB	1				ET0	DG8		LEVER, Auto Trans Throttle Control
2	4780 450	1				ET0, EZ0			PLUG
3	6104 197AA	2				ET0	DG8		SCREW



DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Air Cleaner 5.7L [EZA] , 5.9L [ETO]
Figure 014-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	53032 404AA	1				EZ0			ELEMENT, Air Cleaner
2	53032 700AB	1				ET0			FILTER, Air
3	53032 453AA	1				EZ0			BRACKET, Air Cleaner
4									COVER, Air Cleaner
	53032 648AD	1				ET0			
	53032 405AC	1				EZ0			
5									CLAMP, Air Cleaner Duct
	53032 729AA	2				ET0			AIR CLEANER & TURBO ENDS
	53032 638AA	2				ET0			RESONATOR END
-6									CLAMP, Hose
	53032 540AA-	1				EZ0			RESONATOR END
	53032 537AA-	1				EZ0			AIR CLEANER END
7	53032 848AA	1				ET0			RESONATOR, Air Cleaner
8	53032 463AE	1				EZ0			RESONATOR, Throttle Body, After
									08/01/03
-9	6506 686AA-	2				EZ0			SCREW, Hex Flange Head
-10	6506 982AA-	2				EZ0			NUT
11									BODY, Air Cleaner
	53032 406AA	1				EZ0			
	53032 647AC	1				ET0			
-12	6506 855AA-	1				ET0			STUD, Double Ended, Air Cleaner
									Mounting
-13	4573 211AB-	1				ET0			BUSHING, Isolator Mounting Leg
-14									GROMMET, Air Cleaner Bracket,
									Attaches the air flow sensor to the
									air cleaner
	4268 295	2				EZ0			
	53032 732AA-	1				ET0			
-15									LATCH, Air Cleaner
	5277 576	3				ET0			
		4				EZ0			
16									CLAMP, Air Cleaner Duct
	53032 638AA	2				ET0			RESONATOR END
	53032 729AA	2				ET0			AIR CLEANER & TURBO ENDS
17									DUCT, Clean Air
	53032 846AB	1				ET0			
	53032 650AA	1				ET0			Upper
	53032 847AB	1				ET0			Lower
18	53032 169AC	1				EZ0			DUCT, Clean Air
-19	53032 749AB-	1				ET0			SENSOR, Air Flow, Ref Group 8
-20									CLAMP, Hose


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Figure 014-810

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	53032 537AA-	1				EZ0			AIR CLEANER END
	53032 540AA-	1				EZ0			RESONATOR END
-21	53032 848AA-	1				ET0			RESONATOR, Air Cleaner
-22	53032 670AB-	1				EZ0			DUCT, Ambient Air



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Air Intake System,
Figure 014-910


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	53032 670AB	1				EZ0			DUCT, Ambient Air
-2									DUCT, Clean Air
	53032 169AC-	1				EZ0			
	53032 650AA-	1				ET0			Upper
	53032 846AB-	1				ET0			
	53032 847AB-	1				ET0			Lower
-3	55277 011AA-	1				ET0			SHIELD, Air Intake



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Duct Air cooler
Figure 014-920

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5202 8570	1				ET0			HOSE, Charge Air Cooler
2	52028 977AA	1				ET0			CLAMP, Hose, 2.75 T-Bolt
-3									HOSE
	55056 563AA-	1				ET0			Tube to charge air cooler
	55056 564AA-	1				ET0			Duct to charge air cooler
-4									TUBE
	55056 565AA-	1				ET0			Inlet
	55056 566AA-	1				ET0			Outlet




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Accelerator Pedal 5.7L [EZA] 5.9 [ET0}
Figure 014-1110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW, Hex Head, M8x20, M8x2.50x30.0, (NOT SERVICED) (Not Serviced)
2	53032 753AB	1				ET0, EZ0			PEDAL, Accelerator
3	6502 756	1							NUT, Hex Lock, M8x1.25
4									CLIP, Accelerator Cable, (NOT SERVICED) (Not Serviced)



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Pedal Brake,Power Adjustable
Figure 014-1120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PEDAL AND PAD, Brake
	52010 221AC	1					DBB		
	52010 322AC	1					DG0		
2	52009 944AB	1					DBB		PEDAL, Clutch
3									PAD, Pedal
	5200 2750	2					DD0, DEE		
	4779 027	1					DG0		
4									BRACKET, Connector
	56045 653AA	1							
	56051 136AA	1				ET0			
-5	55351 190AE-	1							BRACKET, Steering Column, Clutch and Brake Pedal



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Group – 016

Propeller Shafts and U-Joints


GROUP 16 - Propeller Shafts and U-Joints


Illustration Title

Group-Fig. No.


Propeller Shaft

Shaft,Propeller,Front,DH 7,8	Fig. 016-110
Shaft,Propeller,Rear,1 Piece,Body 41,62 DH 2,3,7,8	Fig. 016-120
Shaft,Propeller,Rear,2 Piece,Body 41,42,62,DH 2,3	Fig. 016-130
Shaft,Propeller,Rear,2 Piece,Body 42,DH 7,8	Fig. 016-140



016-100 Propeller Shaft			
			

Shaft,Propeller,Front,DH 7,8 Figure 016-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;

[DME]=Axle Ratio - 3.73

[DMF]=Axle Ratio - 4.10

[DMU]=Axle Ratio - 4.56

[DDP]=Transmission - 5 Speed Manual

[DEE]=Transmission - 6 Speed Manual Heavy Duty Manual

[DEG]=Transmission - 6 Speed Manual,G56

[DG8]=Transmission - 4-Speed Automatic,48RE

[DG0]=Transmissions - All Automatic

[[ET0]=Engines - All 5.9L Turbo Diesels

[EZ0]=Engines - All 5.7L 8 Cylinder Gas

1									FLANGE, Drive Shaft
	5093 373AA	1	7, 8			ET0	DG8		
		1	7, 8			ET0	DEE		
		1	7, 8			ET0, EZ0	DEG		
		1	7, 8			EZ0	DG0		[DME]
		1	7, 8			EZ0	DG0		[DMU]
		1	7, 8			EZ0	DDP		
2									U JOINT PACKAGE
	5093 377AB	1	7, 8			ET0	DG8		
		1	7, 8			ET0	DEE		
		1	7, 8			ET0, EZ0	DEG		
		1	7, 8			EZ0	DG0		[DME]
		1	7, 8			EZ0	DG0		[DMU]
		1	7, 8			EZ0	DDP		
-3									SNAP RING
	5127 829AA-	4	7, 8			ET0	DG8		
		4	7, 8			ET0	DEE		
		4	7, 8			ET0, EZ0	DEG		
		4	7, 8			EZ0	DG0		[DME]
		4	7, 8			EZ0	DG0		[DMU]
		4	7, 8			EZ0	DDP		
4									YOKE, Drive Shaft
	5093 821AB	1	7, 8			EZ0	DG0		
		1	7, 8			EZ0	DDP		
		1	7, 8			ET0	DEE		
		1	7, 8			ET0	DG8		[DME]
		1	7, 8			EZ0	DG0		[DMU]
		1	7, 8			ET0, EZ0	DEG		
5									BOOT, Drive Shaft
	5093 381AA	1	7, 8			ET0	DG8		


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Shaft,Propeller,Front,DH 7,8
Figure 016-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0	DEE		
		1	7, 8			ET0, EZ0	DEG		
		1	7, 8			EZ0	DG0		[DME]
		1	7, 8			EZ0	DG0		[DMU]
		1	7, 8			EZ0	DDP		
6	6506 382AA	4	7, 8						BOLT, Drive Shaft to Front Axle, Mounting
7									SHAFT, Drive, Front
	52105 934AE	1	7, 8			ET0	DG8		
	52105 932AE	1	7, 8			ET0	DEE		
	52853 143AB	1	7, 8			ET0, EZ0	DEG		
	52105 930AE	1	7, 8			EZ0	DG0		[DME]
	52123 154AA	1	7, 8			EZ0	DG0		[DMU]
	52105 931AE	1	7, 8			EZ0	DDP		
8									U JOINT PACKAGE
	5142 222AA	2	7, 8			ET0	DG8		
		2	7, 8			ET0	DEE		
		2	7, 8			ET0, EZ0	DEG		
		2	7, 8			EZ0	DG0		[DME]
		2	7, 8			EZ0	DG0		[DMU]
		2	7, 8			EZ0	DDP		
-9									SNAP RING
	5127 828AA-	4	7, 8			ET0	DG8		
		4	7, 8			ET0	DEE		
		4	7, 8			ET0, EZ0	DEG		
		4	7, 8			EZ0	DG0		[DME]
		4	7, 8			EZ0	DG0		[DMU]
		4	7, 8			EZ0	DDP		
10	6033 358	4	7, 8						SCREW AND WASHER, Hex Head Locking, .437-14x1.25, Drive Shaft to Transfer Case, Mounting


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Shaft,Propeller,Rear,1 Piece,Body 41,62 DH 2,3,7,8
Figure 016-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;

[DDP]=Transmission - 5 Speed Manual

[DEE]=Transmission - 6 Speed Manual Heavy Duty Manual

[DEG]=Transmission - 6-Speed Manual, G56

[DGP]=Transmission - 4-Speed Automatic,47R

[DG0]=Transmissions - All Automatic

[DG8]=Transmission-4-Speed Automatic,48RE

[ET0]=Engines - All 5.9L Turbo Diesels

[EZ0]=Engines - All 5.7L 8 Cylinder Gas

1									SHAFT, Drive, Rear 1-Piece
	52105 633AE	1	2		41, 62	EZ0	DG0		[DRW]
	52853 053AB	1	2, 3		41, 62	ET0	DG8		[DRQ,DRX]
	52105 637AE	1	3		41, 62	EZ0	DG0		[DRQ,DRX]
	52853 150AB	1	7		41, 62	EZ0	DEG		[DRW]
	52105 811AF	1	7		41, 62	EZ0	DDP		[DRW]
	52105 809AE	1	7		41, 62	EZ0	DG0		[DRW,DME,DMF]
	52123 097AA	1	7		41, 62	EZ0	DG0		[DRW,DMU]
	52853 185AC	1	7, 8		41, 62	ET0	DG8		[DRQ,DRX]
	52853 156AB	1	7, 8		41, 62	ET0	DEG		[DRQ,DRX]
	52105 655AF	1	7, 8		41, 62	ET0	DEE		[DRQ,DRX]
	52853 152AB	1	8		41, 62	EZ0	DEG		[DRQ,DRX]
	52105 653AF	1	8		41, 62	EZ0	DDP		[DRQ,DRX]
	52105 813AE	1	8		41, 62	EZ0	DG0		[DRQ,DRX]
2									YOKE, Drive Shaft
	5102 162AA	1	2		41, 62	EZ0	DG0		[DRW]
	5114 101AA	1	2, 3		41, 62	ET0	DG8		[DRQ,DRX]
	5102 162AA	1	3		41, 62	EZ0	DG0		[DRQ,DRX]
	5102 165AA	1	7		41, 62	EZ0	DEG		[DRW]
		1	7		41, 62	EZ0	DDP		[DRW]
		1	7		41, 62	EZ0	DG0		[DRW,DME,DMF]
	5183 016AA	1	7		41, 62	EZ0	DG0		[DRW,DMU]
	5159 996AA	1	7, 8		41, 62	ET0	DEG		[DRQ,DRX]
	5102 167AA	1	7, 8		41, 62	ET0	DEE		[DRQ,DRX]
	5170 317AA	1	7, 8		41, 62	ET0	DG8		[DRQ,DRX]
	5102 165AA	1	8		41, 62	EZ0	DDP		[DRQ,DRX]
		1	8		41, 62	EZ0	DG0		[DRQ,DRX]
		1	8		41, 62	EZ0	DEG		[DRQ,DRX]
3									U JOINT PACKAGE
	5093 376AB	2	2		41, 62	EZ0	DG0		[DRW]
		2	2, 3		41, 62	ET0	DG8		[DRQ,DRX]
		2	3		41, 62	EZ0	DG0		[DRQ,DRX]


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Shaft,Propeller,Rear,1 Piece,Body 41,62 DH 2,3,7,8
Figure 016-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2	7		41, 62	EZ0	DEG		[DRW]
		2	7		41, 62	EZ0	DDP		[DRW]
		2	7		41, 62	EZ0	DG0		[DRW,DME,DMF]
		2	7		41, 62	EZ0	DG0		[DRW,DMU]
		2	7, 8		41, 62	ET0	DG8		[DRQ,DRX]
	5086 665AC	2	7, 8		41, 62	ET0	DEG		[DRQ,DRX]
	5102 157AB	2	7, 8		41, 62	ET0	DEE		[DRQ,DRX]
	5093 376AB	2	8		41, 62	EZ0	DEG		[DRQ,DRX]
		2	8		41, 62	EZ0	DDP		[DRQ,DRX]
-4		2	8		41, 62	EZ0	DG0		[DRQ,DRX]
									SNAP RING
	5127 828AA-	4	2		41, 62	EZ0	DG0		[DRW]
		4	2, 3		41, 62	ET0	DG8		[DRQ,DRX]
		4	3		41, 62	EZ0	DG0		[DRQ,DRX]
		4	7		41, 62	EZ0	DEG		[DRW]
		4	7		41, 62	EZ0	DDP		[DRW]
		4	7		41, 62	EZ0	DG0		[DRW,DME,DMF]
		4	7		41, 62	EZ0	DG0		[DRW,DMU]
		4	7, 8		41, 62	ET0	DG8		[DRW]
	5127 827AA-	4	7, 8		41, 62	ET0	DEE		[DRQ,DRX]
	5127 828AA-	4	8		41, 62	EZ0	DDP		[DRQ,DRX]
		4	8		41, 62	EZ0	DEG		[DRQ,DRX]
		4	8		41, 62	EZ0	DG0		[DRQ,DRX]
5	6506 497AA	4							BOLT, Hex Head, M12, Drive Shaft to Axle, Mounting
6									FLANGE, Drive Shaft
	5102 161AA	1	2		41, 62	EZ0	DG0		[DRW]
		1	2, 3		41, 62	ET0	DG8		[DRQ,DRX]
		1	3		41, 62	EZ0	DG0		[DRQ,DRX]
		1	7		41, 62	EZ0	DEG		[DRW]
		1	7		41, 62	EZ0	DG0		[DRW,DME,DMF]
		1	7		41, 62	EZ0	DG0		[DRW,DMU]
		1	7		41, 62	EZ0	DDP		[DRW]
		1	7, 8		41, 62	ET0	DG8		[DRQ,DRX]
	5102 158AA	1	7, 8		41, 62	ET0	DEG		[DRQ,DRX]
		1	7, 8		41, 62	ET0	DEE		[DRQ,DRX]
	5102 161AA	1	8		41, 62	EZ0	DEG		[DRQ,DRX]
		1	8		41, 62	EZ0	DDP		[DRQ,DRX]
		1	8		41, 62	EZ0	DG0		[DRQ,DRX]

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST


LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY
41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE
EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION
DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Shaft,Propeller,Rear,2 Piece,Body 41,42,62,DH 2,3
 Figure 016-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;

[DDP]=Transmission - 5 Speed Manual

[DEE]=Transmission - 6 Speed Manual Heavy Duty Manual

[DEG]=Transmission - 6-Speed Manual, G56

[DEJ]=Transmission - 6-Speed Manual

[DG0]=Transmissions - All Automatic

[DG8]=Transmission-4-Speed Automatic,48RE

[ET0]=Engines - All 5.9L Turbo Diesels

[EZ0]=Engines - All 5.7L 8 Cylinder Gas


1	SHAFT, Drive, Rear 2-Piece								
	52105 635AF	1	2		41, 62	EZ0	DDP		
	52853 146AA	1	2		41, 62	EZ0	DEG		
	52105 636AF	1	2		42	EZ0	DDP		
	52853 147AA	1	2		42	EZ0	DEG		
	52105 634AF	1	2		42	EZ0	DG0		
	52105 641AF	1	2, 3		41, 62	ET0	DEE		
	52853 158AA	1	2, 3		41, 62	ET0	DEG		
	52105 642AF	1	2, 3		42	ET0	DEE		
	52853 159AA	1	2, 3		42	ET0	DEG		
	52853 070AB	1	2, 3		42	ET0	DG8		
	52105 639AF	1	3		41, 62	EZ0	DDP		
	52853 148AA	1	3		41, 62	EZ0	DEG		
	52105 640AF	1	3		42	EZ0	DDP		
	52853 149AA	1	3		42	EZ0	DEG		
	52105 638AF	1	3		42	EZ0	DG0		
2	FLANGE, Drive Shaft								
	5102 161AA	1	2		41, 62	EZ0	DEG		Front
		1	2		42	EZ0	DEG		Front
	5102 158AA	1	2, 3		41, 62	ET0	DEG		Front
		1	2, 3		42	ET0	DEG		Front
	5102 161AA	1	3		41, 62	EZ0	DEG		Front
		1	3		42	EZ0	DEG		Front
3	YOKE, Drive Shaft								
	5102 160AA	1	2		42	EZ0	DG0		
	5102 163AA	1	2		41, 62	EZ0	DDP		
		1	2		42	EZ0	DDP		
	5102 160AA	1	3		42	EZ0	DG0		
	5102 163AA	1	3		41, 62	EZ0	DDP		
		1	3		42	EZ0	DDP		
	5102 159AA	1	2, 3		41, 62	ET0	DEE		
		1	2, 3		42	ET0	DEE		

DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EZA = 5.7L HEMI Magnum V8		DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		ETH = 5.9LD Cummins HO		DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)				DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)				DEE = 6 Spd. Manual (5600)			
						DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Shaft,Propeller,Rear,2 Piece,Body 41,42,62,DH 2,3
 Figure 016-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5114 104AA	1	2, 3		42	ET0	DG8		
4	5093 376AB	3	2		42	EZ0	DG0		U JOINT PACKAGE
		3	2		41, 62	EZ0	DDP		
		3	2		42	EZ0	DDP		
		3	2		42	EZ0	DEG		
		3	2		41, 62	EZ0	DEG		
	5086 665AC	3	2, 3		42	ET0	DEG		
	5102 157AB	3	2, 3		41, 62	ET0	DEE		
		3	2, 3		42	ET0	DEE		
	5093 376AB	3	2, 3		42	ET0	DG8		
	5086 665AC	3	2, 3		41, 62	ET0	DEG		
	5093 376AB	3	3		42	EZ0	DG0		
		3	3		41, 62	EZ0	DEG		
		3	3		42	EZ0	DEG		
		3	3		41, 62	EZ0	DDP		
		3	3		42	EZ0	DDP		
-5									SNAP RING
	5127 828AA-	4	2		41, 62	EZ0	DDP		
		4	2		41, 62	EZ0	DEG		
		4	2		42	EZ0	DDP		
		4	2		42	EZ0	DEG		
		4	2		42	EZ0	DG0		
		4	3		42	EZ0	DG0		
	5127 827AA-	4	2, 3		41, 62	ET0	DEE		
	5127 826AA-	4	2, 3		41, 62	ET0	DEG		
	5127 827AA-	4	2, 3		42	ET0	DEE		
	5127 826AA-	4	2, 3		42	ET0	DEG		
	5127 828AA-	4	2, 3		42	ET0	DG8		
		4	3		41, 62	EZ0	DDP		
		4	3		41, 62	EZ0	DEG		
		4	3		42	EZ0	DDP		
		4	3		42	EZ0	DEG		
6	6506 497AA	4	2, 3				DEG		BOLT, Hex Head, M12, Drive Shaft to Transmission, Mounting
7									BEARING PACKAGE, Drive Shaft
	5093 379AB	1	2		42	EZ0	DG0		
		1	2		41, 62	EZ0	DDP		
		1	2		42	EZ0	DDP		
		1	3		42	EZ0	DG0		
		1	3		41, 62	EZ0	DDP		

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Shaft,Propeller,Rear,2 Piece,Body 41,42,62,DH 2,3
 Figure 016-130




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	3		42	EZ0	DDP		
		1	2, 3		41, 62	ET0	DEE		
		1	2, 3		42	ET0	DEE		
		1	2, 3		42	ET0	DG8		
5159 978AA		1	2		41, 62	EZ0	DEG		
		1	2		42	EZ0	DEG		
		1	3		41, 62	EZ0	DEG		
		1	3		42	EZ0	DEG		
		1	2, 3		41, 62	ET0	DEG		
8		1	2, 3		42	ET0	DEG		
5093 380AA		1	2		41, 62	EZ0	DDP		BOOT, Drive Shaft With Clamps
		1	2		41, 62	EZ0	DEG		With Clamps
		1	2		42	EZ0	DDP		With Clamps
		1	2		42	EZ0	DEG		With Clamps
		1	2		42	EZ0	DG0		With Clamps
		1	2, 3		41, 62	ET0	DEE		With Clamps
		1	2, 3		41, 62	ET0	DEG		With Clamps
		1	2, 3		42	ET0	DEE		With Clamps
		1	2, 3		42	ET0	DEG		With Clamps
		1	3		41, 62	EZ0	DDP		With Clamps
		1	3		41, 62	EZ0	DEG		With Clamps
		1	3		42	EZ0	DDP		With Clamps
		1	3		42	EZ0	DEG		With Clamps
		1	3		42	EZ0	DG0		With Clamps
9									YOKE, Drive Shaft
5093 363AA		1	2		41, 62	EZ0	DDP		
		1	2		41, 62	EZ0	DEG		
		1	2		42	EZ0	DDP		
		1	2		42	EZ0	DEG		
		1	2		42	EZ0	DG0		
5093 368AA		1	2, 3		41, 62	ET0	DEE		
		1	2, 3		41, 62	ET0	DEG		
		1	2, 3		42	ET0	DEE		
		1	2, 3		42	ET0	DEG		
		1	2, 3		42	ET0	DG8		
5093 363AA		1	3		41, 62	EZ0	DDP		
		1	3		41, 62	EZ0	DEG		
		1	3		42	EZ0	DDP		
		1	3		42	EZ0	DEG		
		1	3		42	EZ0	DG0		

DODGE RAM 2500/3500 (DH)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8					DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO					DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)						DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)						DEE = 6 Spd. Manual (5600)
								DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Shaft,Propeller,Rear,2 Piece,Body 41,42,62,DH 2,3
 Figure 016-130





ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	6506 497AA	4							BOLT, Hex Head, M12, Drive Shaft to Rear Axle, Mounting
11	5102 161AA	1	2		42	EZ0	DG0		FLANGE, Drive Shaft Rear
		1	2		41, 62	EZ0	DDP		Rear
		1	2		42	EZ0	DDP		Rear
		1	2		42	EZ0	DEG		Rear
		1	2		41, 62	EZ0	DEG		Rear
	5102 158AA	1	2, 3		42	ET0	DEG		Rear
		1	2, 3		41, 62	ET0	DEE		Rear
		1	2, 3		42	ET0	DEE		Rear
	5102 161AA	1	2, 3		42	ET0	DG8		Rear
	5102 158AA	1	2, 3		41, 62	ET0	DEG		Rear
	5102 161AA	1	3		42	EZ0	DG0		Rear
		1	3		41, 62	EZ0	DEG		Rear
		1	3		42	EZ0	DEG		Rear
		1	3		41, 62	EZ0	DDP		Rear
		1	3		42	EZ0	DDP		Rear
12	52105 704AA	1			42				SPACER, Driveshaft Center Bearing, Mounting
		1	2, 3		62		DBB		Center Bearing, Mounting
13									BRACKET, Drive Shaft Center Bearing Mounting
	52105 714AB	1	2, 3		42				Mounting
	52105 716AB	1	2, 3		62		DBB		Mounting
14									SCREW AND WASHER, Hex Head, M10x1.5x30
	6101 060	10			42				Center Bearing,Bracket,Spacer, Mounting
		10	2, 3		62		DBB		Center Bearing,Bracket,Spacer, Mounting
		6	2, 3		41		DBB		Center Bearing,Bracket,Spacer, Mounting
15	52105 717AB	1	2, 3		41		DBB		BRACKET, Drive Shaft Center Bearing, Mounting
16	6502 696	4							NUT, Hex Flange Lock, M10x1.5, Center Bearing,Bracket,Spacer, Mounting

DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EZA = 5.7L HEMI Magnum V8		DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		ETH = 5.9LD Cummins HO		DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)				DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)				DEE = 6 Spd. Manual (5600)			
						DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Shaft,Propeller,Rear,2 Piece,Body 42,DH 7,8
Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Codes;

[DDP]=Transmission - 5 Speed Manual

[DEE]=Transmission - 6 Speed Manual Heavy Duty Manual

[DEG]=Transmission - 6-Speed Manual, G56

[DG0]=Transmissions - All Automatic

[ET0]=Engines - All 5.9L Turbo Diesels

[EZ0]=Engines - All 5.7L 8 Cylinder Gas

1									SHAFT, Drive, Rear 2-Piece
	52853 151AA	1	7		42	EZ0	DEG		[DRW]
	52105 812AF	1	7		42	EZ0	DDP		[DRW]
	52105 810AF	1	7		42	EZ0	DG0		[DRW]
	52105 656AF	1	7, 8		42	ET0	DEE		[DRQ,DRX]
	52853 186AC	1	7, 8		42	ET0	DG8		[DRQ,DRX]
	52853 157AA	1	7, 8		42	ET0	DEG		[DRQ,DRX]
	52853 153AA	1	8		42	EZ0	DEG		[DRQ,DRX]
	52105 652AF	1	8		42	EZ0	DG0		[DRQ,DRX]
	52105 654AF	1	8		42	EZ0	DDP		[DRQ,DRX]
2									YOKE, Drive Shaft
	5102 164AA	1	7		42	EZ0	DEG		[DRW]
		1	7		42	EZ0	DDP		[DRW]
		1	7		42	EZ0	DG0		[DRW]
	5102 167AA	1	7, 8		42	ET0	DEE		[DRQ,DRX]
	5170 317AA	1	7, 8		42	ET0	DG8		[DRQ,DRX]
	5159 996AA	1	7, 8		42	ET0	DEG		[DRQ,DRX]
	5102 164AA	1	8		42	EZ0	DEG		[DRQ,DRX]
		1	8		42	EZ0	DG0		[DRQ,DRX]
		1	8		42	EZ0	DDP		[DRQ,DRX]
3									U JOINT PACKAGE
	5093 376AB	3	7		42	EZ0	DEG		[DRW]
		3	7		42	EZ0	DDP		[DRW]
		3	7		42	EZ0	DG0		[DRW]
	5102 157AB	1	7, 8		42	ET0	DEE		[DRQ,DRX]
	5093 376AB	3	7, 8		42	ET0	DG8		[DRQ,DRX]
	5086 665AC	3	7, 8		42	ET0	DEG		[DRQ,DRX]
	5093 376AB	3	8		42	EZ0	DEG		[DRQ,DRX]
		3	8		42	EZ0	DG0		[DRQ,DRX]
		3	8		42	EZ0	DDP		[DRQ,DRX]
-4									SNAP RING
	5127 828AA-	4	7		42	EZ0	DEG		[DRW]
		4	7		42	EZ0	DDP		[DRW]
		4	7		42	EZ0	DG0		[DRW]



DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Shaft,Propeller,Rear,2 Piece,Body 42,DH 7,8
Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5127 827AA-	4	7, 8		42	ET0	DEE		[DRQ,DRX]
	5127 828AA-	4	7, 8		42	ET0	DG8		[DRQ,DRX]
	5127 826AA-	4	7, 8		42	ET0	DEG		[DRQ,DRX]
	5127 828AA-	4	8		42	EZ0	DEG		[DRQ,DRX]
		4	8		42	EZ0	DG0		[DRQ,DRX]
		4	8		42	EZ0	DDP		[DRQ,DRX]
5									BEARING PACKAGE, Drive Shaft
	5093 379AB	1	7		42	EZ0	DEG		[DRW]
		1	7		42	EZ0	DDP		[DRW]
		1	7		42	EZ0	DG0		[DRW]
		1	7, 8		42	ET0	DEE		[DRQ,DRX]
		1	7, 8		42	ET0	DG8		[DRQ,DRX]
		1	7, 8		42	ET0	DEG		[DRQ,DRX]
		1	8		42	EZ0	DEG		[DRQ,DRX]
		1	8		42	EZ0	DG0		[DRQ,DRX]
		1	8		42	EZ0	DDP		[DRQ,DRX]
6									BOOT, Drive Shaft
	5093 380AA	1	7		42	EZ0	DEG		[DRW]
		1	7		42	EZ0	DDP		[DRW]
		1	7		42	EZ0	DG0		[DRW]
		1	7, 8		42	ET0	DEE		[DRQ,DRX]
		1	7, 8		42	ET0	DG8		[DRQ,DRX]
		1	7, 8		42	ET0	DEG		[DRQ,DRX]
		1	8		42	EZ0	DEG		[DRQ,DRX]
		1	8		42	EZ0	DG0		[DRQ,DRX]
		1	8		42	EZ0	DDP		[DRQ,DRX]
7									YOKE, Drive Shaft
	5093 363AA	1	7		42	EZ0	DEG		[DRW]
		1	7		42	EZ0	DDP		[DRW]
		1	7		42	EZ0	DG0		[DRW]
	5093 368AA	1	7, 8		42	ET0	DEE		[DRQ,DRX]
	5093 363AA	1	7, 8		42	ET0	DG8		[DRQ,DRX]
	5093 368AA	1	7, 8		42	ET0	DEG		[DRQ,DRX]
	5093 363AA	1	8		42	EZ0	DEG		[DRQ,DRX]
		1	8		42	EZ0	DG0		[DRQ,DRX]
		1	8		42	EZ0	DDP		[DRQ,DRX]
8	6506 497AA	4							BOLT, Hex Head, M12, Drive Shaft to Axle, Mounting
9									FLANGE, Drive Shaft
	5102 161AA	1	7		42	EZ0	DEG		[DRW]
		1	7		42	EZ0	DDP		[DRW]

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)



ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Shaft,Propeller,Rear,2 Piece,Body 42,DH 7,8
Figure 016-140



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7		42	EZ0	DG0		[DRW]
	5102 158AA	1	7, 8		42	ET0	DEE		[DRQ,DRX]
	5102 161AA	1	7, 8		42	ET0	DG8		[DRQ,DRX]
	5102 158AA	1	7, 8		42	ET0	DEG		[DRQ,DRX]
	5102 161AA	1	8		42	EZ0	DEG		[DRQ,DRX]
		1	8		42	EZ0	DG0		[DRQ,DRX]
		1	8		42	EZ0	DDP		[DRQ,DRX]
10	52105 704AA	1			42				SPACER, Driveshaft, Center Bearing, Mounting
11	52105 715AB	1	7, 8		42				BRACKET, Drive Shaft Center Bearing, Mounting
12	6101 060	10			42				SCREW AND WASHER, Hex Head, M10x1.5x30, Center Bearing, Bracket,Spacer, Mounting
13	6101 696	4			42		DG0		NUT, Center Bearing,Bracket,Spacer, Mounting

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – 017

Rear Suspension


GROUP 17 - Rear Suspension

Illustration Title

Group-Fig. No.


Rear Suspension

Suspension,Rear,Leaf With Shock Absorber,DH 2,3,7,8 Fig. 017-110



<div>017-100</div> <div>Rear Suspension</div> <div></div>			
---	--	--	--

Suspension,Rear,Leaf With Shock Absorber,DH 2,3,7,8
Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note:Sales Codes;									
[DRQ]=Axle - Rear, 11.5 Inch									
[DRW]=Axle - Rear,10.5 Inch									
[DRX]=Axle - Rear,11.5 Inch									
[ET0]=Engines - All 5.9L Turbo Diesels									
[EZ0]=Engine - All 5.7L 8 Cylinder Gas									
[ZBR] Through [ZXR]= Spring sales codes will be found on Vehicle Identification Number [VIN] sales code listing.									
Spring Brackets that are attached to the frame are in Group 13.									
1	6507 685AA	2	2, 3						BOLT, Hex Flange Head, Spring Front, Mounting
2	6504 782	2	7, 8						SCREW, Pilot Point, Spring Front, Mounting
3	6507 082AA	2	2, 3						NUT AND RETAINER, Hex Flange Locking, Spring Front, Mounting
4	6102 252AA	2	7, 8						NUT, Hex Flange Lock, Spring Front, Mounting
5	6502 818	2							BOLT, Hex Flange Head, M14x2.00x80, Upper and Lower Shock, Mounting
6	52121 228AA	2							SPACER, Jounce Bumper [Z7D], Mounting
7	52113 464AA	2							BUMPER, Jounce
8	6503 183	4							SCREW, Hex Head, M10x1.5x30, Jounce Bumper Without [DMU], Mounting
-9	6101 696	4	3, 8						NUT, Jounce Bumper Without [DMU], Mounting
10	6505 699AA	4							SCREW, Jounce Bumper With [DMU], Mounting
11	6502 698	8							NUT, Hex Flange Lock, U-Bolt, Mounting
12	52106 916AB	2							PLATE, Clip Mounting
13	6102 252AA	2							NUT, Hex Flange Lock, Shackle to Spring, Mounting
14	6502 698	2							NUT, Hex Flange Lock, Lower Shock, Mounting
15									U-BOLT
	52113 562AA	4	2, 7						[DRQ]
	52113 565AA	4	2, 7						[DRW]
	52113 567AB	4	3, 8						[DRQ,DRX]
	52121 698AB	4	7						[DMU]

DODGE RAM 2500/3500 (DH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Suspension,Rear,Leaf With Shock Absorber,DH 2,3,7,8

Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16									SHOCK ABSORBER, Suspension, Rear
	52113 498AC	2	2			EZ0			[Z2A,Z2B]
	52121 356AC	2	2			ET0			[Z2C]
	52122 501AC	2	3		42				[Z3D,Z3E]
	52113 675AC	2	3		62				[Z3D,Z3E]
	52110 144AC	2	3			ET0			[Z3E]
	52122 035AA	2	7		62				[Z7A,Z7C,AWL]
	52110 146AC	2	7		62				[Z7A,Z7C]
	52122 033AA	2	7		41				[Z7B,Z7C,AWL]
	52121 788AC	2	7		42				[Z7B,Z7C]
	52113 677AC	2	7		41				[Z7B,Z7C]
	52121 458AB	2	7		41	EZ0			[Z7D]
	52121 304AC	2	7		62	EZ0			[Z7D]
	52122 036AA	2	8		41	ET0			[Z8C,AWL]
	52113 676AC	2	8		41	ET0			[Z8C]
	52113 499AC	2	8		42	ET0			[Z8C]
	52113 712AC	2	8		42, 62				[Z8D,Z8E]
17									SPRING, Rear Leaf
	52113 513AD	1	2						[ZCR,ZRR] With Item 15
	52121 420AD	1	3						[ZBR,ZPR] With Item 15
	52113 319AD	1	3		42, 62				[ZDR,ZSR] With Item 15
	52121 421AD	1	3						[ZJR,ZXR] With Item 15
	52121 533AB	1	7						[ZBT,ZPT] With Item 15
	52113 514AD	1	7						[ZGR,ZVR] With Item 15
	52113 320AE	1	8		42, 62				[ZHR,ZWR] With Item 15
18									BUSHING, Spring
	52113 070AB	2	2						Front or Rear
		2	3						Front or Rear
		2	7						Front or Rear
		2	8						Front or Rear
19	52113 520AA	2							SHACKLE, Spring
20	6504 782	2							SCREW, Pilot Point, Spring to
									Shackle, Mounting
21	6507 576AA	2							SCREW, Shackle to Frame,
									Mounting
22	6507 082AA	2							NUT AND RETAINER, Hex Flange
									Locking, Shackle to Frame,
									Mounting
23	6507 798AA	2							NUT, Hex Flange Lock, Upper
									Shock, Mounting

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Suspension,Rear,Leaf With Shock Absorber,DH 2,3,7,8 Figure 017-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
24	52121 116AA	4	3, 8						BUMPER, Spring, Rear
25	6502 696	4							NUT, Hex Flange Lock, M10x1.5, Auxillary Bumper, Mounting


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual






AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – 019

Steering




<p>019-100 Steering Wheel</p> 	<p>019-200 Steering Column</p> 	<p>019-300 Steering Gear</p> 	<p>019-500 Power Steering Pump</p> 
<p>019-700 Power Steering Hoses</p> 			

GROUP 19 - Steering

Illustration Title	Group-Fig. No.
Steering Wheel	
Wheel, Steering	Fig. 019-110
Steering Column	
Column, Steering Upper & Lower	Fig. 019-210
Steering Gear	
Gear,Power Steering,Rack & Pinion, DH 2,3	Fig. 019-310
Gear,Power Steering and Parts, DH 7,8	Fig. 019-320
Linkage,Steering, DH 7,8	Fig. 019-330
Power Steering Pump	
Pump,Power Steering and Mounting,All Engines	Fig. 019-510
Power Steering Hoses	
Hoses,Power Steering,2 Wheel Drive With Hydrobooster	Fig. 019-710
Hoses,Power Steering,4 Wheel Drive Without Hydrobooster	Fig. 019-720
Hoses,Power Steering,4 Wheel Drive With Hydrobooster	Fig. 019-730

Wheel, Steering
Figure 019-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note:If Horn Switch is defective, you must replace the AIR BAG COVER WITH SWITCH and not the AIR BAG MODULE ASSEMBLY itself.

Note:Sales Codes;

[EK0]=Engines - All 3.7L 6 Cylinder Gas

[EM0]=Engines - All 5.9L 8 Cylinder Gas

[EV0]=Engines - All 4.7L Gas

[ET0]=Engines - All 5.9L Turbo Diesels

[EW0]=Engines - All 8.0L Gas

[EZ0]=Engines - All 5.7L 8 Cylinder Gas

[NHM]=Speed Control

[RDZ]=Audio Controls - Steering Wheel Mounted

[SCF]=Steering Wheel - 4-Spoke

[SCV]=Steering Wheel - Leather Wrapped

[WLA]=Wheels - Dual Rear

1	6505 656AA	1							SCREW, Hex Flange Head, M10x1.5x35., Steering Wheel to Column, Mounting
2									AIR BAG, Driver
	XE29 WL8AC	1							DK. Taupe
	XE29 XDVAC	1							DK. Slate gray
3									COVER, Air Bag Module
	YT70 WL8AA	1							DK. Taupe
	YT70 XDVAA	1							DK. Slate Gray
4	6507 294AA	2							SCREW
5									SWITCH, Remote Radio
	4685 729AB	1							Left
	4685 728AB	1							Right
6	56049 379AB	1							SWITCH, Speed Control
-7									COVER, Steering Wheel, Without Speed Control
	55351 242AA-	1							Right
	55351 243AA-	1							Left
8									SCREW, (NOT REQUIRED)
9									WHEEL, Steering
	YP21 1DVAB	1							[L5] Leather and Radio Controls
	YV19 1L8AB	1							[L5] Without Leather
-10	56049 423AF-	1							WIRING, Steering Wheel
-11	56049 795AA-	1							CLOCKSPRING
-12	55351 266AA-	1				ET0			DAMPER, Steering Wheel
-13									WHEEL, Steering, Leather
	YV25 1DVAB-	1							[DV]
	YV25 1L8AB-	1							[L5]


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Column, Steering Upper & Lower Figure 019-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55351 190AE	1							BRACKET, Steering Column, Clutch and Brake Pedal
2									SCREW AND WASHER, Hex Head, M8x1.25x58.4 Qty 1, (NOT SERVICED) (Not Serviced)
3									SCREW, Hex Head, M6x1.00x50.00 Qty 2, (NOT SERVICED) (Not Serviced)
4									SHROUD, Steering Column
	5GE09 WL8AD	1					DG0		Auto tran with tilt
	5GE10 WL8AE	1					DG0		Auto tran without tilt
	5GW80 WL8AE	1					DBB		Manual without tilt
	5GW81 XDVAE	1					DBB		Manual with tilt
5	5057 196AB	1					DG0		LEVER, Gearshift
6									COLUMN, Steering, Tilt
	5057 397AE	1					DG0		Tilt C/S
	5057 398AD	1					DBB		Tilt F/S
7	56045 165AB	1							HOUSING, Switch
8	56049 795AA	1							CLOCKSPRING
-9	55351 142AE-	1					DG0		BRACKET, Gearshift
-10	55366 043AA-	1	7, 8						BOOT, Gearshift
-11	6504 628	1					DG0		PIN, M5x50.00, Gearshift lever pin
-12	4690 242AB-	1					DG0		SPRING, Gearshift Lever
-13	56045 275AC-	1							MODULE, Immobilizer
14	4690 806AE	1							KNOB, TILT LEVER RELEASE
15									NUT AND WASHER, Hex Lock Nut-Coned Teeth Washer, M8 x 1.25, (NOT SERVICED) (Not Serviced)
16	4470 105	2							SCREW, Filister Head, #8-16x.25, Shroud to Shroud
-17	6036 264AA-	1							SCREW, 6 Lobed, Shroud to steering column
18	6506 950AA	1							SCREW, Upper Shaft to Lower Shaft
19									SHAFT, Intermediate
	55351 300AG	1	2, 3						Upper
	55351 302AH	1	7, 8						
20									SHAFT, Intermediate
	55351 444AC	1	2, 3						Lower
	55351 456AF	1	7, 8						Lower
-21									SCREW
	6506 950AA-	1							Intermediate Shaft to Steering Column

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Column, Steering Upper & Lower
Figure 019-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1							Upper to Lower Intermediate Shaft
-22	56045 515AA-	1							SWITCH, Multifunction, Intermediate Shaft to steering column
-23	6032 452	2							SCREW, Self Piercing, .164-15x.625
-24	6034 779	2							SCREW, Pan Head, .164-32x.50,
									Multifunction switch to mounting bracket
-25	56045 606AB-	1							COVER, Steering Column Gap, Multifunction switch boot
-26	55351 131AA-	1					DG0		SCREW, Park inhibit link
-27									LEVER ASSY, with bracket and cable
	5057 140AA-	1					DBB		
		1					DG0		
-28	5166 528AA-	1					DBB		HARDWARE PACKAGE, Steering Column, Contain -Tool - Retainer- Spring &Screw


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear,Power Steering,Rack & Pinion, DH 2,3
Figure 019-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52110 487AC	1	2, 3			ET0, EZ0			RACK, Steering Gear
2	52113 031AD	4	2, 3						BUSHING, Steering Gear
3	5073 582AA	1	2, 3			ET0, EZ0			END PACKAGE, Tie Rod
4	6506 557AA	2	2, 3						NUT AND WASHER, Outer tie rod end to knuckle
5	52113 031AD	4	2, 3						BUSHING, Steering Gear
6	6507 356AA	2	2, 3						SCREW AND WASHER, Rack and pinion to frame, Mounting
-7	6507 143AA-	2	2, 3						NUT, Hex Flange Lock, Saftey Nut




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear,Power Steering and Parts, DH 7,8
Figure 019-320



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAL, Steering Gear Cover
	5086 848AA	1	7, 8			ET0			
		1	7, 8			EZ0			
2									SEAL, Steering Gear Valve
	5086 849AA	1	7, 8			ET0			
		1	7, 8			EZ0			
3									GEAR, Power Steering
	52106 835AE	1	7, 8			ET0			
	52121 986AC	1	7, 8			EZ0			
4									SEAL KIT, Steering gear pitman shaft
	5086 847AA	1	7, 8			ET0			
		1	7, 8			EZ0			
5									SCREW Mounting
	6505 731AA	2	7, 8						
	6507 052AA	1	7, 8						Mounting
-6									SPACER, Mounting
	52020 872AB-	1	7		42				Steering Gear, Rear Left
	52020 870AB-	2	7		42				Steering Gear
		2	7		62				Steering Gear
		2	7		41				Steering Gear
		2	8		42				Steering Gear
		2	8		62				Steering Gear
		2	8		41				Steering Gear
	52020 872AB-	1	7		41				Steering Gear
		1	8		42				Steering Gear
		1	8		62				Steering Gear
		1	8		41				Steering Gear
		1	7		62				Steering Gear
7	52106 836AB	1	7, 8						ARM, Pitman
8									WASHER, Lock
	6036 520AA	1	7, 8			EZ0			
		1	7, 8			ET0			
9									NUT, Steering Gear Arm
	J320 0501	1	7, 8			ET0			
		1	7, 8			EZ0			
-10									BRACKET, Steering Gear
	52020 865AB-	1	7		42				
		1	7		62				
		1	7		41				
		1	8		42				

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear,Power Steering and Parts, DH 7,8
Figure 019-320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

		1	8		62				
		1	8		41				




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Linkage,Steering, DH 7,8
Figure 019-330

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6505 623AA	2	7, 8						NUT AND WASHER, Drag ling to
2	5086 144AC	1	7, 8						Knuckle or pittman arm, Mounting
3	52037 600AB	1	7, 8						END PACKAGE, Tie Rod, Drag Link
4	5086 143AB	1	7, 8						Outer
5	52106 836AB	1	7, 8						TUBE, Tie Rod
6	5086 145AC	1	7, 8						END PACKAGE, Tie Rod, Drag link
7	52037 600AB	1	7, 8						ARM, Pitman
8	5086 146AC	1	7, 8						END PACKAGE, Tie Rod, Outer
9	6506 276AA	1	7, 8						TUBE, Tie Rod
10	52106 909AD	1	7, 8						END PACKAGE, Tie Rod, Tie rod
11	6502 473	1	7, 8						outer
12	6502 697	1	7, 8						NUT, Hex Flange Lock, M12x1.75,
-13	6505 822AA-	2	7, 8						Steering damper to linkage
									DAMPER, Steering
									BOLT, Hex Flange Head, M12x1.
									75x65, Steering damper to axle
									bracket
									NUT, Hex Flange Lock, M12x1.75,
									Steering damper to axle bracket
									NUT, Tie rod tube clamp



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Pump,Power Steering and Mounting,All Engines
Figure 019-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PUMP ASSEMBLY, Power Steering with Pulley
	52106 842AG	1				EZ0			
	52113 925AI	1				ET0			
-2	6102 045AA-	3				EZ0			SCREW AND WASHER, Hex Head, Pump, Mounting
-3									SCREW AND WASHER, Hex, (NOT REQUIRED)
4									PULLEY, Power Steering Pump
	53032 128AB	1				EZ0			
	53032 637AC	1				ET0			
5									RESERVOIR, Power Steering Pump
	5073 241AA	1				EZ0			
		1				ET0			
6									CAP, Power Steering Reservoir
	52106 856AC	1				EZ0			
		1				ET0			
7									BRACKET, Power Steering Pump
	5086 827AA	1				ETH	DBB		
		1				ETH	DG0		
		1				ETH	DEE		
8									SCREW AND WASHER, Hex Head, .375-16x1.00, (NOT SERVICED) (Not Serviced)
9	53032 635AA	1				ET0			BRACKET, Power Steering Pump
10									BOLT, Hex Flange Head, M12x1. 75x25, (NOT SERVICED) (Not Serviced)

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Hoses,Power Steering,2 Wheel Drive With Hydrobooster Figure 019-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Codes;									
[DBB]=Transmissions - All Manual									
[DG0]=Transmissions - All Automatic									
[NMC]=Engine Cooling - Heavy Duty									
[NMS]=Engine Cooling - Severe Duty									
[ET0]=Engines - All 5.9L Turbo Diesels									
[EW0]=Engines - All 8.0L Gas									
[EZ0]=Engine - All 5.7L 8 Cylinder Gas									
1									COOLER, Power Steering
	52029 301AC	1				ET0			
	52029 306AD	1				EZ0	DG0		
2									HOSE, Power Steering Pressure PUMP TO HYDROBOOST
	52113 737AG	1	3, 8			EZ0			
	52113 926AF	1				ET0			PUMP TO HYDROBOOST O RING, Power Steering Hose
-3									
	5205 254	2	3, 8			EZ0			
		2				ET0			
4									SWITCH, Power Steering Pressure
	56041 335AB	1	2, 3			EZ0			
		1	3, 8			EZ0			
5									HOSE, Power Steering Return
	52113 735AE	1	3, 8			EZ0			COOLER TO RESERVOIR
	52113 929AE	1				ET0			HYDROBOOST & COOLER TO RESERVOIR
-6									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	2	2, 3			ET0			
		2				EZ0			
-7									CLAMP, Hose, M18.5
	6504 217	2	3, 8			EZ0			
		2	2, 7			ET0			
8									HOSE, Power Steering Return RACK AND PINION TO COOLER
	55366 763AA	1				EZ0			
	52113 119AC	1	2, 3			ET0			R&P TO COOLER
-9									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	2	2, 3			ET0			
		2				EZ0			
-10	52088 915AA-	1	2, 3			ET0			O RING, Power Steering Hose
11									HOSE, Power Steering Pressure HYDROBOOST TO R&P
	52113 928AD	1	2, 3			ET0			

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION


DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Hoses,Power Steering,2 Wheel Drive With Hydrobooster
Figure 019-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-12	52121 758AD	1	3			EZ0			HYDROBOOST TO R&P
									O RING, Power Steering Hose
	5205 254	2				ET0			
		2	3, 8			EZ0			





DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Hoses,Power Steering,4 Wheel Drive Without Hydrobooster
Figure 019-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COOLER, Power Steering
	52029 306AD	1				EZ0	DBB		
		1				EZ0	DG0		
	52029 301AC	1				ET0			
2									HOSE, Power Steering Return
	52113 125AC	1	7, 8			EZ0			
	52106 846AD	1	7, 8			ET0			
-3									O RING, Power Steering Hose
	52088 915AA-	1	7, 8			EZ0			
		1	7, 8			ET0			
4									HOSE, Power Steering Return Cooler to Reservoir
	52113 631AC	1				EZ0			
	52121 478AA	2	7			EZ0			Power Wagon Off Road-- Jumper
	52121 477AA	1	7			EZ0			Power Wagon Off Road-- Jumper to ReservoirR
	52121 476AA	1	7			EZ0			Power Wagon Off Road --RCB to Jumper
-5									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	2	7, 8			ET0			
		2				EZ0			
6	52113 128AE	1	7, 8			EZ0			HOSE, Power Steering Pressure
-7									O RING, Power Steering Hose
	5205 254	2	2, 3			EZ0			
		2	7, 8			EZ0			
		1				ET0			
8	56041 335AB	1	7, 8			EZ0			SWITCH, Power Steering Pressure
9	6503 543	2				ET0	DG0		BOLT AND CONED WASHER, Hex Head, M8x1.25x25

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Hoses,Power Steering,4 Wheel Drive With Hydrobooster Figure 019-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									COOLER, Power Steering
	52029 301AC	1				ET0			
	52029 306AD	1				EZ0	DG0		
		1				EZ0	DBB		
2									HOSE, Power Steering Return
	52113 735AD	1	3, 8			EZ0			
	52113 929AE	1				ET0			
-3									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	2	7, 8			ET0			
		2				EZ0			
-4									CLAMP, Hose, M18.5
	6504 217	2	3, 8			EZ0			
		2	2, 7			ET0			
5									HOSE, Power Steering Pressure
	52113 737AF	1	3, 8			EZ0			
	52113 926AF	1				ET0			
-6									O RING, Power Steering Hose
	5205 254	2				ET0			
		2	7, 8			EZ0			
7	56041 335AB	1	3, 8			EZ0			SWITCH, Power Steering Pressure
8									HOSE, Power Steering Pressure
	52113 927AC	1	7, 8			ET0			
	52121 752AD	1	8			EZ0			
-9									O RING, Power Steering Hose
	5205 254	2				ET0			
		2	7, 8			EZ0			
10									HOSE, Power Steering Return RCB TO COOLER
	52113 125AC	1	7, 8			EZ0			
	52106 846AD	1	7, 8			ET0			RCB TO COOLER
-11									CLAMP, Supply Hose, 26 mm Diameter
	6503 422	2	7, 8			ET0			
		2				EZ0			
-12									O RING, Power Steering Hose
	52088 915AA-	1	7, 8			EZ0			
		1	7, 8			ET0			

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE


EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual








Group – 45RFE

Automatic Transmission Multi-Speed



GROUP 45RFE - Automatic Transmission Multi-Speed

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly [45RFE] [DGQ]	Fig. 45RFE-110
Case and Extension	
Related Parts [45RFE] [DGQ]	Fig. 45RFE-210
Adapter [45RFE] [DGQ]	Fig. 45RFE-220
Oil Pump	
Oil Pump [45RFE] [DGQ]	Fig. 45RFE-310
Gear Train	
Input Clutch [45RFE] [DGQ]	Fig. 45RFE-410
Underdrive [45RFE] [DGQ]	Fig. 45RFE-420
Overdrive [45RFE] [DGQ]	Fig. 45RFE-430
2 and 4 Clutch Retainer [45RFE] [DGQ]	Fig. 45RFE-440
Input/ Reverse Planetary [45RFE] [DGQ]	Fig. 45RFE-450
Reaction Annulus / Sun Gear [45RFE] [DGQ]	Fig. 45RFE-460
Low/ Reverse Clutch [45RFE] [DGQ]	Fig. 45RFE-470
Valve Body	
Valve Body [45RFE] [DGQ]	Fig. 45RFE-710
Parking Sprag [45RFE] [DGQ]	Fig. 45RFE-720
Gearshift Controls	
Gearshift	Fig. 45RFE-1210
Seal and Shim Packages	
LR Clutch [45RFE] [DGQ]	Fig. 45RFE-1310
Input Clutch Plate [45RFE] [DGQ]	Fig. 45RFE-1320
OVERHAUL [45RFE] [DGQ]	Fig. 45RFE-1330
Input Clutch [45RFE] [DGQ]	Fig. 45RFE-1340
Planetary Plate [45RFE] [DGQ]	Fig. 45RFE-1350
2 & 4 Clutch [45RFE] [DGQ]	Fig. 45RFE-1360


45RFE-100 Transmission Assembly	45RFE-200 Case and Extension	45RFE-300 Oil Pump	45RFE-400 Gear Train
			
45RFE-700 Valve Body	45RFE-1200 Gearshift Controls	45RFE-1300 Seal and Shim Packages	
			

Transmission Assembly [45RFE] [DGQ]
Figure 45RFE-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:
Sales Codes:
[DGQ]=5 Speed Automatic Transmission - [5-45RFE]
[EV0] = All 4.7L 8 Cylinder Engines
[EZ0] = All 5.7L 8 Cylinder Engines

1									TRANSMISSION KIT, Automatic
	5086 265AC	1	7, 8			EZ0	DGQ		
	5133 188AB	1	2, 3			EZ0	DGQ		
2									TORQUE CONVERTER
	4736 587AB	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Related Parts [45RFE] [DGQ]
Figure 45RFE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: [DGQ]= Multi- Speed Automatic Transmission[45RFE] [EZ0] = All 5.7L Eight Cylinder Gas Engines									
1	4799 613AB	1	7, 8			EZ0	DGQ		CASE, Transmission
		1	2, 3			EZ0	DGQ		
2	4810 021	1	7, 8			EZ0	DGQ		GROMMET
		1	2, 3			EZ0	DGQ		
3	4799 861AB	1	7, 8			EZ0	DGQ		VENT, Transmission
		1	2, 3			EZ0	DGQ		
4	53032 457AA	1					DGQ		TUBE, Vent
5	6501 979	1							SCREW AND WASHER, Hex Head, M6x1x17
6	53032 517AB	1					DGQ		TUBE, Transmission Oil Filler
7	53032 518AC	1					DGQ		INDICATOR, Transmission Fluid Level
8	4799 758	1	7, 8			EZ0	DGQ		TRANSDUCER, Pressure Sensor
		1	2, 3			EZ0	DGQ		
9	6101 331	1	7, 8			EZ0	DGQ		BOLT, M6x1.00x20
		1	2, 3			EZ0	DGQ		
10	4799 061AB	2	7, 8			EZ0	DGQ		SENSOR, Transmission Input Speed
		2	2, 3			EZ0	DGQ		
11	6101 331	2	7, 8			EZ0	DGQ		BOLT, M6x1.00x20
		2	2, 3			EZ0	DGQ		
12	4799 346	1	7, 8			EZ0	DGQ		SEAL
		1	2, 3			EZ0	DGQ		
13	6503 232	1	7, 8			EZ0	DGQ		SCREW, Pan Head, M5 x 0.8 x 12. 60
		1	2, 3			EZ0	DGQ		
14	5013 470AC	1	7, 8			EZ0	DGQ		FILTER PACKAGE, Transmission Oil
	5015 267AC	1	2, 3			EZ0	DGQ		
15									VALVE, Flow Control


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Related Parts [45RFE] [DGQ]
Figure 45RFE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4799 681	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
16	4799 662	1	7, 8			EZ0	DGQ		FILTER, Transmission Oil
		1	2, 3			EZ0	DGQ		
17	4446 728	1	7, 8			EZ0	DGQ		MAGNET, Transmission
		1	2, 3			EZ0	DGQ		
18									PAN, Transmission Oil
	4800 078AA	1	2, 3			EZ0	DGQ		
	5013 681AA	1	7, 8			EZ0	DGQ		
19									SCREW
	6101 221	15	2, 3			EZ0	DGQ		
		15	7, 8			EZ0	DGQ		
20									FITTING, Quick Connect
	52119 547AA	2	2, 3			EZ0	DGQ		
		2	7, 8			EZ0	DGQ		
21									PLUG, Pressure Check
	6030 035	2	2, 3			EZ0	DGQ		
		2	7, 8			EZ0	DGQ		
22	6022 266	4				EZ0	DG0		SCREW, Hex Head, .375-16x1.5
-23	53032 906AA-	1				EZ0	DG0		COVER, Transmission Dust

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Adapter [45RFE] [DGQ]
Figure 45RFE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

[DGQ]= Multi- Speed Automatic Transmission[45RFE]


[EZ0] = All 5.7L Eight Cylinder Gas Engines

1	52119 433AB	1	7, 8			EZ0	DGQ		ADAPTER, Transfer Case
2	6505 064AA	2	2, 3			EZ0	DGQ		STUD, M10x1.5x62
3									SCREW AND WASHER, Hex Head, M10x1.5x37
	6504 774	10	7, 8			EZ0	DGQ		
		10	2, 3			EZ0	DGQ		
4									SEAL, Input
	4799 090	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
5	52119 498AA	1	7, 8			EZ0	DGQ		SEAL, Adapter
6	4799 495	1	2, 3			EZ0	DGQ		HOUSING, Transmission Rear Extension
7	4531 216AB	1	2, 3			EZ0	DGQ		SEAL, Output Shaft
8	2466 224	1	2, 3			EZ0	DGQ		BEARING, Output Shaft
9	4461 069	1	2, 3			EZ0	DGQ		SNAP RING
10	5086 303AA	1	2, 3			EZ0	DGQ		BEARING, Input Gear
11	5086 304AA	1	2, 3			EZ0	DGQ		SNAP RING
12	5086 314AA	1	2, 3			EZ0	DGQ		SNAP RING

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Oil Pump [45RFE] [DGQ]
Figure 45RFE-310




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: [DGQ]= Multi- Speed Automatic Transmission[45RFE] [EZ0] = All 5.7L Eight Cylinder Gas Engines									
1	5073 004AC	1	7, 8			EZ0	DGQ		PUMP PACKAGE, Transmission
		1	2, 3			EZ0	DGQ		
2									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
3									BODY, Oil Pump Valve, (NOT SERVICED) (Not Serviced)
4									SUPPORT, Reaction Shaft, (NOT SERVICED) (Not Serviced)
5									SNAP RING, Transmission
	4799 082	1	2, 3			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		
6	4799 609	1	7, 8			EZ0	DGQ		COVER, Oil Pump
		1	2, 3			EZ0	DGQ		
7	4617 919	1	7, 8			EZ0	DGQ		SEAL, Transmission Oil Pump
		1	2, 3			EZ0	DGQ		
8									SCREW AND WASHER, Pan Head, M5x.8x25
	6500 215	24	7, 8			EZ0	DGQ		
		24	2, 3			EZ0	DGQ		
9									SCREW, Pan Head, M5 x 0.8 x 12. 60
	6503 232	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
10	4799 964AB	1	7, 8			EZ0	DGQ		SEAL, Oil Pump
		1	2, 3			EZ0	DGQ		
11									SCREW, Button Head
	6504 661	5	7, 8			EZ0	DGQ		
		5	2, 3			EZ0	DGQ		
12	4799 056	5	7, 8			EZ0	DGQ		RING, Transmission
		5	2, 3			EZ0	DGQ		
13	4799 003	1	7, 8			EZ0	DGQ		O RING, Oil Pump, .
		1	2, 3			EZ0	DGQ		
14									SNAP RING, Transmission

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005

Oil Pump [45RFE] [DGQ]
Figure 45RFE-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4799 005	1	7, 8			EZ0	DGQ		SEAL, Torque Converter Hub
		1	2, 3			EZ0	DGQ		
	4736 547	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
</									

Input Clutch [45RFE] [DGQ]
Figure 45RFE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:Sales Codes
[DGQ]= Multi- Speed Automatic Transmission[45RFE]
[EZ0] = All 5.7L Eight Cylinder Gas Engines


1	4799 469	1	7, 8			EZ0	DGQ		THRUST BEARING, Needle Roller
		1	2, 3			EZ0	DGQ		
2	4799 539	AR	7, 8			EZ0	DGQ		SEAL, Input Shaft, PKG 05013090AA
		AR	2, 3			EZ0	DGQ		
3	5114 582AA	AR	7, 8			EZ0	DGQ		SHAFT, Input
		AR	2, 3			EZ0	DGQ		
4	4799 974AA	AR	7, 8			EZ0	DGQ		CHECK VALVE, Transmission
		AR	2, 3			EZ0	DGQ		
5	4799 978AA	1	7, 8			EZ0	DGQ		SNAP RING
		1	2, 3			EZ0	DGQ		
6	4799 536AC	AR	7, 8			EZ0	DGQ		HUB, Input Clutch
		AR	2, 3			EZ0	DGQ		
7	4799 755	1	7, 8			EZ0	DGQ		O RING, Transmission Clutch, PKG 05013090AA
		1	2, 3			EZ0	DGQ		
8	4799 755	1	7, 8			EZ0	DGQ		O RING, Transmission Clutch, PKG 05013090AA
		1	2, 3			EZ0	DGQ		
9	4799 090	AR	7, 8			EZ0	DGQ		SEAL, Input
		AR	2, 3			EZ0	DGQ		
10	4799 538	AR	7, 8			EZ0	DGQ		SNAP RING, Input Shaft
		AR	2, 3			EZ0	DGQ		
11	4799 088	1	7, 8			EZ0	DGQ		SNAP RING, Transmission
		1	2, 3			EZ0	DGQ		
12	4799 087	AR	7, 8			EZ0	DGQ		SPRING, Piston Return

DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EZA = 5.7L HEMI Magnum V8		DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		ETH = 5.9LD Cummins HO		DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)				DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)				DEE = 6 Spd. Manual (5600)			
						DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Input Clutch [45RFE] [DGQ]
Figure 45RFE-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		AR	2, 3			EZ0	DGQ		
13									O RING, Reverse & O/Drive Clutch Piston, Transmission, PKG 05013090AA
	4799 089	AR	7, 8			EZ0	DGQ		
		AR	2, 3			EZ0	DGQ		
14	4531 903	AR	2, 3			EZ0	DGQ		FILTER, Reverse And O/D Clutch
		AR	7, 8			EZ0	DGQ		
15	5073 525AA	AR	7, 8			EZ0	DGQ		PISTON, Reverse and Overdrive
		1	2, 3			EZ0	DGQ		
16									RETAINER, Transmission Input Clutch
	4799 648	AR	7, 8			EZ0	DGQ		
		AR	2, 3			EZ0	DGQ		
17									SNAP RING
	4799 247	1	2, 3			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		
18									PISTON, Underdrive
	4799 650	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
19									SPRING, Undredrive Piston, PKG 05013090AA
	4799 101	AR	7, 8			EZ0	DGQ		
		AR	2, 3			EZ0	DGQ		
20									PISTON, Underdrive
	4799 652	1	7, 8			EZ0	DGQ		
		AR	2, 3			EZ0	DGQ		
21									SNAP RING, Transmission, PKG 05013090AA, (NOT SERVICED) (Not Serviced)
22									PLATE, PKG 05013090AA, (NOT SERVICED) (Not Serviced)
23									DISC, Clutch, PKG 05013090AA, (NOT SERVICED) (Not Serviced)
-24									CLUTCH, L/R Clutch
	4799 457AB-	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
-25									CLUTCH, Overrunning
	4799 465	1	7, 8			EZ0	DGQ		


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Input Clutch [45RFE] [DGQ]
Figure 45RFE-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3			EZ0	DGQ		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Underdrive [45RFE] [DGQ]
Figure 45RFE-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

[DGQ]= Multi- Speed Automatic Transmission[45RFE]

[EZ0] = All 5.7L Eight Cylinder Gas Engines


1	4799 469	1	7, 8			EZ0	DGQ		THRUST BEARING, Needle Roller
		1	2, 3			EZ0	DGQ		
2	5127 485AA	AR	7, 8			EZ0	DGQ		HUB AND SHAFT, Underdrive Clutch
		AR	2, 3			EZ0	DGQ		
3	4799 760	AR	2, 3			EZ0	DGQ		SNAP RING, Transmission
		AR	7, 8			EZ0	DGQ		
4									PLATE, Transmission Clutch Reaction
	4799 108AD	AR	7, 8			EZ0	DGQ		
		AR	2, 3			EZ0	DGQ		
5									SNAP RING, PKG 05013090AA, (NOT SERVICED) (Not Serviced)
6									DISC, Clutch, PKG 05013090AA, (NOT SERVICED) (Not Serviced)
7									PLATE, PKG 05013090AA, (NOT SERVICED) (Not Serviced)

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Overdrive [45RFE] [DGQ]
Figure 45RFE-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES:

[DGQ]= Multi- Speed Automatic Transmission[45RFE]

[EZ0] = All 5.7L Eight Cylinder Gas Engines

1	4799 469	1	7, 8			EZ0	DGQ		THRUST BEARING, Needle Roller
		1	2, 3			EZ0	DGQ		
2	4799 550	AR	2, 3			EZ0	DGQ		HUB AND SHAFT, Overdrive Clutch
		AR	7, 8			EZ0	DGQ		
3	4799 118	AR	2, 3			EZ0	DGQ		SNAP RING, Overdrive Clutch
		AR	7, 8			EZ0	DGQ		
4	4799 116AB	AR	7, 8			EZ0	DGQ		PLATE, Clutch Pressure
		AR	2, 3			EZ0	DGQ		
5	4799 469	1	7, 8			EZ0	DGQ		THRUST BEARING, Needle Roller
		1	2, 3			EZ0	DGQ		
6	4799 117	1	7, 8			EZ0	DGQ		SNAP RING, Transmission
		1	2, 3			EZ0	DGQ		
7	4799 556	AR	7, 8			EZ0	DGQ		HUB AND SHAFT, Reverse Clutch
		AR	2, 3			EZ0	DGQ		
8									PLATE, PKG 05013090AA, (NOT SERVICED) (Not Serviced)
9									DISC, Clutch, PKG 05013090AA, (NOT SERVICED) (Not Serviced)
10									PLATE, Transmission Clutch Reaction
	4799 121	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
11									SNAP RING, PKG 05013090AA, (NOT SERVICED) (Not Serviced)


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

2 and 4 Clutch Retainer [45RFE] [DGQ] Figure 45RFE-440



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sales Codes									
[DGQ] = 5 Speed Automatic Transmission [45RFE]									
[EZ0] = All 5.7L Eight Cylinder Gas Engines									
1	4799 936AB	1	2, 3			EZ0	DGQ		THRUST BEARING, Needle Roller
		1	7, 8			EZ0	DGQ		
2									PLATE, Clutch Hub Thrust, PKG 05013093AA, (NOT SERVICED) (Not Serviced)
3	4799 680AB	1	7, 8			EZ0	DGQ		SNAP RING, Transmission
		1	2, 3			EZ0	DGQ		
4									RETAINER, Transmission 2nd and 4th Clutch Piston
	4799 498AB	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
5									BLEED ORIFICE, Transmission
	4799 086	2	7, 8			EZ0	DGQ		
		2	2, 3			EZ0	DGQ		
6	4799 174	1	2, 3			EZ0	DGQ		SNAP RING, Transmission
		1	7, 8			EZ0	DGQ		
7									RING, PKG 05013093AA, (NOT SERVICED) (Not Serviced)
8	4799 521	1	7, 8			EZ0	DGQ		SPRING, 2nd And 4th Clutch Piston
		1	2, 3			EZ0	DGQ		
9	4799 680AB	1	7, 8			EZ0	DGQ		SNAP RING, Transmission
		1	2, 3			EZ0	DGQ		
10									RING, PKG 05013093AA, (NOT SERVICED) (Not Serviced)
11									RING, PKG 05013093AA, (NOT SERVICED) (Not Serviced)
12	4799 527AB	1	2, 3			EZ0	DGQ		SPRING, 2nd And 4th Clutch Piston
		1	7, 8			EZ0	DGQ		
13	4799 680AB	1	7, 8			EZ0	DGQ		SNAP RING, Transmission
		1	2, 3			EZ0	DGQ		
14									DISC, Clutch, PKG 05013087AC, (NOT SERVICED) (Not Serviced)

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Figure 45RFE-440



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15									PLATE, Clutch Separator, PKG 05013087AC, (NOT SERVICED) (Not Serviced)
16									PLATE, Transmission Clutch Reaction
	4799 533	1	2, 3			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		
17									SNAP RING, Transmission, PKG 05013087AC, (NOT SERVICED) (Not Serviced)
18									PLATE, PKG 05013087AC, (NOT SERVICED) (Not Serviced)
19									DISC, Clutch, PKG 05013087AC, (NOT SERVICED) (Not Serviced)
20									PLATE, Transmission Clutch Reaction
	4799 687AB	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Input/ Reverse Planetary [45RFE] [DGQ]
Figure 45RFE-450**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes

[DGQ] = 5 Speed Automatic Transmission [45RFE]

[EZ0] = All 5.7L 8 Cylinder Engines

1	4799 469	1	7, 8			EZ0	DGQ		THRUST BEARING, Needle Roller
		1	2, 3			EZ0	DGQ		
2	4799 097	1	7, 8			EZ0	DGQ		SNAP RING
		1	2, 3			EZ0	DGQ		
3	52119 464AA	1	7, 8			EZ0	DGQ		THRUST BEARING, Needle Roller
		1	2, 3			EZ0	DGQ		
4	4799 586AB	1	7, 8			EZ0	DGQ		GEAR, Input Sun
		1	2, 3			EZ0	DGQ		
5	4799 500AE	1	7, 8			EZ0	DGQ		CARRIER, Input Complete
		1	2, 3			EZ0	DGQ		
6	4799 501	1	7, 8			EZ0	DGQ		GEAR, Annulus
		1	2, 3			EZ0	DGQ		
7	4799 459	1	7, 8			EZ0	DGQ		THRUST BEARING, Needle Roller
		1	2, 3			EZ0	DGQ		
8	4799 503AE	1	7, 8			EZ0	DGQ		CARRIER, Reverse Complete
		1	2, 3			EZ0	DGQ		

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005

Reaction Annulus / Sun Gear [45RFE] [DGQ]
 Figure 45RFE-460

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	-------------	-----	------	--------	------	--------	-------	------	-------------


NOTE; Sales Codes
 [DGQ] = 5 Speed Automatic Transmission [45RFE]
 [EZ0] = All 5.7L 8 Cylinder Engines

1	4799 459	1	7, 8			EZ0	DGQ		THRUST BEARING, Needle Roller
		1	2, 3			EZ0	DGQ		
2									THRUST WASHER, Planetary Carrier, PKG 05013092AA, (NOT SERVICED) (Not Serviced)
3	4799 501	1	7, 8			EZ0	DGQ		GEAR, Annulus
		1	2, 3			EZ0	DGQ		
4	4799 469	1	7, 8			EZ0	DGQ		THRUST BEARING, Needle Roller
		1	2, 3			EZ0	DGQ		
5	4799 602	1	7, 8			EZ0	DGQ		GEAR, Reaction Sun
		1	2, 3			EZ0	DGQ		
6	4799 619AB	1	7, 8			EZ0	DGQ		CARRIER, Reaction Complete
		1	2, 3			EZ0	DGQ		



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

**Low/ Reverse Clutch [45RFE] [DGQ]
Figure 45RFE-470**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes

[DGQ] = 5 Speed Automatic Transmission [45RFE]

[EZ0] = All 5.7L 8 Cylinder Engines

1	4799 457AB	1	7, 8			EZ0	DGQ		CLUTCH, L/R Clutch
		1	2, 3			EZ0	DGQ		
2									RETAINER, (NOT SERVICED) (Not Serviced)
3									CLUTCH PACKAGE, Automatic Transmission, Low/Reverse
	5073 003AA	1	2, 3			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		
4									SNAP RING
	4799 863AA	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
5									CLUTCH, Overrunning
	4799 465	1	2, 3			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		
6									PLATE, Transmission Clutch Reaction
	4799 667	1	2, 3			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		
7									SNAP RING
	4799 863AA	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
8									SPRING, Low/Reverse Clutch Piston
	4799 640AC	1	2, 3			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		
9									BLEED ORIFICE, Transmission
	4799 086	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Valve Body [45RFE] [DGQ] Figure 45RFE-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sales Codes									
[DGQ] = 5 Speed Automatic Transmission [45RFE]									
[EZ0] = All 5.7L Eight Cylinder Gas Engines									
1									SOLENOID, Transmission
	52119 435AA	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
2									VALVE BODY, Transfer Plate and Valve
	5166 834AA	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
3									PLATE, Manual Valve Cam
	4799 654AC	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
4									SCREW, Shoulder/Truss, M5x. 8x12.5
	6508 087AA	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
5									SEAL, Clutch Feed
	4799 778	3	7, 8			EZ0	DGQ		
		3	2, 3			EZ0	DGQ		
6									DETENT, Valve Body
	52119 501AA	1	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
7									BLEED ORIFICE, Transmission
	4799 086	1	2, 3			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		
8									SPRING, Accumulator
	4471 880	AR	7, 8			EZ0	DGQ		
		AR	2, 3			EZ0	DGQ		
9									SPRING, Accumulator
	4567 575	4	2, 3			EZ0	DGQ		
		4	7, 8			EZ0	DGQ		
10									BALL, Check
	4446 602	7	2, 3			EZ0	DGQ		
		7	7, 8			EZ0	DGQ		
11									O RING, Control Valve
	6505 335AA	AR	7, 8			EZ0	DGQ		
		1	2, 3			EZ0	DGQ		
12									ACCUMULATOR KIT, Accumulator Cover
	5174 633AA	1	7, 8			EZ0	DGQ		

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE


EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Valve Body [45RFE] [DGQ]
Figure 45RFE-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3			EZ0	DGQ		
13	4799 598AB	1	7, 8			EZ0	DGQ		COVER, Accumulator
		1	2, 3			EZ0	DGQ		
14									SEAL, Accumulator
	4446 544	10	7, 8			EZ0	DGQ		
		10	2, 3			EZ0	DGQ		
15									PISTON, 2nd and 4th Accumulator
	4446 620AC	5	7, 8			EZ0	DGQ		
		5	2, 3			EZ0	DGQ		
16									SCREW, Pan Head, M5 x 0.8 x 12.60
	6503 232	7	7, 8			EZ0	DGQ		
		7	2, 3			EZ0	DGQ		

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

Parking Sprag [45RFE] [DGQ]
Figure 45RFE-720




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE; Sales Codes									
[DGQ] = 5 Speed Automatic Transmission [45RFE]									
[EZ0] = All 5.7L Eight Cylinder Gas Engines									
1	4799 493AB	1	7, 8			EZ0	DGQ		SPRAG, Transmission Parking
		1	2, 3			EZ0	DGQ		
2	4799 704	1	7, 8			EZ0	DGQ		SNAP RING, Transmission
		1	2, 3			EZ0	DGQ		
3	0456 636	1	7, 8			EZ0	DGQ		PIN
		1	2, 3			EZ0	DGQ		
4	4799 450	1	7, 8			EZ0	DGQ		SHAFT, Parking Pawl
		1	2, 3			EZ0	DGQ		
5	4799 744AD	1	7, 8			EZ0	DGQ		PAWL, Parking Sprag
		1	2, 3			EZ0	DGQ		
6	4799 451	1	7, 8			EZ0	DGQ		SPRING, Torsion
		1	2, 3			EZ0	DGQ		
7	4799 313	1	7, 8			EZ0	DGQ		SNAP RING
		1	2, 3			EZ0	DGQ		
8	4799 774	1	7, 8			EZ0	DGQ		GUIDE, Parking Sprag Pawl
		1	2, 3			EZ0	DGQ		
9	4799 611AB	1	7, 8			EZ0	DGQ		ROD, Parking Sprag
		1	2, 3			EZ0	DGQ		
10	6504 548	1	7, 8			EZ0	DGQ		SCREW, M6x1x30
		1	2, 3			EZ0	DGQ		
11	6035 256	1	7, 8			EZ0	DGQ		SNAP RING, Rod
		1	2, 3			EZ0	DGQ		
12	4799 453	1	7, 8			EZ0	DGQ		LEVER, Shift Shaft
		1	2, 3			EZ0	DGQ		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gearshift
Figure 45RFE-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes

[DGQ] =5 Speed Automatic Transmission 45RFE

1	52107 847AG	1					DGQ		CABLE, Shift
2	52104 176AC	1					DGQ		BRACKET, Shift Cable
3	6101 758	2					DGQ		SCREW, Hex Head, M8x1.25x20
4	52107 848AB	1					DGQ		LEVER, Manual Control
5									NUT, Hex Flange Lock, M12x1.75, (NOT SERVICED) (Not Serviced)
6	6101 978	1					DGQ		SCREW AND WASHER, Hex Head, M8-1.25x40
7	6032 633AB	1	7, 8						CLIP, Vent Tube

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

LR CLUTCH PACKAGE 05013091aa[illegible]

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

September 19, 2005

Input Clutch Plate [45RFE] [DGQ]
Figure 45RFE-1320

SELECTIVE THRUST PLATES
INPUT CLUTCH THRUST PLATE PKG

05013093aa

1

	Thrust plate, input clutc 1.52 / 1.61
	Thrust plate, input clutc 1.66 / 1.75
	Thrust plate, input clutc 1.80 / 1.89
	Thrust plate, input clutc 1.94 / 2.03
	Thrust plate, input clutc 2.08 / 2.17
	Thrust plate, input clutc 2.22 / 2.31
	Thrust plate, input clutc 2.36 / 2.45
	Thrust plate, input clutc 2.50 / 2.59
	Thrust plate, input clutc 2.64 / 2.73
	Thrust plate, input clutc 2.78 / 2.87
	Thrust plate, input clutc 2.92 / 3.01
	Thrust plate, input clutc 3.06 / 3.15
	Thrust plate, input clutc 3.20 / 3.29
	Thrust plate, input clutc 3.34 / 3.43
	Thrust plate, input clutc 3.62 / 3.71

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes
[DGQ] = 5 Speed Automatic Transmission [45RFE]
[EZ0] = All 5.7L Eight Cylinder Gas Engines
1
PLATE PACKAGE, Input Clutch Thrust

	5013 093AA	1	2, 3			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

OVERHAUL [45RFE] [DGQ]
Figure 45RFE-1330

O/H seal/gasket package			05014221ac
	2&4 clutch package		
	Input clutch package		
	L/R clutch package		
	Sump filter & seal package		
	Cooler filter		
	fill tube seal		
	Frt pmp cover o-ring/seal assy		
	Rotating shaft seal,pmp hsg		
	Adapter seal, 4x4		
	Extension seal,4x2		
	Manual lever seal		
(2)	Speed sensor seal		
	Reaction supt ring seal		
	Rev O/D clutch filter		
(10)	Accumulator ring seal		
(3)	Valve body seal		
	Check valve o-ring		
	Solenoid insulator seal		
	T/C seal		

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes									
[DGQ] = 5 Speed Automatic Transmission [45RFE]									
[EZ0] = All 5.7L Eight Cylinder Gas Engines									
1 OVERHAUL PACKAGE, Transmission									
5014 221AJ		1	2, 3			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		

DODGE RAM 2500/3500 (DH)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)				
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)				
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)				
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)				
				DEG = 6 Spd. Manual				

Input Clutch [45RFE] [DGQ]
Figure 45RFE-1340

INPUT CLUTCH PACKAGE

05013090aa

1

	O-ring, large (2.62mm x 79.84 ID,gm)
	O-ring, small (2.62mm x 70.56 ID,red)
(2)	Seal, internal lip
(2)	Ring seal, l-shaft
	O-ring, piston inner (2.62mm x 93.54 ID)
(5)	Plate, clutch separator (1.74mm thk)
(4)	Disc assy, clutch (u/d clutch)
(4)	Disc assy, clutch (o/d clutch)
(3)	PLate, clutch separator (2.21mm thk, O/D)
(2)	Disc assy, clutch (rev clutch)
	Snap ring,tapered, internal butterfly end
	Snap ring, flat (1.5/1.6 thk)
	Snap ring, flat (1.80/1.90 thk)
	Snap ring, flat (2.15/2.25 thk)
	Piston & seal, underdrive
	Piston & seal, underdrive balance

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes

[DGQ] = 5 Speed Automatic Transmission [45RFE]

[EZ0] = All 5.7L Eight Cylinder Gas Engines]

1

CLUTCH PACKAGE, Automatic
Transmission, Input

5013 090AC	1	2, 3				EZ0	DGQ		
	1	7, 8				EZ0	DGQ		

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Planetary Plate [45RFE] [DGQ]
Figure 45RFE-1350

SELECTIVE THRUST PLATES
PLANETARY THRUST PLATE PKG 05013092aa

	Thrust plate, planetary	1.62 / 1.75
	Thrust plate, planetary	1.81 / 1.94
	Thrust plate, planetary	1.96 / 2.09
	Thrust plate, planetary	2.11 / 2.24
	Thrust plate, planetary	2.26 / 2.39
	Thrust plate, planetary	2.41 / 2.54
	Thrust plate, planetary	2.56 / 2.69
	Thrust plate, planetary	2.71 / 2.84
	Thrust plate, planetary	2.86 / 2.99
	Thrust plate, planetary	3.01 / 3.14
	Thrust plate, planetary	3.16 / 3.29
	Thrust plate, planetary	3.31 / 3.44
	Thrust plate, planetary	3.46 / 3.59
	Thrust plate, planetary	3.61 / 3.74
	Thrust plate, planetary	3.76 / 3.89
	Thrust plate, planetary	3.91 / 4.04
	Thrust plate, planetary	4.06 / 4.19
	Thrust plate, planetary	4.21 / 4.34
	Thrust plate, planetary	4.36 / 4.49

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE; Sales Codes
[DGQ] = 5 Speed Automatic Transmission [45RFE]
[EZ0] = All 5.7L Eight Cylinder Gas Engines
1 PLATE PACKAGE, Planetary Thrust

	5013 092AB	1	2, 3			EZ0	DGQ		
		1	7, 8			EZ0	DGQ		

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

2 & 4 Clutch [45RFE] [DGQ]
Figure 45RFE-1360

2&4 CLUTCH PACKAGE 05013087aa

(2)	Disc assy, clutch (2nd clutch)
(2)	Plate, clutch separator
	D-ring, external (2nd outer)
	D-ring, internal (2nd inner)
	D-ring, internal (4th outer)
	D-ring, internal (4th inner)
(3)	Plate, clutch separator (4th clutch)
(3)	Disc assy, clutch (4th clutch)
	Snap ring (4th, 1.74/1.84 thk)
	Snap ring (4th, 2.15/2.25 thk)
	Snap ring (4th, 2.56/2.66 thk)

1

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTE; Sales Codes
[DGQ] = 5 Speed Automatic Transmission [45RFE]
[EZ0] = All 5.7L Eight Cylinder Gas Engines
1 CLUTCH PACKAGE, Automatic Transmission, 2/4

5013 087AC	1	2, 3				EZ0	DGQ		
	1	7, 8				EZ0	DGQ		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual









Group – 48RE

Automatic Transmission 4 Speed [DG8]



GROUP 48RE - Automatic Transmission 4 Speed [DG8]

Illustration Title	Group-Fig. No.
Transmission Assembly	
Transmission Assembly [48RE] [DG8]	Fig. 48RE-110
Case and Extension	
Case and Related Parts [48RE] [DG8]	Fig. 48RE-210
Automatic Transmission Throttle Control Lever [DG8]	Fig. 48RE-215
Extension [48RE] [DG8]	Fig. 48RE-220
Oil Pump	
Pump, Oil With Reaction Shaft [48RE] [DG8]	Fig. 48RE-310
Gear Train	
Clutch, Front and Rear With Gear Train [48RE] [DG8]	Fig. 48RE-410
Gear Train and Intermediate Shaft [48RE] [DG8]	Fig. 48RE-420
Output Shaft [48RE] [DG8]	Fig. 48RE-430
Bands, Reverse and Kickdown	
Bands, Reverse and Kickdown [48RE] [DG8]	Fig. 48RE-510
Valve Body	
Valve Body [48RE] [DG8]	Fig. 48RE-710
Servos, Accumulator Piston and Spring [48RE] [DG8]	Fig. 48RE-720
Parking Sprag [48RE] [DG8]	Fig. 48RE-730
Overdrive Gear Train	
Clutch, Overdrive [48RE] [DG8]	Fig. 48RE-1010
Gearshift Controls	
Gearshift Control	Fig. 48RE-1210

<div>48RE-100</div> <div>Transmission Assembly</div> <div></div>	<div>48RE-200</div> <div>Case and Extension</div> <div></div>	<div>48RE-300</div> <div>Oil Pump</div> <div></div>	<div>48RE-400</div> <div>Gear Train</div> <div></div>
<div>48RE-500</div> <div>Bands, Reverse and Kickdown</div> <div></div>	<div>48RE-700</div> <div>Valve Body</div> <div></div>	<div>48RE-1000</div> <div>Overdrive Gear Train</div> <div></div>	<div>48RE-1200</div> <div>Gearshift Controls</div> <div></div>

Transmission Assembly [48RE] [DG8]
Figure 48RE-110


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[ET0] = All 5.9L and 6.7L Diesel Engines


[DG8]= Four Speed Automatic Transmission

1									TRANSMISSION PACKAGE
	5159 973AA	1	7, 8			ET0	DG8		
	5159 974AA	1	2, 3			ET0	DG8		
-2									OVERDRIVE
	52854 204AC-	1	2, 3			ET0	DG8		
	52854 205AC-	1	7, 8			ET0	DG8		



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

**Case and Related Parts [48RE] [DG8]
Figure 48RE-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ET0] = All 5.9L and 6.7L Diesel Engines									
[DG8]= Four Speed Automatic Transmission									
-1									OVERHAUL PACKAGE, Transmission
	5093 524AA-	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
-2									SEAL AND GASKET PACKAGE, Transmission
	5093 523AA-	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
3	53032 906AA	1				EZ0	DG0		COVER, Transmission Dust
4	53032 630AC	1					DG8		TUBE, Transmission Oil Filler
5	52118 629AB	1					DG8		SEAL, Oil Filler Tube
6	53032 605AB	1					DG8		INDICATOR, Transmission Fluid Level
7									MAGNET, Transmission
	3681 601	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
8									GASKET, Oil Pan
	2464 324AC	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
9									PAN, Transmission Oil
	52118 780AD	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
10									SCREW
	6036 402AA	14	2, 3			ET0	DG8		
		14	7, 8			ET0	DG8		
11	4428 472	1					DG8		COVER, Transmission Dust
12	6022 266	4				EZ0	DG0		SCREW, Hex Head, .375-16x1.5
13	0154 596	3					DG8		SCREW
14									SCREW
	6036 115AA	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
15									SWITCH, Neutral, Safety, Back Up
	56045 489AC	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
16									PLUG, Pressure Check
	6028 095	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
17	6034 249	8				ET0	DG8		SCREW AND WASHER
18									CASE, Transmission


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Case and Related Parts [48RE] [DG8]
Figure 48RE-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
19	52854 225AA	1	7, 8			ET0	DG8		CONNECTOR, Oil Cooler Tube
		1	2, 3			ET0	DG8		
	52028 764AA	2	2, 3			ET0	DG8		
		2	7, 8			ET0	DG8		
-20									SENSOR, Transmission Output Speed
	4800 879	1	7, 8			ET0	DG8		
-21		1	2, 3			ET0	DG8		O RING, Trans Speed Sensor
	6501 658AB-	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
-22									CLIP
	5211 8181	2	2, 3			ET0	DG8		
		2	7, 8			ET0	DG8		




DODGE RAM 2500/3500 (DH)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)				
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)				
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)				
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)				
				DEG = 6 Spd. Manual				

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Automatic Transmission Throttle Control Lever [DG8]
Figure 48RE-215

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
[ET0]=All 5.9L & 6.7L Diesel Engines									
1									TRANSMISSION, See Illustration [110], (NOT SERVICED) (Not Serviced)
2	53041 140AB	1				ET0	DG8		LEVER, Auto Trans Throttle Control
3	6104 197AA	2				ET0	DG8		SCREW



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Extension [48RE] [DG8]
Figure 48RE-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[ET0] = All 5.9L and 6.7L Diesel Engines

[DG8]= Four Speed Automatic Transmission

1	5093 170AA	1	2, 3			ET0	DG8		EXTENSION, Transmission
2	52854 126AA	1	2, 3			ET0	DG8		SEAL, Extension Yoke
3									SCREW, (NOT SERVICED) (Not Serviced)
4									COVER, Transmission Converter
	2466 957	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
5									GASKET, Transmission
	2801 398	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
6									GASKET, Overdrive Piston Retainer
	4471 565	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
7									SCREW, Hex Flange Head, .375-16x1.38
	6036 046AA	7	2, 3			ET0	DG8		
		7	7, 8			ET0	DG8		
8	5093 166AA	1	7, 8			ET0	DG8		ADAPTER, Transfer Case
9	4269 956AB	1	7, 8			ET0	DG8		SEAL, Adapter


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Pump, Oil With Reaction Shaft [48RE] [DG8]
Figure 48RE-310**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ET0] = All 5.9L and 6.7L Diesel Engines									
[DG8]= Four Speed Automatic Transmission									
									GASKET AND SEAL PACKAGE, Transmission Oil Pump
	5093 554AA-	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
2	4531 225	1	2, 3			ET0	DG8		SEAL, Impeller Hub, 57.25mm OD
		1	7, 8			ET0	DG8		
3	1942 021	1	2, 3			ET0	DG8		SEAL, Front Pump Housing
		1	7, 8			ET0	DG8		
4	5086 714AB	1	2, 3			ET0	DG8		PUMP PACKAGE, Transmission
		1	7, 8			ET0	DG8		
5									HOUSING, Pump, (NOT SERVICED) (Not Serviced)
6									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
7									ROTOR, Oil Pump, (NOT SERVICED) (Not Serviced)
8									SHAFT, Oil Pump, (NOT SERVICED) (Not Serviced)
9									BUSHING, (NOT SERVICED) (Not Serviced)
10									BUSHING, (NOT SERVICED) (Not Serviced)
11									SCREW, Hex Head, .312-18x.687
	0179 815	6	2, 3			ET0	DG8		
		6	7, 8			ET0	DG8		
12	4028 377	1	2, 3			ET0	DG8		GASKET, Transmission Oil Pump
		1	7, 8			ET0	DG8		
13	3420 087	1	7, 8			ET0	DG8		BAFFLE PACKAGE, Pump
		1	2, 3			ET0	DG8		
14	4617 161	1	2, 3			ET0	DG8		THRUST WASHER, Front Clutch
		1	7, 8			ET0	DG8		
15									SEAL, Reaction Shaft

DODGE RAM 2500/3500 (DH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Pump, Oil With Reaction Shaft [48RE] [DG8]
Figure 48RE-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	3743 689	2	2, 3			ET0	DG8		
		2	7, 8			ET0	DG8		
16									SCREW AND WASHER, Hex Flange Head, .312-18x1.375
	6023 943	7	2, 3			ET0	DG8		
		7	7, 8			ET0	DG8		
-17									SCREW
	6036 402AA-	14	2, 3			ET0	DG8		
		14	7, 8			ET0	DG8		
18									BALL, Valve Body Check
	0104 918	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
19									BALL, .625 Diameter
	0147 486	3	7, 8			ET0	DG8		
		3	2, 3			ET0	DG8		
20									SEAL, Reaction Shaft
	52854 025AA	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Clutch, Front and Rear With Gear Train [48RE] [DG8] Figure 48RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ET0] = All 5.9L and 6.7L Diesel Engines									
[DG8] = Four Speed Automatic Transmission									
-1									SEAL PACKAGE, Transmission Clutch
2	4637 078AB-	1	7, 8			ET0	DG8		RETAINER, Clutch
		1	2, 3			ET0	DG8		
3	52854 151AA	1	2, 3			ET0	DG8		BUSHING, Front Clutch
		1	7, 8			ET0	DG8		
4	4058 647	1	2, 3			ET0	DG8		CHECK BALL, Dia-.187
		1	7, 8			ET0	DG8		
5	0147 483	1	2, 3			ET0	DG8		SEAL, Front Clutch Piston
		1	7, 8			ET0	DG8		
6	52852 922AA	1	2, 3			ET0	DG8		SEAL, Front Piston Clutch
		1	7, 8			ET0	DG8		
7	52852 924AA	1	2, 3			ET0	DG8		PISTON, Clutch
		1	7, 8			ET0	DG8		
8	2464 651AB	1	2, 3			ET0	DG8		CHECK BALL, Dia-.187
		1	7, 8			ET0	DG8		
9	0147 483	1	2, 3			ET0	DG8		SPRING, Front Clutch
		1	7, 8			ET0	DG8		
10	2801 243	9	2, 3			ET0	DG8		RETAINER, Transmission
		9	7, 8			ET0	DG8		
11	2801 949	1	2, 3			ET0	DG8		CHECK BALL, Dia-.187
		1	7, 8			ET0	DG8		
12	0147 483	1	2, 3			ET0	DG8		SNAP RING
		1	7, 8			ET0	DG8		
13	2124 824	1	2, 3			ET0	DG8		PLATE, Clutch Separator
		1	7, 8			ET0	DG8		

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Clutch, Front and Rear With Gear Train [48RE] [DG8] Figure 48RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	52118 812AA	3	2, 3			ET0	DG8		SNAP RING
		3	7, 8			ET0	DG8		
	3410 570	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
15	4617 567	1	7, 8			ET0	DG8		PLATE, Transmission Clutch Reaction
		1	2, 3			ET0	DG8		
16	4617 201AB	5	2, 3			ET0	DG8		DISC, Direct Clutch
		5	7, 8			ET0	DG8		
17	3743 624AB	1	2, 3			ET0	DG8		PISTON, Clutch
		1	7, 8			ET0	DG8		
-18	0147 483	1	7, 8			ET0	DG8		CHECK BALL, Dia-.187
		1	2, 3			ET0	DG8		
19	1942 054	1	2, 3			ET0	DG8		SEAL, Rear Clutch Piston
		1	7, 8			ET0	DG8		
20	2124 835	1	2, 3			ET0	DG8		SEAL, Rear Clutch Piston
		1	7, 8			ET0	DG8		
21	4505 186	1	2, 3			ET0	DG8		THRUST WASHER, Output Shaft, Red .068
		1	7, 8			ET0	DG8		
22	4617 855AB	1	2, 3			ET0	DG8		RETAINER, Transmission
		1	7, 8			ET0	DG8		
-23	4058 443	1	7, 8			ET0	DG8		SEAL, Rear Clutch Retainer
		1	2, 3			ET0	DG8		
24	4617 161	1	7, 8			ET0	DG8		THRUST WASHER, Front Clutch
		1	2, 3			ET0	DG8		
25	4617 396	1	2, 3			ET0	DG8		INPUT SHAFT, Transmission
		1	7, 8			ET0	DG8		
26									SNAP RING

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Clutch, Front and Rear With Gear Train [48RE] [DG8] Figure 48RE-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	2124 872	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
27	4617 418AC	2	2, 3			ET0	DG8		SEAL, Input Shaft
		2	7, 8			ET0	DG8		
28	52854 149AA	1	7, 8			ET0	DG8		RETAINER, Rear Clutch
		1	2, 3			ET0	DG8		
29	52854 030AA	4	7, 8			ET0	DG8		DISC, Clutch
		4	2, 3			ET0	DG8		
30	3743 621AB	1	7, 8			ET0	DG8		SPRING, Rear Clutch Piston
		1	2, 3			ET0	DG8		
31	3515 077	1	7, 8			ET0	DG8		SPACER, Rear Clutch Piston
		1	2, 3			ET0	DG8		
32	2466 806	1	7, 8			ET0	DG8		SPRING, Rear Clutch
		1	2, 3			ET0	DG8		
33	2466 803	1	7, 8			ET0	DG8		PLATE, Clutch Pressure
		1	2, 3			ET0	DG8		
34	52118 812AA	3	2, 3			ET0	DG8		PLATE, Clutch Separator
		3	7, 8			ET0	DG8		
35	4617 567	1	2, 3			ET0	DG8		PLATE, Transmission Clutch Reaction
36	1942 063	1	7, 8			ET0	DG8		SNAP RING

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Gear Train and Intermediate Shaft [48RE] [DG8]
Figure 48RE-420



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ET0] = All 5.9L and 6.7L Diesel Engines									
[DG8]= Four Speed Automatic Transmission									
1	6024 312	1	7, 8			ET0	DG8		SNAP RING, 1.108 Free Diameter
2	52854 137AA	1	2, 3			ET0	DG8		CARRIER, Planetary Pinion
		1	7, 8			ET0	DG8		
3	2801 315	12	2, 3			ET0	DG8		THRUST WASHER, Planetary Carrier
		12	7, 8			ET0	DG8		
4	52854 038AA	1	2, 3			ET0	DG8		BUSHING, Support Case
		1	7, 8			ET0	DG8		
5	52854 043AA	1	2, 3			ET0	DG8		GEAR, Front Annulus
		1	7, 8			ET0	DG8		
6	4618 000	1	7, 8			ET0	DG8		WASHER
		1	2, 3			ET0	DG8		
7	1736 521	2	7, 8			ET0	DG8		SNAP RING, Sun Gear
		2	2, 3			ET0	DG8		
8	52854 048AA	1	7, 8			ET0	DG8		GEAR, Sun
		1	2, 3			ET0	DG8		
9	52854 056AA	1	7, 8			ET0	DG8		SHELL, Sun Gear
		1	2, 3			ET0	DG8		
10	4617 611	1	2, 3			ET0	DG8		INTERMEDIATE SHAFT, Transmission
		1	7, 8			ET0	DG8		
11	4505 188	1	7, 8			ET0	DG8		PLATE, Transmission Module
		1	2, 3			ET0	DG8		
12	52854 101AA	1	7, 8			ET0	DG8		PLATE, Sun Gear Driving Shell
		1	2, 3			ET0	DG8		
13									SNAP RING, Sun Gear


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train and Intermediate Shaft [48RE] [DG8] **Figure 48RE-420**



FRONT & REAR PLANET PINION CARRIER GEARS

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1736 521	2	7, 8			ET0	DG8		
		2	2, 3			ET0	DG8		
14									THRUST WASHER, Planetary Carrier
	52854 039AA	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
15									CARRIER, Planetary Pinion
	52854 140AA	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
16									PLATE PACKAGE, Transmission Module
	4740 774	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
-17									THRUST WASHER, Planetary Carrier
	52854 039AA-	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
18									GEAR, Rear Annulus
	52854 074AA	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
19									SNAP RING
	1942 063AB	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
20									WASHER, Thrust
	52854 076AA	2	2, 3			ET0	DG8		
		2	7, 8			ET0	DG8		
21									DRUM, Automatic Transmission
	5211 8057	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
22									THRUST WASHER, Reverse Drum
	5211 8059	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
23									THRUST WASHER, Planet Pinion
	2204 649	12	7, 8			ET0	DG8		
		12	2, 3			ET0	DG8		
24									ROLLER, Front and Rear Pinion
	3743 664	138	7, 8			ET0	DG8		
		138	2, 3			ET0	DG8		
25									PINION, Transmission Planetary
	2400 667	6	7, 8			ET0	DG8		
		6	2, 3			ET0	DG8		
26									SHAFT, Planetary

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Figure 48RE-420



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

September 19, 2005

Output Shaft [48RE] [DG8]
Figure 48RE-430




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[ET0] = All 5.9L and 6.7L Diesel Engines
[DG8]= Four Speed Automatic Transmission


1	5093 156AA	1	7, 8			ET0	DG8		OUTPUT SHAFT, Transmission
	5003 233AA	1	2, 3			ET0	DG8		
2									BUSHING, (NOT REQUIRED)
3									BUSHING, (NOT REQUIRED)
4									BEARING, Output Shaft
	4461 008	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
5									SNAP RING
	4461 068	1	7, 8			ET0	DG8		
	4461 069	1	2, 3			ET0	DG8		
6									SNAP RING
	4461 057	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

**Bands, Reverse and Kickdown [48RE] [DG8]
Figure 48RE-510**



REVERSE BAND



KICKDOWN BAND

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ET0] = All 5.9L and 6.7L Diesel Engines									
[DG8]= Four Speed Automatic Transmission									
1	6030 657	1	7, 8			ET0	DG8		O RING, Steering Gear
2	4531 181	1	2, 3			ET0	DG8		SHAFT, Band Lever
		1	7, 8			ET0	DG8		
3	0114 942	1	7, 8			ET0	DG8		NUT, Hex, .375-24
		1	2, 3			ET0	DG8		
4	4531 226AB	1	7, 8			ET0	DG8		LEVER, Reverse Band
5	4531 231	1	7, 8			ET0	DG8		BAND, Reverse
		1	2, 3			ET0	DG8		
6	2538 472	1	7, 8			ET0	DG8		SCREW, Trans Reverse Band Adjusting, .375-24-1.88
7	52854 077AA	1	7, 8			ET0	DG8		LEVER, Kickdown
		1	2, 3			ET0	DG8		
8	4531 181	1	7, 8			ET0	DG8		SHAFT, Band Lever
9	52854 181AA	1	7, 8			ET0	DG8		STRUT, Kickdown Band
		1	2, 3			ET0	DG8		
10	3743 338	1	7, 8			ET0	DG8		ANCHOR, Kickdown Band
		1	2, 3			ET0	DG8		
11	6036 115AA	1	7, 8			ET0	DG8		SCREW
		1	2, 3			ET0	DG8		
12	4329 853	1	7, 8			ET0	DG8		BAND, Kickdown
		1	2, 3			ET0	DG8		
13									NUT, Hex Jam, .50-20

DODGE RAM 2500/3500 (DH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005

Bands, Reverse and Kickdown [48RE] [DG8]
Figure 48RE-510

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	0124 934	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		




REVERSE BAND



KICKDOWN BAND

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Valve Body [48RE] [DG8] Figure 48RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[ET0] = All 5.9L and 6.7L Diesel Engines									
[DG8]= Four Speed Automatic Transmission									
-1									SEAL AND GASKET PACKAGE, Valve Body and Servo
2	5093 525AA-	1	7, 8			ET0	DG8		BODY, Transfer Plate
		1	2, 3			ET0	DG8		
3	52854 241AA	1	7, 8			ET0	DG8		GASKET, Transmission Solenoid
		1	2, 3			ET0	DG8		
4	5211 8510	1	2, 3			ET0	DG8		SOLENOID, Transmission Overdrive
		1	7, 8			ET0	DG8		
5	52118 500AB	1	7, 8			ET0	DG8		BOLT, Valve Body, .25-20x1.75
		1	2, 3			ET0	DG8		
6	0181 071	3	7, 8			ET0	DG8		FILTER, Valve Body
		3	2, 3			ET0	DG8		
7	5211 8789	1	7, 8			ET0	DG8		SCREW AND WASHER, Oil Filter Mounting, Fillester Head .190-24x2.500
		1	2, 3			ET0	DG8		
8	6033 826	3	7, 8			ET0	DG8		O RING, Solenoid Wiring, Transmission
		3	2, 3			ET0	DG8		
9	6034 748	2	7, 8			ET0	DG8		SCREW, Tapping, .19-24x.75
		2	2, 3			ET0	DG8		
10	6033 985	1	7, 8			ET0	DG8		LEVER, Throttle Valve
		1	2, 3			ET0	DG8		
11	3681 227	1	7, 8			ET0	DG8		LEVER, Manual Valve
		1	2, 3			ET0	DG8		
-12	4617 441AB	1	7, 8			ET0	DG8		RIVET, Blind, .125
		1	2, 3			ET0	DG8		
-12	0111 873	1	7, 8			ET0	DG8		
		1	7, 8			ET0	DG8		

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Valve Body [48RE] [DG8]
Figure 48RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13									BALL, Manual Lever Detent, .343 Diameter
	0147 488	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
14									SEAL, Valve Lever Shift
	2466 548	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
15									WASHER, Manual Valve Lever
	2538 062	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
16									SNAP RING
	6035 208	2	2, 3			ET0	DG8		
		2	7, 8			ET0	DG8		
17									SEAL, Manual Shift Valve, 1.25 OD
	4505 098	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
18									SCREW, Cap Head Lock, .312-24x1. 25
	6030 609	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
19									BRACKET, Valve Body Switch
	52854 222AA	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
20									SPRING, Switch Valve
	4130 492	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
21									VALVE, Trans Lockup Switch
	4505 036	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
22									TUBE, Boost Valve
	4617 008	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
23									RETAINER, Boost Valve Oil Supply Tube
	5211 7958	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
24									CLIP, Transmission Governor Transducer, (NOT REQUIRED)
25									TRANSDUCER, Pressure Sensor
	56028 196AD	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Valve Body [48RE] [DG8]
Figure 48RE-710



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
26									O RING, Pressure Switch, Serviced with Transducer, (NOT SERVICED) (Not Serviced)
27	4617 216	1	2, 3			ET0	DG8		GASKET, Transmission Solenoid
		1	7, 8			ET0	DG8		
28									RETAINER, Transmission Governor Solenoid
	52117 937AB	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
29									O RING PACKAGE, Valve Body, Transmission
	4723 549	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
30	4617 210	1	7, 8			ET0	DG8		SOLENOID, Transmission Governor
		1	2, 3			ET0	DG8		
-31									SCREEN, Transmission Regulator Valve
	3878 313	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
-32									PLATE, Transmission Valve Body
	52854 127AA-	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
-33									VALVE, Regulator
	4130 169AB-	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
34	5211 8262	1	2, 3			ET0	DG8		BALL, Check
		1	7, 8			ET0	DG8		
-35									BOLT, .25-20
	0179 798	3	7, 8			ET0	DG8		
		3	2, 3			ET0	DG8		


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Servos, Accumulator Piston and Spring [48RE] [DG8]
Figure 48RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO



ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[ETH]=5.9L Cummins High Output Turbo Diesel Engine

[ET0] = All 5.9Land 6.7L Diesel Engines


[DG8]= Four Speed Automatic Transmission

1									SNAP RING
	4531 244	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
2	1942 123	1	2, 3			ET0	DG8		SEAL
		1	7, 8			ET0	DG8		
3	3410 441	1	2, 3			ET0	DG8		GUIDE, Kickdown Servo
		1	7, 8			ET0	DG8		
4									SPRING, Kickdown Servo Piston, Outer
	3410 444	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
5									SPRING, Kickdown Servo Piston, Inner
	3410 444	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
6	6031 392	1	7, 8			ET0	DG8		SNAP RING, Brake Master Cylinder
		1	2, 3			ET0	DG8		
7	3410 437	1	2, 3			ET0	DG8		RETAINER, Kick Down
		1	7, 8			ET0	DG8		
8	3410 440	1	2, 3			ET0	DG8		PISTON, Kickdown Servo
		1	7, 8			ET0	DG8		
9	6028 864	1	2, 3			ET0	DG8		O RING, Kick Down Servo
		1	7, 8			ET0	DG8		
10	1942 123	1	2, 3			ET0	DG8		SEAL
		1	7, 8			ET0	DG8		
11	3410 440	1	2, 3			ET0	DG8		PISTON, Kickdown Servo
		1	7, 8			ET0	DG8		
12	4412 444	1	2, 3			ET0	DG8		SEAL


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual


Servos, Accumulator Piston and Spring [48RE] [DG8]
Figure 48RE-720



KICKDOWN SERVO



LOW AND REVERSE SERVO




ACCUMULATOR PISTON AND SPRING

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0	DG8		
13	4531 244	1	2, 3			ET0	DG8		SNAP RING
		1	7, 8			ET0	DG8		
14									RETAINER, Transmission Reverse Servo Piston Spring
	5211 8342	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
15									SPRING, Reverse Servo Piston
	4617 773	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
16									PLUG, Reverse Servo Piston
	52118 742AB	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
17									SPRING, Reverse Servo Piston
	5211 8743	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
18									SEAL, Reverse Servo Piston
	4531 233	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
19									PISTON, Reverse Servo
	5211 8745	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
20									SNAP RING, .435 ID
	6027 153	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
21									SPRING, Accumulator Piston
	3515 079	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
22									SEAL, Piston Accumulator
	3743 010	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
23									PISTON, Accumulator
	3743 650	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
24									SEAL, Piston Accumulator
	3743 010	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
25									SPRING, Accumulator Piston
	3515 079	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

Parking Sprag [48RE] [DG8]
Figure 48RE-730



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[ET0] = All 5.9L and 6.7L Diesel Engines

[DG8]= Four Speed Automatic Transmission


1	2466 909	1	7, 8			ET0	DG8		SPRING, Parking Sprag
2									SPRAG, Transmission Parking
	52854 102AA	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
3									SHAFT, Parking Sprag
	52854 120AA	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
4									SCREW
	5093 155AA	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
5									PLUG, Parking Sprag
	52854 122AA	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
6									SNAP RING, Transmission
	52854 121AA	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
7									ROD, Parking Sprag
	52854 079AA	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
8									SNAP RING, Rod
	6035 256	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Clutch, Overdrive [48RE] [DG8]
Figure 48RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[ET0] = All 5.9L and 6.7L Diesel Engines
[DG8]= Four Speed Automatic Transmission


1									PLATE PACKAGE, Transmission Module
	4740 774	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
2									BEARING, (NOT SERVICED) (Not Serviced)
3	5015 107AA	1	7, 8			ET0	DG8		GEAR, Overdrive Sun
		1	2, 3			ET0	DG8		
4									BUSHING, (NOT SERVICED) (Not Serviced)
5	5093 158AA	1	7, 8			ET0	DG8		CARRIER, O/Drive Planet Pinion
		1	2, 3			ET0	DG8		
6	4461 124	1	7, 8			ET0	DG8		RACE, Overrunning Clutch
		1	2, 3			ET0	DG8		
7									THRUST BEARING, Ovedrive Third Position
	4461 014	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
8									CLUTCH, Overdrive Overrunning
	4461 015	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		
9	5093 157AA	1	7, 8			ET0	DG8		GEAR, Overdrive Annulus
		1	2, 3			ET0	DG8		
10	4461 059	1	7, 8			ET0	DG8		SNAP RING, 5.25 OD
		1	2, 3			ET0	DG8		
11	4461 060	1	2, 3			ET0	DG8		SNAP RING, 6.00 OD
		1	7, 8			ET0	DG8		
12	5211 8057	1	2, 3			ET0	DG8		DRUM, Automatic Transmission
		1	7, 8			ET0	DG8		
13	4461 063	1	7, 8			ET0	DG8		SNAP RING, 2.1875 OD

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Clutch, Overdrive [48RE] [DG8]
Figure 48RE-1010




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4461 032	1	2, 3			ET0	DG8		SPRING, Direct Clutch
		1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
15	4461 072	1	7, 8			ET0	DG8		HUB, Direct Clutch
		1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
16	4446 724	1	7, 8			ET0	DG8		THRUST BEARING, Overdrive
		1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
17	4461 030	1	2, 3			ET0	DG8		PLATE, Transmission Clutch Reaction
		1	7, 8			ET0	DG8		
		1	7, 8			ET0	DG8		
18	5143 636AA	10	2, 3			ET0	DG8		DISC, Direct Clutch
		10	7, 8			ET0	DG8		
		10	7, 8			ET0	DG8		
19	4864 053	9	2, 3			ET0	DG8		PLATE, Transmission Valve Body
		9	7, 8			ET0	DG8		
		9	7, 8			ET0	DG8		
20	4461 183	1	7, 8			ET0	DG8		PLATE, Pressure
		1	2, 3			ET0	DG8		
		1	2, 3			ET0	DG8		
21	4461 066	1	2, 3			ET0	DG8		SPRING, Overdrive Clutch
		1	7, 8			ET0	DG8		
		1	7, 8			ET0	DG8		
22	4461 064	1	7, 8			ET0	DG8		SNAP RING, 1.875" OD
		1	2, 3			ET0	DG8		
		1	2, 3			ET0	DG8		
23	4412 583	1	7, 8			ET0	DG8		FILTER, Overdrive Clutch
		1	2, 3			ET0	DG8		
		1	2, 3			ET0	DG8		
24	5211 7975	1	7, 8			ET0	DG8		RETAINER, Transmission O/Drive Clutch Piston
		1	2, 3			ET0	DG8		
		1	2, 3			ET0	DG8		
25	5211 8599	1	7, 8			ET0	DG8		PISTON, Overdrive Clutch
		1	2, 3			ET0	DG8		
		1	2, 3			ET0	DG8		
26	0152 796	6	7, 8			ET0	DG8		SCREW, .25-20
27									SEAL, Overdrive Clutch Piston

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Clutch, Overdrive [48RE] [DG8]
Figure 48RE-1010



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28	4431 697	1	2, 3			ET0	DG8		SEAL, Overdrive Clutch Piston
		1	7, 8			ET0	DG8		
	4431 697	1	2, 3			ET0	DG8		
		1	7, 8			ET0	DG8		
29	4431 585	1	2, 3			ET0	DG8		PLATE, Transmission O/Drive Clutch
		1	7, 8			ET0	DG8		
30		1	7, 8			ET0	DG8		SPACER, Intermediate Shaft, 1.58mm
		1	2, 3			ET0	DG8		
-31	4431 916	1	7, 8			ET0	DG8		SPACER, Intermediate Shaft, .175
		1	2, 3			ET0	DG8		
-32	4431 917	1	7, 8			ET0	DG8		SPACER, Intermediate Shaft, .193
		1	2, 3			ET0	DG8		
-33	4431 918	1	7, 8			ET0	DG8		SPACER, Intermediate Shaft, .211
		1	2, 3			ET0	DG8		
34	4461 082	1	2, 3			ET0	DG8		SNAP RING, Overdrive Clutch
		1	7, 8			ET0	DG8		
35		1	2, 3			ET0	DG8		PLATE, Transmission Clutch Reaction
		1	7, 8			ET0	DG8		
36	4461 030	1	2, 3			ET0	DG8		DISC, Direct Clutch
		1	7, 8			ET0	DG8		
37	4461 181	5	2, 3			ET0	DG8		PLATE, Transmission Clutch Reaction
		5	7, 8			ET0	DG8		
38	4461 047	5	2, 3			ET0	DG8		SPRING, Direct Clutch
		5	7, 8			ET0	DG8		
39	4461 032	1	2, 3			ET0	DG8		SNAP RING, 6.50 OD
		1	7, 8			ET0	DG8		
	4461 065	1	7, 8			ET0	DG8		
		1	2, 3			ET0	DG8		

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

Gearshift Control Figure 48RE-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTES: Sales Codes

[DG8]= Four Speed Automatic Transmission

[DG0] = All Automatic Transmissions

[ET0] = All 5.9L and 6.7L Diesel Engines

1	52107 846AG	1		DG8	CABLE, Shift
2	52107 845AC	1		DG8	BRACKET, Shift Cable
3	0154 261	1		DG8	BOLT
4	6502 697	1	7, 8		NUT, Hex Flange Lock, M12x1.75
5	52107 678AB	1		DG8	LEVER, Manual Control
6	6022 245	1		DG8	SCREW AND WASHER
7	4861 553AC	1		ET0 DG0	PIN, Push



DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – 4500

Manual Transmission 5 Speed

GROUP 4500 - Manual Transmission 5 Speed

Illustration Title Group-Fig. No.

Transmission Assembly

Transmission Five Speed - [4500] (DDP) Fig. 4500-110

Case and Extension

Case Five Speed - [4500] (DDP) Fig. 4500-210

Gear Train

Gear Train Five Speed - [4500] (DDP) Fig. 4500-410


Gear Train Five Speed - [4500] (DDP) Fig. 4500-420






Fork and Rails

Forks And Controls Five Speed - [4500] (DDP) Fig. 4500-910


Gearshift Controls

Gear Shift Controls Fig. 4500-1210



4500-100 Transmission Assembly 	4500-200 Case and Extension 	4500-400 Gear Train 	4500-900 Fork and Rails 
4500-1200 Gearshift Controls 			

Transmission Five Speed - [4500] (DDP)
Figure 4500-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code									
[DDP] = Five Speed Manual Transmissiion									
[EZ0] = All 5.7L Eight Cylinder Gas Engines									
1									TRANSMISSION, 5 Speed
	52108 128AE	1	2, 3			EZ0	DDP		
	52108 129AE	1	7, 8			EZ0	DDP		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Case Five Speed - [4500] (DDP)
Figure 4500-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code

[DDP] = Five Speed Manual Transmissiion

[EZ0] = All 5.7L Eight Cylinder Gas Engines

1	4741 542	1	2, 3			EZ0	DDP		RETAINER, Transmission Drive Gear
		1	7, 8			EZ0	DDP		
2	5012 115AA	1	2, 3			EZ0	DDP		SEAL, Input
		1	7, 8			EZ0	DDP		
3	4637 849	1	2, 3			EZ0	DDP		PLUG, Oil Fill
		1	7, 8			EZ0	DDP		
4	4637 777	1	7, 8			EZ0	DDP		SCREW, Drive Gear
		1	2, 3			EZ0	DDP		
5	4773 012	1	2, 3			EZ0	DDP		MAGNET, Transmission
		1	7, 8			EZ0	DDP		
6	4637 847	1	2, 3			EZ0	DDP		DOWEL, Gear Shift Cover
		1	7, 8			EZ0	DDP		
7	5019 654AA	1	2, 3			EZ0	DDP		CASE, Transmission
		1	7, 8			EZ0	DDP		
8	5014 100AA	1	2, 3			EZ0	DDP		PLATE, Transmission Module
		1	7, 8			EZ0	DDP		
9	0181 088	1	2, 3			EZ0	DDP		BOLT, Hex Head, .312-18x1.00
		1	7, 8			EZ0	DDP		
10	4637 785	1	7, 8			EZ0	DDP		PLATE, Transmission Module
		1	2, 3			EZ0	DDP		
11	0556 875	1	2, 3			EZ0	DDP		COVER, Power Take Off
		1	7, 8			EZ0	DDP		
12	5015 221AA	12	2, 3			EZ0	DDP		SCREW
		12	7, 8			EZ0	DDP		
13	4637 691	1	2, 3			EZ0	DDP		BEARING CUP, Intermediate Shaft

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Case Five Speed - [4500] (DDP)
Figure 4500-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4637 689	1	7, 8			EZ0	DDP		PLUG, Countershaft
		1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
15	4637 804	1	2, 3			EZ0	DDP		DOWEL, Transmission Case
		1	7, 8			EZ0	DDP		
		1	2, 3			EZ0	DDP		
16	5003 035AA	1	2, 3			EZ0	DDP		RETAINER, Transmission Case Rear
		1	7, 8			EZ0	DDP		
		1	2, 3			EZ0	DDP		
17	4637 805	8	2, 3			EZ0	DDP		SCREW, Hex Head
		8	7, 8			EZ0	DDP		
		1	2, 3			EZ0	DDP		
18	5086 054AA	1	2, 3			EZ0	DDP		SEAL, Output Shaft
19	5003 210AA	1	2, 3			EZ0	DDP		BUSHING, Extension Housing

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train Five Speed - [4500] (DDP) Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[DDP] = Five Speed Manual Transmissiion									
[EZ0] = All 5.7L Eight Cylinder Gas Engines									
1	4798 769	1	2, 3			EZ0	DDP		BEARING, First Gear
		1	7, 8			EZ0	DDP		
2	4637 728	1	2, 3			EZ0	DDP		GEAR, First
		1	7, 8			EZ0	DDP		
3	5003 055AA	1	2, 3			EZ0	DDP		GEAR PACKAGE, Reverse Clutch
		1	7, 8			EZ0	DDP		
4	4723 145	1	2, 3			EZ0	DDP		BEARING, Drive Gear
		1	7, 8			EZ0	DDP		
5	5003 056AA	1	2, 3			EZ0	DDP		SNAP RING PACKAGE, Transmission
		1	7, 8			EZ0	DDP		
6	4882 542	1	2, 3			EZ0	DDP		SPACER, Reverse Synchronizer
		1	7, 8			EZ0	DDP		
7	5017 924AA	1	2, 3			EZ0	DDP		BEARING, Reverse Synchronizer
		1	7, 8			EZ0	DDP		
8	5014 478AA	1	2, 3			EZ0	DDP		SYNCHRONIZER, Reverse
		1	7, 8			EZ0	DDP		
9	4637 763	1	2, 3			EZ0	DDP		THRUST WASHER, Reverse Gear
		1	7, 8			EZ0	DDP		
10	4773 176	1	2, 3			EZ0	DDP		PIN, Split Thrust Washer
		1	7, 8			EZ0	DDP		
11	4637 771	1	2, 3			EZ0	DDP		BEARING CONE, Main Shaft
		1	7, 8			EZ0	DDP		
12	5016 384AA	1	2, 3			EZ0	DDP		MAINSHAFT, Transmission
	5016 386AA	1	7, 8			EZ0	DDP		
13									SYNCHRONIZER, First and Second


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train Five Speed - [4500] (DDP) Figure 4500-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5066 046AA	1	2, 3			EZ0	DDP		STOP RING PACKAGE, Synchronizer
		1	7, 8			EZ0	DDP		
15	4637 726	1	2, 3			EZ0	DDP		GEAR, Second
	4637 730	1	2, 3			EZ0	DDP		
16		1	7, 8			EZ0	DDP		THRUST WASHER, Third Gear
	4637 732	1	2, 3			EZ0	DDP		
17		1	7, 8			EZ0	DDP		SPACER, Third Gear
	4882 540	1	2, 3			EZ0	DDP		
18		1	7, 8			EZ0	DDP		GEAR, Third
	4874 369	1	2, 3			EZ0	DDP		
19		1	7, 8			EZ0	DDP		BEARING, Third Gear
	4798 768	1	2, 3			EZ0	DDP		
20		1	7, 8			EZ0	DDP		RING, Blocker
	4897 883AA	1	2, 3			EZ0	DDP		
21		1	7, 8			EZ0	DDP		SYNCHRONIZER, Third and Fourth
	4740 824	1	2, 3			EZ0	DDP		
22		1	7, 8			EZ0	DDP		GEAR, Clutch Drive
	4874 370	1	2, 3			EZ0	DDP		
23		1	7, 8			EZ0	DDP		THRUST BEARING, Drive Gear
	4637 755	1	2, 3			EZ0	DDP		
24		1	7, 8			EZ0	DDP		NEEDLE BEARING, Input Shaft
	4637 774	1	2, 3			EZ0	DDP		
25		1	7, 8			EZ0	DDP		SHAFT, Input
	4882 357	1	2, 3			EZ0	DDP		

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train Five Speed - [4500] (DDP) Figure 4500-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE: Sales Code									
[DDP] = Five Speed Manual Transmissiion									
[EZ0] = All 5.7L Eight Cylinder Gas Engines									
1	4637 782	1	2, 3			EZ0	DDP		BEARING CUP, Main Shaft
		1	7, 8			EZ0	DDP		
2	4864 284	1	2, 3			EZ0	DDP		SHIM PACKAGE, Rear Mainshaft Bearing
		1	7, 8			EZ0	DDP		
3	4741 551	1	2, 3			EZ0	DDP		GEAR, Overdrive Mainshaft
		1	7, 8			EZ0	DDP		
-4	4723 002	1	2, 3			EZ0	DDP		SYNCHRONIZER, Overdrive
		1	7, 8			EZ0	DDP		
5	4741 552	1	2, 3			EZ0	DDP		WASHER, Overdrive Gear
		1	7, 8			EZ0	DDP		
6	5013 887AA	1	2, 3			EZ0	DDP		NUT AND WASHER PACKAGE
		1	7, 8			EZ0	DDP		
7	5003 210AA	1	2, 3			EZ0	DDP		BUSHING, Extension Housing
8	4882 366	1	2, 3			EZ0	DDP		SHAFT, Idler
		1	7, 8			EZ0	DDP		
9	4882 538	1	2, 3			EZ0	DDP		WASHER, Reverse Idler
		1	7, 8			EZ0	DDP		
10	5017 923AA	1	2, 3			EZ0	DDP		BEARING, Idler Gear
		1	7, 8			EZ0	DDP		
11	4882 364	1	2, 3			EZ0	DDP		GEAR, Reverse Idler
		1	7, 8			EZ0	DDP		
-12	4897 881AA-	1	2, 3			EZ0	DDP		RING, Reverse Blocker
		1	7, 8			EZ0	DDP		
13	4637 708	1	7, 8			EZ0	DDP		BEARING CONE, Cluster Gear
		1	2, 3			EZ0	DDP		
14									COUNTERSHAFT

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual


Gear Train Five Speed - [4500] (DDP)
Figure 4500-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
15	4882 367	1	2, 3			EZ0	DDP		PIN, Split Thrust Washer
		1	7, 8			EZ0	DDP		
	4773 176	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
16	4637 708	1	2, 3			EZ0	DDP		BEARING CONE, Cluster Gear
		1	7, 8			EZ0	DDP		
17									BEARING CUP, Cluster Gear
18	4637 707	1	2, 3			EZ0	DDP		SHIM PACKAGE, Countershaft
		1	7, 8			EZ0	DDP		
	4637 780	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
19	5003 056AA	1	2, 3			EZ0	DDP		SNAP RING PACKAGE, Transmission
		1	7, 8			EZ0	DDP		
20	5003 156AA	1	2, 3			EZ0	DDP		SYNCHRONIZER PACKAGE, Overdrive
		1	7, 8			EZ0	DDP		
21	4637 786	1	2, 3			EZ0	DDP		GEAR, Countershaft
		1	7, 8			EZ0	DDP		
22	4882 541	1	2, 3			EZ0	DDP		BEARING, Overdrive
		1	7, 8			EZ0	DDP		
23	4637 778	1	2, 3			EZ0	DDP		THRUST WASHER, Countershaft
		1	7, 8			EZ0	DDP		


DODGE RAM 2500/3500 (DH)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)				
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)				
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)				
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)				
				DEG = 6 Spd. Manual				

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Forks And Controls Five Speed - [4500] (DDP)
Figure 4500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Code
[DEE] = Six Speed Heavy Duty Manual Transmission
[DDP] = Five Speed Manual Transmissiion
[EZ0] = All 5.7L Eight Cylinder Gas Engines


1									HOUSING, Shift Lever
	5003 036AA	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
-2									PLUNGER
	0556 882	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
3									VENT, Transmission
	4741 660	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
4									CLIP, Vent Tube
	4638 633	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
5									PIN, Shift Fork
	1664 355	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
6									SPACER, Shift Tower
	5003 214AA	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
7									BUSHING, Gearshift Lever
	5003 212AA	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
8									BOLT
	5003 213AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
9									LEVER, Gearshift
	5086 539AA	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
10									BOLT, Hex Head, .312-18x1.00
	0181 088	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
11	4294 036	1							CLIP
12	6016 203	1	7, 8			EZ0	DDP		CLIP, Vacuum Harness
13									GASKET, Back Up Lamp Switch
	1302 807	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
14									SWITCH, Back Up Lamp
	5600 7270	1	2, 3			EZ0	DDP		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Forks And Controls Five Speed - [4500] (DDP) Figure 4500-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			EZ0	DDP		
15	4637 692	1	2, 3			EZ0	DDP		LUG, Overdrive
		1	7, 8			EZ0	DDP		
16									RAIL, Over Drive Lug
	4778 216	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
17	5012 019AA	1	2, 3			EZ0	DDP		PAD PACKAGE, Shift Fork
		1	7, 8			EZ0	DDP		
18	4773 178	1	2, 3			EZ0	DDP		FORK, Transmission
		1	7, 8			EZ0	DDP		
19	1664 355	1	2, 3			EZ0	DDP		PIN, Shift Fork
		1	7, 8			EZ0	DDP		
20									PAD, Shift Fork
	5012 018AA	1	2, 3			EZ0	DDP		
		1	7, 8			EZ0	DDP		
-21	4882 279	1	2, 3			EZ0	DDP		PLUG, Transmission
		1	7, 8			EZ0	DDP		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Shift Controls
Figure 4500-1210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[DBB] = All Manual Transmissions

[DD0] = All Five Speed Manual Transmissions

[DDP] = Five Speed Manual Transmissiion

[DEG] = Six Speed Manual Transmission

1	4446 921	1					DD0		INSERT, Transmission Shift Knob
2	6502 556	1					DBB		NUT, Hex, M10-1.5
3	5210 4174	1					DD0, DEG		KNOB, Gearshift
4	55366 042AA	1					DD0, DEG		BOOT, Gear Shift Lever
5									SCREW, Tapping, (NOT SERVICED) (Not Serviced)
6	55366 708AA	1					DD0, DEG		LEVER, Gearshift
7	5GT26 1DVAC	1					DD0, DEG		CONSOLE, Floor [DV]
	5GT26 1L5AC	1					DD0, DEG		[L5]
8	55366 707AA	1					DD0, DEG		BOOT, Gear Shift Lever

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – G56

Mercedes Benz Manual Transmission 6 Speed

GROUP G56 - Mercedes Benz Manual Transmission 6 Speed

Illustration Title

Group-Fig. No.

Transmission Assembly

Transmission Assembly & Mounting [DEG] Fig. G56-110

Case and Extension

Front Case & Related Parts [DEG] Fig. G56-210

Rear Case & Related Parts [DEG] Fig. G56-220

Gear Train

Input Shaft & Gears [DEG] Fig. G56-410

Output Shaft & Gears [DEG] Fig. G56-420


Counter Shaft & Reverse Idler Gear [DEG] Fig. G56-430

Fork and Rails

Fork & Rail [DEG] Fig. G56-910

Gearshift Controls


Shift Tower [DEG] Fig. G56-1210



<div><div>G56-100</div><div>Transmission Assembly</div><div></div></div>	<div><div>G56-200</div><div>Case and Extension</div><div></div></div>	<div><div>G56-400</div><div>Gear Train</div><div></div></div>	<div><div>G56-900</div><div>Fork and Rails</div><div></div></div>
<div><div>G56-1200</div><div>Gearshift Controls</div><div></div></div>			

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


1						TRANSMISSION, 6 speed
	52104 714AC	1	2, 3	ET0	DEG	
	52104 715AC	1	7, 8	ET0	DEG	
	52104 717AB	1	2, 3	EZ0	DEG	
	52104 718AB	1	7, 8	EZ0	DEG	
2	6022 266	4		EZ0	DBB	SCREW, Hex Head, .375-16x1.5
-3	6035 470	8		ET0	DEG	SCREW



SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

« RETURN TO GROUP INDEX

Front Case & Related Parts [DEG] Figure G56-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
[DEG]=6 Speed Manual Transmission									
[ET0]=All 5.9L & 6.7L Diesel Engines									
[EZ0]=All 5.7L V-8 Engines									
1	5142 734AA	1	2, 3			ET0	DEG		HOUSING, Transmission
		1	7, 8			ET0	DEG		Front, Front
		1	2, 3			EZ0	DEG		Front
-2	5142 726AA-	1	2, 3			ET0	DEG		Front
		1	7, 8			ET0	DEG		BALL, Pivot
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
-3	5142 725AA-	2	2, 3			ET0	DEG		DOWEL
		2	7, 8			ET0	DEG		
		2	7, 8			EZ0	DEG		
		2	2, 3			EZ0	DEG		
-4	5142 727AA-	1	2, 3			ET0	DEG		PLATE
		1	7, 8			ET0	DEG		Clamping Plate
		1	7, 8			EZ0	DEG		Clamping Plate
		1	2, 3			EZ0	DEG		Clamping Plate
5	6104 006AA	1	2, 3			ET0	DEG		BOLT
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
6	5166 047AA	1	2, 3			ET0	DEG		RETAINER, Shaft
		1	7, 8			ET0	DEG		
	5166 048AA	1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
7	5142 731AA	2	2, 3			ET0	DEG		COVER, Power Take Off
		2	7, 8			ET0	DEG		
		2	2, 3			EZ0	DEG		
		2	7, 8			EZ0	DEG		
8									SCREW

DODGE RAM 2500/3500 (DH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front Case & Related Parts [DEG]
Figure G56-210

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5142 732AA	1	2, 3			ET0	DEG		
		1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		
		1	2, 3			EZ0	DEG		
9									SEAL, Input Shaft
	5179 736AA	1	2, 3			ET0	DEG		
		1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		
		1	2, 3			EZ0	DEG		




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Rear Case & Related Parts [DEG] Figure G56-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
[DEG]=6 Speed Manual Transmission									
[ET0]=All 5.9L & 6.7L Diesel Engines									
[EZ0]=All 5.7L V-8 Engines									
1	5142 734AA	1	2, 3			ET0	DEG		HOUSING, Transmission
		1	7, 8			ET0	DEG		Rear
		1	2, 3			EZ0	DEG		Rear
		1	7, 8			EZ0	DEG		Rear
2	5133 840AA	1	2, 3			ET0	DEG		SEAL RING
		1	7, 8			ET0	DEG		Drain
		1	2, 3			EZ0	DEG		Drain
		1	7, 8			EZ0	DEG		Drain
3	5142 717AA	1	2, 3			ET0	DEG		PLUG, Drain
		1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		
		1	2, 3			EZ0	DEG		
4	6104 047AA	14	2, 3			ET0	DEG		SCREW
		14	7, 8			ET0	DEG		
		14	7, 8			EZ0	DEG		
		14	2, 3			EZ0	DEG		
5	5133 840AA	1	2, 3			ET0	DEG		SEAL RING
		1	7, 8			ET0	DEG		Fill
		1	2, 3			EZ0	DEG		Fill
		1	7, 8			EZ0	DEG		Fill
6	5142 718AA	1	2, 3			ET0	DEG		PLUG, Fill Port
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
7	5142 723AA	1	2, 3			ET0	DEG		SEAL, Output Shaft
		1	2, 3			EZ0	DEG		
	5142 724AA	1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		
8									PLATE, Shift


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Rear Case & Related Parts [DEG]
Figure G56-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5142 719AA	1	2, 3			ET0	DEG		
		1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		
		1	2, 3			EZ0	DEG		
9									SCREW, M10x1.5x30
	6104 100AA	2	2, 3			ET0	DEG		
		2	7, 8			ET0	DEG		
		2	7, 8			EZ0	DEG		
		2	2, 3			EZ0	DEG		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Input Shaft & Gears [DEG] Figure G56-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
[DEG]=6 Speed Manual Transmission									
[ET0]=All 5.9L & 6.7L Diesel Engines									
[EZ0]=All 5.7L V-8 Engines									
1	5142 822AA	1	2, 3			ET0	DEG		BEARING
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
2	5142 821AA	1	2, 3			ET0	DEG		SHAFT, Input
		1	7, 8			ET0	DEG		
	5166 045AA	1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
3									BEARING, BEARING-TAPER ROLLER
	5142 850AA	1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
		1	2, 3			ET0	DEG		
4	5142 839AA	1	2, 3			ET0	DEG		SYNCHRONIZER, Fifth and Sixth
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
5	5142 847AA	1	2, 3			ET0	DEG		SNAP RING
		1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		
		1	2, 3			EZ0	DEG		
6	5142 845AA	1	2, 3			ET0	DEG		GEAR, Sixth
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
7	5142 846AA	1	2, 3			ET0	DEG		NEEDLE BEARING, Sixth Gear
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
8									SNAP RING


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Input Shaft & Gears [DEG] Figure G56-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5142 844AA	1	2, 3			ET0	DEG		THRUST WASHER
		1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		
		1	2, 3			EZ0	DEG		
9	5142 843AA	1	2, 3			ET0	DEG		NEEDLE BEARING, Fourth Gear
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
10	5142 842AA	1	2, 3			ET0	DEG		GEAR, Fourth
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
11	5142 841AA	1	2, 3			ET0	DEG		SYNCHRONIZER, Third and Fourth
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
12	5142 838AA	1	2, 3			ET0	DEG		GEAR, Third
		1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		
		1	2, 3			EZ0	DEG		
13	5142 836AA	1	2, 3			ET0	DEG		NEEDLE BEARING, Third Gear
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
14	5142 837AA	1	2, 3			ET0	DEG		RING, RING-SYNCHRONIZER
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
15	5142 840AA	1	2, 3			ET0	DEG		
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Output Shaft & Gears [DEG] Figure G56-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
[DEG]=6 Speed Manual Transmission									
[ET0]=All 5.9L & 6.7L Diesel Engines									
[EZ0]=All 5.7L V-8 Engines.									
1	5142 823AA	1	2, 3			ET0	DEG		SHAFT, Output
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
2	5142 825AA	1	2, 3			ET0	DEG		BEARING, Second Gear
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
3	5142 824AA	1	2, 3			ET0	DEG		GEAR, Second
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
4	5142 826AA	1	2, 3			ET0	DEG		SYNCHRONIZER, First and Second
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
5	5142 828AA	1	7, 8			ET0	DEG		SNAP RING
		1	7, 8			EZ0	DEG		
		1	2, 3			EZ0	DEG		
	5142 844AA	1	2, 3			ET0	DEG		
6	5142 830AA	1	2, 3			ET0	DEG		NEEDLE BEARING, First Gear
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
7	5142 829AA	1	2, 3			ET0	DEG		GEAR, First
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
8									THRUST WASHER

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Output Shaft & Gears [DEG] Figure G56-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5142 831AA	1	2, 3			ET0	DEG		
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
9									NEEDLE BEARING
	5142 832AA	1	2, 3			ET0	DEG		
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
10									GEAR, Reverse
	5142 833AA	1	2, 3			ET0	DEG		
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
11									SYNCHRONIZER, Reverse
	5142 834AA	1	2, 3			ET0	DEG		
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
12									BEARING
	5142 822AA	1	2, 3			ET0	DEG		
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
13									SNAP RING KIT, Mainshaft
	5142 835AA	1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		
		1	2, 3			ET0	DEG		
		1	2, 3			EZ0	DEG		


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Counter Shaft & Reverse Idler Gear [DEG] Figure G56-430



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTE:									
Sales Codes:									
[DEG]=6 Speed Manual Transmission									
[ET0]=All 5.9L & 6.7L Diesel Engines									
[EZ0]=All 5.7L V-8 Engines									
1	5142 851AA	1	2, 3			ET0	DEG		COUNTERSHAFT
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
2	5142 720AA	1	2, 3			ET0	DEG		SHAFT, Idler
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
3	6104 051AA	1	2, 3			ET0	DEG		SCREW
		1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		
		1	2, 3			EZ0	DEG		
4	5142 721AA	1	2, 3			ET0	DEG		GEAR, Reverse Idler
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
5	5142 722AA	1	2, 3			ET0	DEG		BEARING, Idler Gear
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
6	5142 860AA	1	2, 3			ET0	DEG		FLANGE, Output
		1	2, 3			EZ0	DEG		
7	5142 861AA	1	2, 3			ET0	DEG		WASHER, Output Shaft
		1	2, 3			EZ0	DEG		
8	6104 278AA	1	2, 3			ET0	DEG		SCREW
		1	2, 3			EZ0	DEG		
9	5142 723AA	1	2, 3			ET0	DEG		SEAL, Output Shaft

DODGE RAM 2500/3500 (DH)


SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Counter Shaft & Reverse Idler Gear [DEG]
Figure G56-430

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	2, 3			EZ0	DEG		
	5142 724AA	1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Fork & Rail [DEG]
Figure G56-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

[DEG]=6 Speed Manual Transmission

[ET0]=All 5.9L & 6.7L Diesel Engines

[EZ0]=All 5.7L V-8 Engines


1	5142 852AA	1	2, 3			ET0	DEG		FORK, First and Second
		1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		
		1	2, 3			EZ0	DEG		
2	5142 853AA	1	2, 3			ET0	DEG		FORK, Third and Fourth
		1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		
		1	2, 3			EZ0	DEG		
3	5142 854AA	1	2, 3			ET0	DEG		FORK, Fifth and Sixth
		1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		
		1	2, 3			EZ0	DEG		
4	5142 855AA	1	2, 3			ET0	DEG		FORK, Reverse
		1	7, 8			ET0	DEG		
		1	7, 8			EZ0	DEG		
		1	2, 3			EZ0	DEG		
-5	5114 230AA-	1	2, 3			ET0	DEG		GREASE, Multi-Purpose
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
6	5142 856AA	1	2, 3			ET0	DEG		FORK, Transmission Swing Fork Swing Fork
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
7	5142 857AA	1	2, 3			ET0	DEG		PAD, Shift Fork
		1	7, 8			ET0	DEG		
		2	7, 8			EZ0	DEG		
		2	2, 3			EZ0	DEG		
8									PIN

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Fork & Rail [DEG]
Figure G56-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5142 858AA	1	2, 3			ET0	DEG		
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
9									SCREW, (NOT SERVICED) (Not Serviced)




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Shift Tower [DEG]
Figure G56-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE:

Sales Codes:

[DEG]=6 Speed Manual Transmission

[ET0]=All 5.9L & 6.7L Diesel Engines

[EZ0]=All 5.7L V-8 Engines

1	5142 863AA	1	2, 3			ET0	DEG		SHIFTER, Transmission
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
2	6104 025AA	4	2, 3			ET0	DEG		SCREW
		4	7, 8			ET0	DEG		
		4	7, 8			EZ0	DEG		
		4	2, 3			EZ0	DEG		
3	5161 544AA	1	2, 3			ET0	DEG		BOOT, Gearshift
		1	7, 8			ET0	DEG		
		1	2, 3			EZ0	DEG		
		1	7, 8			EZ0	DEG		
-4	55366 708AA-	1					DEG		LEVER, Gearshift

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Group – 5600

Manual Transmission 6 Speed

GROUP 5600 - Manual Transmission 6 Speed

Illustration Title Group-Fig. No.

Transmission Assembly

Transmission - Six Speed [5600] (DEE) Fig. 5600-110

Case and Extension

Case and Related Parts - Six Speed [5600] (DEE) Fig. 5600-210

Gear Train

Gear Train - Six Speed [5600] (DEE) Main Shaft Fig. 5600-410


Gear Train - Six Speed [5600] (DEE) Counter Shaft Fig. 5600-420






Fork and Rails

Fork & Rail Six Speed [5600] [DEE] Fig. 5600-910

Gear Shift Controls

Controls, Gearshift- Six Speed [5600] [DEE] Fig. 5600-1210



5600-100 Transmission Assembly	5600-200 Case and Extension	5600-400 Gear Train	5600-900 Fork and Rails
			
5600-1200 Gear Shift Controls			
			


Transmission - Six Speed [5600] (DEE)
Figure 5600-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DEE] = Six Speed Heavy Duty Manual Transmission
[ET0] = All 5.9L and 6.7L Diesel Engines


1									TRANSMISSION, 6 speed
---	--	--	--	--	--	--	--	--	-----------------------

	52108 501AC	1	2, 3			ET0	DEE		
	52108 502AC	1	7, 8			ET0	DEE		



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Case and Related Parts - Six Speed [5600] (DEE)
Figure 5600-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DEE] = Six Speed Heavy Duty Manual Transmission

[ET0] = All 5.9L and 6.7L Diesel Engines

1	5003 578AA	1	2, 3			ET0	DEE		CASE, Transmission
		1	7, 8			ET0	DEE		
2	4882 280	1	2, 3			ET0	DEE		PLUG, Oil Fill
		1	7, 8			ET0	DEE		
3	4210 616	1	2, 3			ET0	DEE		PLUG, Oil Fill Detent
		1	7, 8			ET0	DEE		
-4	5003 579AA-	1	2, 3			ET0	DEE		BUSHING, Shift Rail
		1	7, 8			ET0	DEE		
-5	4761 099	2	2, 3			ET0	DEE		PIN, Locating
		2	7, 8			ET0	DEE		
6	0556 875	2	2, 3			ET0	DEE		COVER, Power Take Off
		2	7, 8			ET0	DEE		
7	5015 221AA	12	2, 3			ET0	DEE		SCREW
		12	7, 8			ET0	DEE		
8	5003 580AA	1	2, 3			ET0	DEE		BEARING CUP, Output Shaft
		1	7, 8			ET0	DEE		
9	5012 134AA	1	2, 3			ET0	DEE		CUP, Bearing Inner
		1	7, 8			ET0	DEE		
10	5003 583AA	1	2, 3			ET0	DEE		BEARING CUP, Input Shaft
		1	7, 8			ET0	DEE		
11	5003 584AA	1	2, 3			ET0	DEE		BEARING CUP, Output Shaft
		1	7, 8			ET0	DEE		
12	5015 205AA	1	2, 3			ET0	DEE		GUIDE, Oil
		1	7, 8			ET0	DEE		
13	5012 112AA	1	2, 3			ET0	DEE		GUIDE, Oil


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Case and Related Parts - Six Speed [5600] (DEE)
Figure 5600-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0	DEE		
14	5222 757	2	2, 3			ET0	DEE		DOWEL
		2	7, 8			ET0	DEE		
15	5015 213AA	1	2, 3			ET0	DEE		RETAINER, Transmission Input Shaft
		1	7, 8			ET0	DEE		
-16	5015 214AA-	1	2, 3			ET0	DEE		SEAL, Input
		1	7, 8			ET0	DEE		
17	5003 585AA	1	2, 3			ET0	DEE		HOUSING, Transmission Rear Extension
	5003 586AA	1	7, 8			ET0	DEE		
18	4740 901	1	2, 3			ET0	DEE		VENT, Transmission
		1	7, 8			ET0	DEE		
-19	5003 587AA-	1	2, 3			ET0	DEE		BUSHING, Crossover Shaft
		1	7, 8			ET0	DEE		
20	4269 956AB	1	7, 8			ET0	DEE		SEAL, Adapter
21	5086 054AA	1	2, 3			ET0	DEE		SEAL, Output Shaft
22	5011 966AB	1	2, 3			ET0	DEE		CAM, Alignment
		1	7, 8			ET0	DEE		
23	6100 880	1	2, 3			ET0	DEE		WASHER
		1	7, 8			ET0	DEE		
24	6501 474	1	2, 3			ET0	DEE		BOLT, Hex Head, M8x1.25x16
		1	7, 8			ET0	DEE		
25	5003 589AA	1	2, 3			ET0	DEE		PLUNGER
		1	7, 8			ET0	DEE		
26	5011 967AB	1	2, 3			ET0	DEE		SPRING, Crossover Lever
		1	7, 8			ET0	DEE		
27	5210 3101	1	2, 3			ET0	DEE		BRACKET, Exhaust Pipe to T/Case
		1	7, 8			ET0	DEE		
28									BUSHING, Exhaust Hanger

DODGE RAM 2500/3500 (DH)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)				
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)				
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)				
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)				
				DEG = 6 Spd. Manual				

Case and Related Parts - Six Speed [5600] (DEE)
Figure 5600-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
29	5208 5085	1	2, 3			ET0	DEE		SWITCH, Back Up Lamp
		1	7, 8			ET0	DEE		
	5600 7270	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
30	5012 138AA	1	2, 3			ET0	DEE		GASKET, Back Up Lamp Switch
		1	7, 8			ET0	DEE		
31	5300 8550	1	2, 3			ET0	DEE		CLIP
		1	7, 8			ET0	DEE		
32	5012 136AA	1	2, 3			ET0	DEE		CLIP, Wiring
		1	7, 8			ET0	DEE		
-33	4773 012	1	2, 3			ET0	DEE		MAGNET, Transmission
		1	7, 8			ET0	DEE		
-34	5003 210AA-	1	2, 3			ET0	DEE		BUSHING, Extension Housing SPACER, Final Drive, 1.14mm
	4659 261	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-36	4659 262	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.18mm
		1	7, 8			ET0	DEE		
-37	4659 263	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.22mm
		1	7, 8			ET0	DEE		
-38	4659 264	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.26mm
		1	7, 8			ET0	DEE		
-39	4659 265	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.30mm
		1	7, 8			ET0	DEE		
-40	4659 266	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.34mm
		1	7, 8			ET0	DEE		
-41	4659 267	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.38mm
		1	7, 8			ET0	DEE		
-42	4659 268	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.42mm
		1	7, 8			ET0	DEE		

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Figure 5600-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
-43	4659 269	1	7, 8			ET0	DEE		SPACER, Final Drive, 1.46mm
-44	4659 270	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.50mm
-45	4659 271	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.54mm
-46	4659 272	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.58mm
-47	4659 273	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.62mm
-48	4659 274	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.66mm
-49	4659 275	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.70mm
-50	4659 276	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.74mm
-51	4659 278	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.82mm
-52	4659 279	1	2, 3			ET0	DEE		SPACER, Final Drive, 1.86mm
53	5086 622AA	1	2, 3			ET0	DEE		LEVER, Gearshift
54	5003 214AA	1	2, 3			ET0	DEE		SPACER, Shift Tower
55	5003 212AA	1	2, 3			ET0	DEE		BUSHING, Gearshift Lever
56		1	7, 8			ET0	DEE		BOLT

SERIES _____ LINE _____

H = SLT
L = ST

1, 6 =
2, 7 =

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

1 = Quad
2 = Quad

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

TH = 5.9LD

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


DP = 5 Spd. Manual
GQ = Multi-Speed Automatic

DDP = 5 Spd. Manual (4500)
 DGQ = Multi-Speed Auto.(45RFE)
 DG8 = 4 Spd. Auto.(48RE)
 DEE = 6 Spd. Manual (5600)
 DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Case and Related Parts - Six Speed [5600] (DEE)
Figure 5600-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
57	5003 213AA	1	2, 3			ET0	DEE		DETENT, Valve Body
		1	7, 8			ET0	DEE		
	4761 094	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
58	5012 137AA	1	2, 3			ET0	DEE		SPRING, Detent
		1	7, 8			ET0	DEE		

DODGE RAM 2500/3500 (DH)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)				
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)				
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)				
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)				
				DEG = 6 Spd. Manual				

Gear Train - Six Speed [5600] (DEE) Main Shaft Figure 5600-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DEE] = Six Speed Heavy Duty Manual Transmission									
[ET0] = All 5.9L and 6.7L Diesel Engines									
1	5010 047AA	1	2, 3			ET0	DEE		BEARING CONE, Input Shaft
		1	7, 8			ET0	DEE		
2	5066 027AC	1	2, 3			ET0	DEE		GEAR AND CONE PACKAGE
		1	7, 8			ET0	DEE		
3	5010 046AA	1	2, 3			ET0	DEE		BEARING CUP, Input Shaft
		1	7, 8			ET0	DEE		
4	5083 021AA	1	2, 3			ET0	DEE		CONE, Input Shaft
		1	7, 8			ET0	DEE		
5	5010 054AA	1	2, 3			ET0	DEE		RING, Blocker
		1	7, 8			ET0	DEE		
6	5010 058AA	1	2, 3			ET0	DEE		RETAINING RING, Bearing
		1	7, 8			ET0	DEE		
7	5010 065AA	1	2, 3			ET0	DEE		BEARING CONE, Output Shaft
		1	7, 8			ET0	DEE		
-8									SHIM PACKAGE, Drive Pinion
	5011 376AA-	1	2, 3			ET0	DEE		Bearing
		1	7, 8			ET0	DEE		
9	5010 055AA	1	2, 3			ET0	DEE		SYNCHRONIZER, Fifth
		1	7, 8			ET0	DEE		
10	5080 807AA	1	2, 3			ET0	DEE		SPRING, Synchronizer
		1	7, 8			ET0	DEE		
11	5010 056AA	1	2, 3			ET0	DEE		KEY, Synchronizer
		1	7, 8			ET0	DEE		
12	4741 136	1	2, 3			ET0	DEE		BALL, Shift Lever, M5
		1	7, 8			ET0	DEE		
13									GEAR, Sixth

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Gear Train - Six Speed [5600] (DEE) Main Shaft **Figure 5600-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5019 885AA	1	2, 3			ET0	DEE		
-14		1	7, 8			ET0	DEE		BEARING, Sixth Gear
	5010 051AA-	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
15									SHAFT, Output
	5010 049AA	1	2, 3			ET0	DEE		
	5010 050AA	1	7, 8			ET0	DEE		
16									SLEEVE, First Gear
	5010 077AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
17									BEARING
	5010 059AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
18									GEAR, Second
	5019 906AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
19									RING, Blocker
	5015 202AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
20									SYNCHRONIZER, First and Second
	5010 062AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
21									GEAR, First
	5019 907AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
22									BEARING
	5010 059AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
23									THRUST WASHER, First Gear
	5010 064AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
24									FORK, Transmission, Reverse
	5012 128AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
25									RING
	5012 127AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
26									SYNCHRONIZER, Reverse
	5012 125AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
27									GEAR, Reverse

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train - Six Speed [5600] (DEE) Main Shaft Figure 5600-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28	5019 887AA	1	2, 3			ET0	DEE		BEARING, Reverse Synchronizer
		1	7, 8			ET0	DEE		
29	5017 924AA	1	2, 3			ET0	DEE		SLEEVE, Reverse
		1	7, 8			ET0	DEE		
30	5012 129AA	1	2, 3			ET0	DEE		WASHER, Reverse Thrust
		1	7, 8			ET0	DEE		
31	5012 131AA	1	2, 3			ET0	DEE		BEARING CUP, Output Shaft
		1	7, 8			ET0	DEE		
32	5003 580AA	1	2, 3			ET0	DEE		BEARING CONE, Output Shaft
		1	7, 8			ET0	DEE		
-33	5010 065AA	1	2, 3			ET0	DEE		SNAP RING PACKAGE, Mainshaft
		1	7, 8			ET0	DEE		
34	5011 352AA-	1	2, 3			ET0	DEE		NUT, Locking
		1	7, 8			ET0	DEE		
-35	5012 133AA	1	2, 3			ET0	DEE		BEARING CONE, Output Shaft
		1	7, 8			ET0	DEE		
-36	5010 065AA-	1	2, 3			ET0	DEE		SHIM, Intermediate Shaft, .5642
		1	7, 8			ET0	DEE		
-37	4882 952	1	2, 3			ET0	DEE		SHIM, Intermediate Shaft, .6042
		1	7, 8			ET0	DEE		
-38	4882 953	1	2, 3			ET0	DEE		SHIM, Intermediate Shaft, .6442
		1	7, 8			ET0	DEE		
-39	4882 954	1	2, 3			ET0	DEE		SHIM, Intermediate Shaft, .6842
		1	7, 8			ET0	DEE		
-40	4882 955	1	2, 3			ET0	DEE		SHIM, Intermediate Shaft, .7242
		1	7, 8			ET0	DEE		
-41	4882 956	1	2, 3			ET0	DEE		SHIM, Intermediate Shaft, .7642
		1	7, 8			ET0	DEE		

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY
41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE
EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION
DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train - Six Speed [5600] (DEE) Main Shaft **Figure 5600-410**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 957	1	2, 3			ET0	DEE		
-42		1	7, 8			ET0	DEE		SHIM, Intermediate Shaft, .8042
	4882 958	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-43									SHIM, Intermediate Shaft, .8442
	4882 959	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-44									SHIM, Intermediate Shaft, .9242
	4882 960	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-45									SHIM, Intermediate Shaft, .9242
	4882 961	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-46									SHIM, Intermediate Shaft, .9642
	4882 962	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-47									SHIM, Intermediate Shaft, 1.0042
	4882 963	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-48									SHIM, Intermediate Shaft, 1.0442
	4882 964	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-49									SHIM, Intermediate Shaft, 1.0842
	4882 967	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-50									SHIM, Intermediate Shaft, 1.1242
	4882 968	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-51									SHIM, Intermediate Shaft, 1.1642
	4882 969	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-52									SHIM, Intermediate Shaft, 1.2042
	4882 970	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-53									SHIM, Intermediate Shaft, 1.2442
	4882 971	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-54									SHIM, Intermediate Shaft, 1.2842
	4882 972	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-55									SHIM, Intermediate Shaft, 1.3242

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train - Six Speed [5600] (DEE) Main Shaft
Figure 5600-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4882 973	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
-56	4882 974	1	2, 3			ET0	DEE		SHIM, Intermediate Shaft, 1.3642
		1	7, 8			ET0	DEE		
-57	4882 975	1	2, 3			ET0	DEE		SHIM, Intermediate Shaft, 1.4042
		1	7, 8			ET0	DEE		

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train - Six Speed [5600] (DEE) Counter Shaft **Figure 5600-420**

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DEE] = Six Speed Heavy Duty Manual Transmission

[ET0] = All 5.9L and 6.7L Diesel Engines

1	5012 124AA	1	2, 3			ET0	DEE		CONE ASSEMBLY, Countershaft
		1	7, 8			ET0	DEE		
2	5012 122AA	1	2, 3			ET0	DEE		GEAR, Countershaft, Reverse
		1	7, 8			ET0	DEE		
3	5012 123AA	1	2, 3			ET0	DEE		SLEEVE, Reverse
		1	7, 8			ET0	DEE		
4									CONE ASSEMBLY, Countershaft, Center
	5010 076AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
5									COUNTERSHAFT, Serviced w/ Bearing
	5102 873AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
6									BEARING
	5010 059AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
7									BEARING, Countershaft
	5012 111AB	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
8									THRUST WASHER, Second And Third Gear
	5019 908AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
9									GEAR, Third
	5019 909AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
10									CONE, Input Shaft
	5083 021AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
11									RING, Blocker
	5010 054AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
12									SYNCHRONIZER, Third and Fourth
	5010 070AA	1	2, 3			ET0	DEE		

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE


EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Gear Train - Six Speed [5600] (DEE) Counter Shaft
Figure 5600-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8			ET0	DEE		
13	4741 136	1	2, 3			ET0	DEE		BALL, Shift Lever, M5
		1	7, 8			ET0	DEE		
14	5010 056AA	1	2, 3			ET0	DEE		KEY, Synchronizer
		1	7, 8			ET0	DEE		
15	5080 807AA	1	2, 3			ET0	DEE		SPRING, Synchronizer
		1	7, 8			ET0	DEE		
16	5010 071AA	1	2, 3			ET0	DEE		SLEEVE, Fourth Gear
		1	7, 8			ET0	DEE		
17	5019 904AA	1	2, 3			ET0	DEE		GEAR, Fourth
		1	7, 8			ET0	DEE		
18	5010 074AA	1	2, 3			ET0	DEE		GEAR, Countershaft, Sixth
		1	7, 8			ET0	DEE		
19	5010 073AA	1	2, 3			ET0	DEE		GEAR, Countershaft, Input
		1	7, 8			ET0	DEE		
20	5010 075AA	1	2, 3			ET0	DEE		CONE ASSEMBLY, Countershaft, Front
		1	7, 8			ET0	DEE		
-21	5011 358AA-	1	2, 3			ET0	DEE		SNAP RING PACKAGE, Countershaft
		1	7, 8			ET0	DEE		
22	5012 118AA	1	2, 3			ET0	DEE		WASHER, Idler Gear
		1	7, 8			ET0	DEE		
23	5012 121AA	1	2, 3			ET0	DEE		GEAR, Idler
		1	7, 8			ET0	DEE		
24	5012 119AB	1	2, 3			ET0	DEE		BEARING, Idler
25	5012 120AA	1	7, 8			ET0	DEE		SPACER, Idler
26	5012 117AA	1	2, 3			ET0	DEE		SHAFT, Idler
		1	7, 8			ET0	DEE		
-27									SLINGER, Oil

DODGE RAM 2500/3500 (DH)				SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)				
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)				
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)				
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)				
				DEG = 6 Spd. Manual				


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Gear Train - Six Speed [5600] (DEE) Counter Shaft Figure 5600-420

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5010 067AB-	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Fork & Rail Six Speed [5600] [DEE]
Figure 5600-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DEE] = Six Speed Heavy Duty Manual Transmission

[ET0] = All 5.9L and 6.7L Diesel Engines


1	5010 078AB	1	7, 8			ET0	DEE		RAIL, Shift
	5010 079AC	1	2, 3			ET0	DEE		
2	5010 086AA	1	2, 3			ET0	DEE		SOCKET, Shift Shaft
		1	7, 8			ET0	DEE		
3	4741 139	1	2, 3			ET0	DEE		PIN, Shift Shaft
		1	7, 8			ET0	DEE		
-4	4761 094	1	2, 3			ET0	DEE		DETENT, Valve Body
		1	7, 8			ET0	DEE		
-5	5012 137AA-	1	2, 3			ET0	DEE		SPRING, Detent
		1	7, 8			ET0	DEE		
-6	4740 904	1	2, 3			ET0	DEE		PIN, Detent
		1	7, 8			ET0	DEE		
7	5010 090AB	1	2, 3			ET0	DEE		FORK, Third and Fourth
		1	7, 8			ET0	DEE		
8	5010 083AA	1	2, 3			ET0	DEE		PIN, Roll
		1	7, 8			ET0	DEE		
9	5010 091AB	1	2, 3			ET0	DEE		FORK, First and Second
		1	7, 8			ET0	DEE		
10	5010 079AC	1	2, 3			ET0	DEE		RAIL, Shift
		1	7, 8			ET0	DEE		
11	5010 082AB	1	2, 3			ET0	DEE		PIN, Roll
		1	7, 8			ET0	DEE		
-12	5083 735AA-	1	2, 3			ET0	DEE		GATE, Gearshift Rod
		1	7, 8			ET0	DEE		
13									RAIL, Reverse Shift, Rail and Gate Serviced in Assembly

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Fork & Rail Six Speed [5600] [DEE]
Figure 5600-910

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	5010 097AA	1	2, 3			ET0	DEE		FORK, Transmission, Reverse
		1	7, 8			ET0	DEE		
	5012 128AA	1	2, 3			ET0	DEE		
		1	7, 8			ET0	DEE		
15	5010 093AA	1	2, 3			ET0	DEE		FORK, Fifth Shift
		1	7, 8			ET0	DEE		
16	5016 173AA	1	2, 3			ET0	DEE		ARM, Transmission Shift
		1	7, 8			ET0	DEE		
-17	5010 084AA-	1	2, 3			ET0	DEE		PIN, Shift Shaft
		1	7, 8			ET0	DEE		
18	5010 095AA	1	2, 3			ET0	DEE		BRACKET, Shift Fork
		1	7, 8			ET0	DEE		
19	5010 096AB	2	2, 3			ET0	DEE		BOLT, M8
		2	7, 8			ET0	DEE		
20	5010 085AA	1	2, 3			ET0	DEE		PIN, Shift Shaft
		1	7, 8			ET0	DEE		
21	5012 135AA	2	2, 3			ET0	DEE		ROLLER, Transmission
		2	7, 8			ET0	DEE		
-22	5013 419AA-	13	2, 3			ET0	DEE		BOLT, Hex Head, M8
		13	7, 8			ET0	DEE		


DODGE RAM 2500/3500 (DH)			
SERIES	LINE	BODY	ENGINE
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	
		62 = Reg. Cab (140.5 WB)	
			TRANSMISSION
			DDP = 5 Spd. Manual (4500)
			DGQ = Multi-Speed Auto.(45RFE)
			DG8 = 4 Spd. Auto.(48RE)
			DEE = 6 Spd. Manual (5600)
			DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Controls, Gearshift- Six Speed [5600] [DEE]
Figure 5600-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTE: Sales Codes

[DBB] = All Manual Transmissions

[DD0] = All Five Speed Manual Transmissions

[DEE] = Six Speed Heavy Duty Manual Transmission

[DEG] = Six Speed Manual Transmission

1	52107 787AA	1					DEE		LEVER, Gearshift
2	5210 4174	1					DD0, DEG		KNOB, Gearshift
3	5210 8192	1					DEE		INSERT, Transmission Shift Knob
4	6502 556	1					DBB		NUT, Hex, M10-1.5
5	55366 042AA	1					DEE		BOOT, Gear Shift Lever
6	55366 062AA	1					DEE		BOOT, Gear Shift Lever
7									CONSOLE, Floor
	5GT26 1DVAC	1					DBB		[DV]
	5GT26 1L5AC	1					DBB		[L5]
8									SCREW, (NOT SERVICED) (Not Serviced)

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005






Group – 271

Transfer Case Model 271 [DH1]

GROUP 271 - Transfer Case Model 271 [DH1]

Illustration Title	Group-Fig. No.
Transfer Case Assembly	
Transfer Case Assembly [DH1]	Fig. 271-110
Case and Extension	
Case and Related Parts [DH1]	Fig. 271-210
Gear Train	
Gear Train [DH1]	Fig. 271-410
Fork and Rails	
Fork and Rails [DH1]	Fig. 271-910
Gearshift Controls and Skid Plates	
Gearshift Controls and Skid Plate	Fig. 271-1210




271-100 Transfer Case Assembly	271-200 Case and Extension	271-400 Gear Train	271-900 Fork and Rails
			
271-1200 Gearshift Controls and Skid Plates			
			

Transfer Case Assembly [DH1]
Figure 271-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTES: Sales Codes
[DBB] = All Manual Transmissions
[DG0] = All Automatic Transmissions

1									TRANSFER CASE, NVG271
	52105 646AD	1	7, 8				DG0		52105646AD
	52105 649AD	1	7, 8				DBB		52105649AD
	52853 060AC	1	7, 8				DG0		52856060AC
	52853 061AC	1	7, 8				DBB		52856061AC



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Case and Related Parts [DH1] Figure 271-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DG0] = All Automatic Transmissions									
1	5103 490AA	1	7, 8				DG0		CASE, Transfer Front
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
2	5086 570AA	6	7, 8				DG0		STUD
		6	7, 8				DBB		52105649ad
		6	7, 8				DG0		52853060ac
		6	7, 8				DBB		52853061ac
3	4219 065	1	7, 8				DG0		SNAP RING, Annulus Gear
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
4	5086 332AA	1	7, 8				DG0		CASE, Transfer Rear
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
	5086 332AB	1	7, 8				DG0		52853060ae
		1	7, 8				DBB		52105649af
	5086 332AA	1	7, 8				DG0		52105646ae
5	5086 336AA	24	7, 8				DG0		BOLT, Transfer Case
	5086 342AA	8	7, 8				DBB		52105649ad
		8	7, 8				DG0		52853060ac
	5086 336AA	24	7, 8				DBB		52853061ac
6	5080 859AA	1	7, 8				DG0		BOLT, Hex Flange Head
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
7	5086 342AA	8	7, 8				DG0		BOLT, Transfer Case
		8	7, 8				DBB		52853061ac
		8	7, 8				DG0		52105646ad
		8	7, 8				DBB		52105649ad

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Case and Related Parts [DH1] Figure 271-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
8	6033 172	6	7, 8						NUT AND WASHER, Hex, .375-24
9	5086 341AA	1	7, 8				DG0		SEAL, Output Shaft 52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
10	4796 910	1	7, 8				DG0		VENT, Transfer Case 52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
11	6502 081	1	7, 8						CLAMP, Oil Cooler Line
12	HFV00 516AB	1	7, 8						HOSE, Fuel And Vapor, 25 Foot Roll 5/16"
13	4213 328	1	7, 8						VENT, Cap
14	5174 495AA	1	7, 8				DG0		FILTER, Transfer Case Oil 52853060ae
		1	7, 8				DBB		52105649af
		1	7, 8				DG0		52105646af
15	4338 943	1	7, 8				DG0		FILTER, Transfer Case Oil 52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
16	5086 329AA	1	7, 8				DG0		CONNECTOR, Oil Tube Pickup 52853060ac
		1	7, 8				DBB		52105646ad
		1	7, 8				DG0		52105649ad
		1	7, 8				DBB		52105649ad
17	5086 329AA	1	7, 8				DG0		CONNECTOR, Oil Tube Pickup 52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
18	5086 330AA	1	7, 8				DG0		TUBE, Oil Pickup 52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
19	5086 331AA	1	7, 8				DG0		TUBE, Oil Pickup 52853060ac


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Case and Related Parts [DH1]
Figure 271-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
20	4338 942	1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105649ad
		1	7, 8				DBB		52105649ad
									SEAL, Oil
		1	7, 8				DG0		52105646ad
21	3681 601	1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
									MAGNET, Transmission
		1	7, 8				DG0		52105646ad
22	4856 641	1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
									PLUG, Oil Fill
		1	7, 8				DG0		52105646ad [Drain]
23	4338 956	1	7, 8				DG0		52105646ad [Fill]
		2	7, 8				DBB		52105649ad
		2	7, 8				DG0		52853060ac
		2	7, 8				DBB		52853061ac
									SEAL, Vacuum Switch
24	5134 375AA	1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
									SWITCH, Transfer Case
25	4886 473AA	1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
									SCREW
26	4638 497	1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
									SPRING, Shift Detent
27	5300 8217	1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
									PLUNGER

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual


Case and Related Parts [DH1]
Figure 271-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
28	5086 340AA	1	7, 8				DBB		52853061ac
		1	7, 8				DG0		EXTENSION, Transfer Case
		1	7, 8				DBB		52105646ad
		1	7, 8				DG0		52105649ad
29	5086 335AA	1	7, 8				DBB		52853060ac
		2	7, 8				DG0		52853061ac
		2	7, 8				DBB		52853061ac
		2	7, 8				DG0		DOWEL, Transfer Case
		2	7, 8				DBB		52105646ad
		2	7, 8				DG0		52105649ad
		2	7, 8				DG0		52853060ac
		2	7, 8				DBB		52853061ac

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

Gear Train [DH1]
Figure 271-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes

[DBB] = All Manual Transmissions

[DG0] = All Automatic Transmissions

1	5086 315AA	1	7, 8				DG0		SEAL, Input 52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
2	5143 728AA	1	7, 8				DG0		SNAP RING 52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
3	5019 579AA	1	7, 8				DG0		PLATE 52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
4	5103 488AA	1	7, 8				DG0		BEARING, Input Gear 52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
5	5086 304AA	1	7, 8				DG0		SNAP RING 52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
6	5086 313AA	1	7, 8				DG0		THRUST WASHER, Planetary Carrier 52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
7	5086 311AA	1	7, 8				DBB		GEAR, Input 52853061ac
		1	7, 8				DBB		52105649ad
	5086 348AA	1	7, 8				DG0		52853060ac
		1	7, 8				DG0		52105646ad
8	5086 312AA	1	7, 8				DG0		BEARING, Input Shaft 52105649ad
		1	7, 8				DG0		


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train [DH1]
Figure 271-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
									THRUST WASHER, Planetary Carrier
	4338 908	1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
10									SLEEVE, Range Fork
	5086 316AA	1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
11		1	7, 8				DBB		52853061ac
	5086 333AB	1	7, 8				DG0		BEARING, Output Shaft
		1	7, 8				DBB		52853060ac
		1	7, 8				DBB		52853061ac
12		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
	5086 310AA	1	7, 8				DG0		PLANETARY, Transfer Case
		1	7, 8				DBB		52105646ad
13		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
									SLEEVE, Range Fork
	5086 316AA	1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
14									SNAP RING, Clutch Gear
	5080 503AA	2	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
15		2	7, 8				DBB		52105649ad
	4796 909	1	7, 8				DG0		SLEEVE, Mode Synchronizer
		1	7, 8				DBB		52105646ad
		1	7, 8				DG0		52105649ad
16		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
	5161 431AA	1	7, 8				DG0		CARRIER, Sprocket
									52105646ad

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Gear Train [DH1]
Figure 271-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
17	5086 326AA	1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		SPROCKET, Driven
18	5086 328AA	1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		CHAIN, Transfer Case
19	5161 429AA	1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
20	5086 338AA	1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
21	5086 333AB	1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
22	5086 334AA	1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
23	4269 189	1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
24	5161 432AA	1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

Gear Train [DH1]
Figure 271-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
25	5086 306AA	1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
									SNAP RING
		1	7, 8				DG0		52853060ac
26	4219 085	1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
									RING, Transmission
27	5103 489AA	1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
28	5086 343AA	1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
									SEAL, Output Shaft
29	5159 201AA	1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
									HUB, Synchronizer
30	5086 344AA	1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
31	4167 924	1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
32	5086 339AA	1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
									PUMP, Transfer Case Oil

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train [DH1] Figure 271-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1	7, 8				DBB		52105649ad

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Fork and Rails [DH1]
Figure 271-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes
[DBB] = All Manual Transmissions
[DG0] = All Automatic Transmissions


1	5086 352AA	1	7, 8				DG0		FORK, Range 52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
2	5086 318AA								PAD, Shift Fork
		2	7, 8				DBB		52853061ac
		2	7, 8				DG0		52853060ac
		2	7, 8				DG0		52105646ad
		2	7, 8				DBB		52105649ad
3	5086 319AA	1	7, 8				DG0		FORK, Mode 52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
4	4167 969	2	7, 8				DG0		PAD, Shift Fork 52853060ac
		2	7, 8				DBB		52853061ac
		2	7, 8				DG0		52105646ad
		2	7, 8				DBB		52105649ad
5	4219 073	1	7, 8				DG0		PAD, Shift Fork 52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
6	5086 320AA	1	7, 8				DG0		SPRING, Mode Fork 52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
7	5086 351AA	1	7, 8				DG0		SECTOR, Transfer Case 52105646ad
		1	7, 8				DBB		52105649ad
	5134 449AA	1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
8	5103 491AA	1	7, 8				DG0		SEAL, O-Ring 52853060ac
		1	7, 8				DBB		52853061ac

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Fork and Rails [DH1]
Figure 271-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	5103 492AA	1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		SUPPORT, Gearshift Lever
		1	7, 8				DBB		52853060ac
10	5086 353AA	1	7, 8				DG0		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
		1	7, 8				DG0		SPACER
11	5080 227AA	1	7, 8				DG0		52853060ac
		1	7, 8				DBB		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad
12	S243 6163	1	7, 8				DG0		LEVER, Transfer Case
		1	7, 8				DBB		52853060ac
		1	7, 8				DG0		52853061ac
		1	7, 8				DG0		52105646ad
13	6030 310	1	7, 8				DBB		52105649ad
		1	7, 8				DG0		NUT
		1	7, 8				DBB		52853060ac
		1	7, 8				DG0		52853061ac
		1	7, 8				DG0		52105646ad
		1	7, 8				DBB		52105649ad

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gearshift Controls and Skid Plate
Figure 271-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes									
[DDP] = Five Speed Manual Transmission									
[DEE] = Six Speed Heavy Duty Manual Transmission									
[DEG] = Six Speed Manual Transmission									
[DG0] = All Automatic Transmissions									
1	52105 551AB	1	7, 8						SHIFTER, Transfer Case
2	52105 582AA	1	2, 3						PLATE, Transfer Case Shifter
3	6102 141AA	4	7, 8						SCREW, M6x1x25
4	6505 727AA	1	7, 8						SCREW, Hex Head
5	52105 550AA	1	7, 8						LEVER, Transfer Case
6	55366 043AA	1	7, 8						BOOT, Gearshift
7	5210 4174	1	7, 8						KNOB, Gearshift
8	6502 556	1	7, 8						NUT, Hex, M10-1.5
9	5210 5001	1	7, 8						INSERT, Gearshift Knob
10									ROD, Gear Shift Control, Transfer Case
	52105 555AA	1	7, 8				DDP		
	52105 580AA	1	7, 8				DEE		
	55366 066AA	1	7, 8				DEG, DG0		
11	J018 0077	1	7, 8						BOLT, Hex Head, .312-18x.75
12									CLAMP, Shift Rod, (NOT SERVICED) (Not Serviced)
13	52022 047AB	1	7, 8						SKID PLATE, Transfer Case
14	6507 342AA	8	7, 8						SCREW, M8x1.25x30

DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EZA = 5.7L HEMI Magnum V8		DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		ETH = 5.9LD Cummins HO		DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)				DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)				DEE = 6 Spd. Manual (5600)			
						DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Group – 273






Transfer Case Model 273 [DH3]

GROUP 273 - Transfer Case Model 273 [DH3]

Illustration Title Group-Fig. No.

Transfer Case Assembly	
Transfer Case Assembly [DH3]	Fig. 273-110
Case and Related Parts	
Case and Related Parts [DH3]	Fig. 273-210
Gear Train	
Gear Train [DH3]	Fig. 273-410
Fork and Rails	
Fork and Rail [DH3]	Fig. 273-910
Gearshift Controls	
Gearmotor and Skid Plate	Fig. 273-1210




273-100 Transfer Case Assembly	273-200 Case and Related Parts	273-400 Gear Train	273-900 Fork and Rails
			
273-1200 Gearshift Controls			
			

Transfer Case Assembly [DH3]
Figure 273-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTES: Sales Codes
[DBB] = All Manual Transmissions
[DG0] = All Automatic Transmissions
1 TRANSFER CASE, nvg273

52105 650AD	1	7, 8					DG0		
52105 651AD	1	7, 8					DBB		



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Case and Related Parts [DH3] Figure 273-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DEE] = Six Speed Heavy Duty Manual Transmission									
[DG0] = All Automatic Transmissions									
[ET0] = All 5.9L and 6.7L Diesel Engines									
1	5086 302AB	1	7, 8				DG0		CASE, Transfer Front
		1	7, 8				DBB		52105650ad
		1	7, 8				DG0		52105651ad
		1	7, 8				DG0		52105650af
2	5080 859AA	1	7, 8				DBB		52105651af
		1	7, 8				DBB		BOLT, Hex Flange Head
3	4219 065	1	7, 8				DG0		SNAP RING, Annulus Gear
		1	7, 8				DBB		
4	5086 332AA	1	7, 8				DG0		CASE, Transfer Rear
		1	7, 8				DBB		52105650ad
	5086 332AB	1	7, 8				DG0		52105651ad
		1	7, 8				DG0		52105650af
		1	7, 8				DBB		52105651af
5	5086 335AA	2	7, 8				DG0		DOWEL, Transfer Case
		2	7, 8				DBB		
6	6033 172	6	7, 8						NUT AND WASHER, Hex, .375-24
7	5086 341AA	1	7, 8				DG0		SEAL, Output Shaft
		1	7, 8				DBB		
8	4796 910	1	7, 8				DG0		VENT, Transfer Case
		1	7, 8				DBB		
9	6502 081	1	7, 8						CLAMP, Oil Cooler Line
10	HFV00 516AB	1	7, 8						HOSE, Fuel And Vapor, 25 Foot Roll
11	4213 328	1	7, 8						5/16"
12	5174 495AA	1	7, 8				DG0		VENT, Cap
		1	7, 8				DBB		FILTER, Transfer Case Oil
13	4338 943	1	7, 8				DG0		FILTER, Transfer Case Oil
		1	7, 8				DBB		
14									CONNECTOR, Oil Tube Pickup


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Case and Related Parts [DH3]
Figure 273-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	4338 944	1	7, 8				DG0		
		1	7, 8				DBB		
15	5086 331AA	1	7, 8				DG0		TUBE, Oil Pickup
	5086 330AA	1	7, 8				DBB		
16	5086 329AA	1	7, 8				DG0		CONNECTOR, Oil Tube Pickup
		1	7, 8				DBB		
17	5086 330AA	1	7, 8				DG0		TUBE, Oil Pickup
		1	7, 8				DBB		
18	4338 942	1	7, 8				DG0		SEAL, Oil
		1	7, 8				DBB		
19	3681 601	1	7, 8				DG0		MAGNET, Transmission
		1	7, 8				DBB		
20	4856 641	2	7, 8				DG0		PLUG, Oil Fill
		2	7, 8				DBB		
21	4886 473AA	1	7, 8				DG0		SCREW
		1	7, 8				DBB		
22	4338 956	1	7, 8				DG0		SEAL, Vacuum Switch
		1	7, 8				DBB		
23	5019 538AA	1	7, 8				DG0		SPRING, Poppet Plunger
		1	7, 8				DBB		
24	5300 8217	1	7, 8				DG0		PLUNGER
		1	7, 8				DBB		
25	8350 3512	1	7, 8				DG0		WASHER, Flat
		1	7, 8				DBB		
26	5080 859AA	1	7, 8				DG0		BOLT, Hex Flange Head
		1	7, 8				DBB		
27	5086 570AA	6	7, 8				DG0		STUD
		6	7, 8				DBB		
28									EXTENSION, Transfer Case

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Case and Related Parts [DH3]
Figure 273-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
29	5086 340AA	1	7, 8				DG0		BOLT
		1	7, 8				DBB		
	5019 465AA	3	7, 8				DG0		
		3	7, 8				DBB		
30	5080 859AA	1	7, 8				DG0		BOLT, Hex Flange Head
		1	7, 8				DBB		
31	5300 8550	2	7, 8			ET0	DEE		CLIP
32	5086 336AA	24	7, 8				DG0		BOLT, Transfer Case
		24	7, 8				DBB		

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train [DH3]
Figure 273-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DG0] = All Automatic Transmissions									
1	5086 314AA	1	7, 8				DG0		SNAP RING
		1	7, 8				DBB		
2	4338 910	1	7, 8				DG0		SNAP RING
		1	7, 8				DBB		
3	5103 488AA	1	7, 8				DG0		BEARING, Input Gear
		1	7, 8				DBB		
4	5019 579AA	1	7, 8				DG0		PLATE
		1	7, 8				DBB		
5									THRUST WASHER, Planetary Carrier
	5086 313AA	1	7, 8				DG0		
		1	7, 8				DBB		
6	5086 348AA	1	7, 8				DG0		GEAR, Input
	5086 311AA	1	7, 8				DBB		
-7	5086 312AA-	1	7, 8				DG0		BEARING, Input Shaft
		1	7, 8				DBB		
8									THRUST WASHER, Planetary Carrier
	4338 908	1	7, 8				DG0		
		1	7, 8				DBB		
9	5103 488AA	1	7, 8				DG0		BEARING, Input Gear
		1	7, 8				DBB		
10	5086 310AA	1	7, 8				DG0		PLANETARY, Transfer Case
		1	7, 8				DBB		
11	5086 316AA	1	7, 8				DG0		SLEEVE, Range Fork
		1	7, 8				DBB		
12	5080 503AA	2	7, 8				DBB		SNAP RING, Clutch Gear
		2	7, 8				DG0		
13									SLEEVE, Mode Synchronizer

DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EZA = 5.7L HEMI Magnum V8		DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		ETH = 5.9LD Cummins HO		DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)				DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)				DEE = 6 Spd. Manual (5600)			
						DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train [DH3]
Figure 273-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
14	4796 909	1	7, 8				DG0		CLUTCH, Oneway
		1	7, 8				DBB		
	5086 324AA	1	7, 8				DG0		
		1	7, 8				DBB		
15	5161 431AA	1	7, 8				DG0		CARRIER, Sprocket
		1	7, 8				DBB		
16	5086 326AA	1	7, 8				DG0		SPROCKET, Driven
		1	7, 8				DBB		
17	5086 328AA	1	7, 8				DG0		CHAIN, Transfer Case
		1	7, 8				DBB		
18	5161 429AA	1	7, 8				DG0		MAINSHAFT, Transfer Case
		1	7, 8				DBB		
19	5086 333AB	1	7, 8				DG0		BEARING, Output Shaft
		1	7, 8				DBB		
20	5086 334AA	1	7, 8				DG0		SNAP RING
		1	7, 8				DBB		
21	5086 338AA	1	7, 8				DG0		SNAP RING
		1	7, 8				DBB		
22	4269 189	1	7, 8				DG0		BEARING, Output Shaft
		1	7, 8				DBB		
23	5161 432AA	1	7, 8				DG0		OUTPUT SHAFT, Transfer Case
		1	7, 8				DBB		
24	5086 306AA	1	7, 8				DG0		SNAP RING
		1	7, 8				DBB		
25	5103 489AA	1	7, 8				DG0		BEARING, Output Shaft
		1	7, 8				DBB		
26	4219 085	1	7, 8				DG0		RING, Transmission
		1	7, 8				DBB		
27									SEAL, Output Shaft

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gear Train [DH3]
Figure 273-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 343AA	1	7, 8				DG0		
		1	7, 8				DBB		
28	5086 325AA	1	7, 8				DG0		HUB, Synchronizer Mode
29	5086 315AA	1	7, 8				DG0		SEAL, Input
		1	7, 8				DBB		
30	5086 344AA	1	7, 8				DG0		FLANGE, Driveshaft Yoke
		1	7, 8				DBB		
31									NUT, Transfer Case Yoke
	4167 924	1	7, 8				DG0		
		1	7, 8				DBB		
32									PUMP, Transfer Case Oil
	5086 339AA	1	7, 8				DG0		
		1	7, 8				DBB		
33									SEAL, Main Shaft
	4210 603	1	7, 8				DG0		
		1	7, 8				DBB		
34	5159 201AA	1	7, 8				DBB		HUB, Synchronizer

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Fork and Rail [DH3]
Figure 273-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DG0] = All Automatic Transmissions									
1	5086 317AA	1	7, 8				DG0		FORK, Range
		1	7, 8				DBB		
2	5086 318AA	2	7, 8				DBB		PAD, Shift Fork
		2	7, 8				DG0		
3	5086 319AA	1	7, 8				DG0		FORK, Mode
		1	7, 8				DBB		
4	4167 969	2	7, 8				DG0		PAD, Shift Fork
		2	7, 8				DBB		
5	4219 073	1	7, 8				DG0		PAD, Shift Fork
		1	7, 8				DBB		
6	5086 320AA	1	7, 8				DG0		SPRING, Mode Fork
		1	7, 8				DBB		
7	5086 309AA	1	7, 8				DG0		SECTOR, Transfer Case
		1	7, 8				DBB		
8	4167 963	1	7, 8				DG0		SEAL, O-Ring
	4167 964	1	7, 8				DBB		
9	4167 964	1	7, 8				DBB		SEAL, O-Ring
		1	7, 8				DG0		
10	5103 491AA	1	7, 8				DBB		SEAL, O-Ring
		1	7, 8				DG0		
11	5103 512AA	1	7, 8				DG0		ADAPTER
		1	7, 8				DBB		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Gearmotor and Skid Plate
Figure 273-1210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

NOTES: Sales Codes									
[DBB] = All Manual Transmissions									
[DG0] = All Automatic Transmissions									
1	52105 582AA	1	7, 8						PLATE, Transfer Case Shifter
		1	2, 3						
2	6102 141AA	4	2, 3						SCREW, M6x1x25
3	52022 047AB	1	7, 8						SKID PLATE, Transfer Case
4	6507 342AA	8	7, 8						SCREW, M8x1.25x30
5	5086 345AA	1	7, 8				DBB		GEAR MOTOR, Transfer Case
		1	7, 8				DG0		
6	5019 465AA	3	7, 8				DG0		BOLT
		3	7, 8				DBB		

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Group – 022

Wheels, Covers and Jacks

GROUP 22 - Wheels, Covers and Jacks

Illustration Title Group-Fig. No.

Wheels and Hardware


Wheels And Hardware Fig. 022-130




Jack Stowage

Jack And Stowage Fig. 022-340


Spare Tire Stowage

Wheel, Spare Underslung Mounting Fig. 022-430



<div>022-100</div> <div>Wheels and Hardware</div> <div></div>	<div>022-300</div> <div>Jack Stowage</div> <div></div>	<div>022-400</div> <div>Spare Tire Stowage</div> <div></div>	
--	---	--	--

Wheels And Hardware
Figure 022-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									WHEEL, Steel
	52121 267AA	1	3, 8		42, 62				[WF1], With [WLA], Spare
	52121 325AA	1							[WF1], Without [WLA]
	ZZ23 S4AAA	6	3, 8		42, 62				[WFU]
	52110 366AB	4							[WGS]
	52121 267AA	6	3, 8		42, 62				[WD4]
	5GY15 S4AAA	4							[WD2]
2									WHEEL, Aluminum
	52122 367AA	4	7		41, 62				[WFF]
	5JG15 PAKAB	4							[WD3]
	52013 663AA	4							[WGD]
-3	6034 726	32	3, 8		42, 62				NUT, Hex Flange, .56-18
-4	6034 727	32							NUT, Hex, .516-18
5	2530 153	2	3, 8		42, 62				STEM, Wheel Valve, With [WLA]
6									CAP, Wheel Center, Chrome
	52106 876AA	2	3, 8		42, 62				[WD4,WMG,WMJ], Front
	52106 877AA	2	3, 8		42, 62				[WD4,WMG,WMJ], Rear
7									CAP, Wheel Center, Chrome
	52106 937AA	2	3, 8		42, 62				[WD4,WMG,WMJ] Wheel Skin, Front
	52106 882AA	2	3, 8		42, 62				[WD4,WMG,WMJ] Wheel Skin, Rear
8									CAP, Wheel Center, Argent
	XY18 PAKAB	4							[WD2,WD3,WMJ]
	1AB03 S4AAA	2	3, 8		42, 62				[WFU], Front
	1AB04 S4AAA	2	3, 8		42, 62				[WFU], Rear
9	52121 450AB	4							CAP, Wheel Center, [WGD,WFF, WGS]
10									WEIGHT, Balance, Perf Part, (NOT SERVICED) (Not Serviced)
-11	52121 073AA-	1	3, 8						ADAPTER, Wheel Nut
-12									RETAINER, Hub Nut
	5086 804AA-	2	2, 3						
		2	7, 8						


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Jack And Stowage Figure 022-340

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BRACKET AND LOCATOR, Jack Stowage
	52110 479AB	1	3, 8						
	52110 480AA	1	2, 7						
-2									WRENCH, Wheel Lug Nut
	52021 647AA-	1	3, 8						
		1	2, 7						
3	6506 759AA	2							SCREW, Jack
4									EXTENSION KIT, JACK HANDLE
	5072 841AB	1	2, 7						
		1	3, 8						
5	52021 663AA	1							WINGSCREW, M6X1.25X65.00
6									JACK
	52021 288AB	1	2, 7						
	52021 289AA	1	3, 8						
-7									BRACKET AND LOCATOR, Jack Stowage
	52110 479AB-	1	3, 8						
	52110 480AA-	1	2, 7						




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Wheel, Spare Underslung Mounting
Figure 022-430

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52020 568AC	1							WINCH, Spare Tire Carrier
2	6102 153AA	2							SCREW, Tapping, M8x20
3	52021 649AA	1							GROMMET, Spare Tire Winch Tube
4									PIN, [.625 SHAFT 2.50], (NOT SERVICED) (Not Serviced)
5	52020 572AA	1							TUBE, Winch Actuator
6	52021 669AB	1							GROMMET, Spare Tire Winch Tube



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005



Group – 23D

Wiper/Lock Cylinder and Keys


GROUP 23D - Wiper/Lock Cylinder and Keys

Illustration Title	Group-Fig. No.
Lock Cylinders and Keys	
Lock Cylinders & Components	Fig. 23D-110
Windshield Wiper and Washer Systems	
Windshield Wiper & Washer	Fig. 23D-230



23D-100 Lock Cylinders and Keys	23D-200 Windshield Wiper and Washer Systems		
			

Lock Cylinders & Components
Figure 23D-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									KEY, Blank
	5018 689AA	1							
	5018 690AB	1							GXX
-2	5018 343AA-	1			41				KEY, Master
3	5018 702AA	1							CYLINDER, Ignition Lock
4	5010 879AA	1							TUMBLER, Ignition Number 1, Sidebar
5	5010 880AA	1							TUMBLER, Ignition Number 2, Sidebar
6	5010 881AB	1							TUMBLER, Ignition Number 3, Sidebar
7	5010 882AB	1							TUMBLER, Ignition Number 4, Sidebar
8	5010 883AB	1							SPRING, Ignition Tumbler, Sidebar
9									CYLINDER, Door Lock
	5073 357AB	1							Left side door
	5073 356AA	1							Right side door
10	4778 117AB	1							TUMBLER, Door and Deck Number 1, Wide
11	4778 118AB	1							TUMBLER, Door and Deck Number 2, Wide
12	4778 119AB	1							TUMBLER, Door and Deck Number 3, Wide
13	4778 120AB	1							TUMBLER, Door and Deck Number 4, Wide
14	4778 121	1							SPRING, Door and Deck Tumbler
15	4778 149	1							CAP, Door Lock Cylinder, Bright
16	5019 605AA	1							SHUTTER, Lock Cylinder
17	5071 039AA	1							LEVER, Door Lock
18	4686 481AC	2							TRANSMITTER, Keyless Entry
-19	56045 755AB-	1							RECEIVER, Keyless Entry
20	8350 4802	2							BATTERY, Transmitter
-21									RETAINER, Lock Rod
	5071 063AA-	1							
	5071 155AA-	1							GXX
-22	6035 412	2							SCREW, Door Lock Cylinder to Handle Attaching
-23	4886 260AB-	1							SENSOR, Shock, With Terminals

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Windshield Wiper & Washer
Figure 23D-230

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									BLADE, Wiper
	55077 100AC	1							Left
	55077 100AB	1							Right
2									ARM, Wiper
	55077 132AC	1							Right
	55077 133AC	1							Left
3	55077 098AG	1							MODULE, Wiper
4									SCREW AND WASHER, Hex Head Tapping, .25-14x1
	6035 424	1							
		2							
5	55077 476AC	1							RESERVOIR, Washer
6	55077 261AA	1							CAP, Washer Reservoir
7	5103 452AA	1							PUMP, Washer, Windshield
8									SENSOR, Washer Fluid Level
	55077 351AA	1							[ET0]
	55077 484AA	1							[EZ0]
9	55056 006AE	1							PANEL, Cowl Top
10	6505 411AA	6							PIN, Push
11	6034 912	4							SCREW, Pan Head, .19-16x.75
-12	5011 809AA-	1							GROMMET, Windshield Washer
									Pump
-13	5013 755AA-	1							GROMMET, Washer Level Sensor
-14	55077 248AA-	1							HOSE AND NOZZLE, WINDSHIELD
-15	55077 255AB-	2							NOZZLE, Washer, Windshield

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – 024

Air Conditioning & Heater

GROUP 24 - Air Conditioning & Heater

Illustration Title Group-Fig. No.

Air Conditioner and Heater Units

Air Conditioner And Heater Unit [HAA]	Fig. 024-110
Air Conditioner And Heater Unit [HAD]	Fig. 024-120

Air Conditioner and Heater Plumbing

Plumbing Air Conditioning	Fig. 024-220
Air Conditioning Condenser and Fan	Fig. 024-230
Plumbing, Heater 5.7L Engine	Fig. 024-255
Plumbing, Cabin Heater Diesel Engine	Fig. 024-265
Plumbing, Heater Diesel Engine	Fig. 024-280

Air Conditioner and Heater Controls

Controls Heater and Air Conditioning	Fig. 024-310
--------------------------------------	--------------

Air Conditioning Compressor


Compressor	Fig. 024-410
------------	--------------

Air Conditioning Compressor Mounting

Mounting, Compressor 5.7L Engine	Fig. 024-510
Mounting, Compressor Diesel Engine	Fig. 024-540


Air Ducts and Outlets

Air Ducts	Fig. 024-630
-----------	--------------



024-100 Air Conditioner and Heater Units 	024-200 Air Conditioner and Heater Plumbing 	024-300 Air Conditioner and Heater Controls 	024-400 Air Conditioning Compressor
024-500 Air Conditioning Compressor Mounting 	024-600 Air Ducts and Outlets 		

Air Conditioner And Heater Unit [HAA] Figure 024-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5073 955AB	1							CASE, Heater And A/C Unit
2	5127 758AA	1							CASE, Heater And A/C Unit
3	5073 957AA	2							CASE, Heater And A/C Unit
4	5073 958AA	1							CASE, Heater And A/C Unit
5	5073 959AA	1							COVER, A/C and Heater
-6	5086 718AA-	1							DOOR KIT, A/C And Heater
-7	5073 960AB-	1							CASE, Heater And A/C Unit
8	5073 963AA	1							DOOR, Panel
-9	5086 921AA-	2							SPRING
10	5019 632AA	3							COUPLING, Air Conditioning Flange, Rubber
11	5073 961AA	1							DUCT, A/C And Heater
12	5073 992AA	2							DOOR
13	4746 573	2							SEAL, Blower Motor
14	5073 962AA	1							DOOR, Recirculation
15	5073 964AA	1							DOOR, Defroster
16	4720 029	2							CLIP, Fresh Air Door
17	5073 965AA	1							CLIP, Motor
18	5073 966AA	1							SHAFT
19	5073 967AA	1							CLIP, Link
20									PACKING, 05142321aa, (NOT SERVICED) (Not Serviced)
21									PACKING, 05142326aa, (NOT SERVICED) (Not Serviced)
22	5019 631AA	4							SERVO, A/C Temperature Door
23	5096 255AA	1							MOTOR, Blower, With Wheel
24	4720 278	1							RESISTOR, Blower Motor
25	5073 994AA	1							HARNES
26	4720 032	2							STUD, A/C Heater Housing
27	4720 533	46							SCREW, Heater Housing
28	5073 970AA	1							EVAPORATOR, Air Conditioning
-29									EVAPORATOR, Air Conditioning, 05140726aa, (NOT SERVICED) (Not Serviced)
-30									SENSOR, Evaporator Fin Probe, 05140727aa, (NOT SERVICED) (Not Serviced)
31	5073 969AA	1							INSULATOR
32	5073 971AA	1							CORE, Heater
33	5073 972AA	1							CLAMP, Heater Core
34	5073 973AA	1							PACKING
35	5073 974AA	1							PACKING

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Air Conditioner And Heater Unit [HAA]
Figure 024-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
36	5073 975AA	1							PACKING
37	5073 976AA	1							PACKING
38	5073 978AA	1							PACKING
39	4746 573	2							SEAL, Blower Motor
40	6101 442	1							U-NUT, M6 x 1.00, M6x1.00
41	5073 979AA	2							PACKING

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

Air Conditioner And Heater Unit [HAD] Figure 024-120



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5073 955AB	1							CASE, Heater And A/C Unit
2	5127 758AA	1							CASE, Heater And A/C Unit
3	5073 957AA	2							CASE, Heater And A/C Unit
4	5073 958AA	1							CASE, Heater And A/C Unit
5	5073 959AA	1							COVER, A/C and Heater
-6	5086 718AA-	1							DOOR KIT, A/C And Heater
-7	5073 960AB-	1							CASE, Heater And A/C Unit
8	5073 963AA	1							DOOR, Panel
-9	5086 921AA-	2							SPRING
10	5019 632AA	3							COUPLING, Air Conditioning Flange, Rubber
11	5073 961AA	1							DUCT, A/C And Heater
12	5073 985AA	2							DOOR
13	5073 984AA	2							DOOR
14	5073 962AA	1							DOOR, Recirculation
15	5073 964AA	1							DOOR, Defroster
16	5073 982AA	1							PLATE
17	5073 981AA	1							PLATE
18	5073 965AA	1							CLIP, Motor
19	5073 966AA	1							SHAFT
20	5073 967AA	1							CLIP, Link
21	5073 983AA	1							SERVO, Mode Door, With Bracket
22	5019 631AA	4							SERVO, A/C Temperature Door
23	5096 255AA	1							MOTOR, Blower, With Wheel
24	4720 278	1							RESISTOR, Blower Motor
25	5073 980AA	1							HARNESS
26	4720 032	2							STUD, A/C Heater Housing
27	4720 533	46							SCREW, Heater Housing
28	5073 970AA	1							EVAPORATOR, Air Conditioning
29	5073 969AA	1							INSULATOR
30	5073 971AA	1							CORE, Heater
31	5073 972AA	1							CLAMP, Heater Core
32	5073 973AA	1							PACKING
33	5073 974AA	1							PACKING
34	5073 975AA	1							PACKING
35	5073 976AA	1							PACKING
36	5073 978AA	1							PACKING
37	4746 573	2							SEAL, Blower Motor
38	6101 442	1							U-NUT, M6 x 1.00, M6x1.00
39	5073 979AA	2							PACKING
40	5142 321AA	1							PACKING
41	5142 326AA	1							PACKING

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Air Conditioner And Heater Unit [HAD] Figure 024-120




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
42	5142 318AA	1							PACKING

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Plumbing Air Conditioning
Figure 024-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code EK0 = 3.7L Engine									
Note: Sales Code EV0 = 4.7L Engine									
Note: Sales Code EM0 = 5.9L Engine									
1	6101 445	1							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
2	55057 044AC	1				EZ0			LINE, A/C Suction & Discharge
	55056 936AC	1				ET0			
3	5073 618AA	1				EZ0			O RING, Condenser
4	5096 084AA	1				EZ0			TRANSDUCER, Air Conditioning
5	5073 260AA	1				EZ0			CAP
6	5011 346AA	1				EZ0			VALVE CORE, Service Port
7									CONDENSER, A/C
	5072 993AA	1				EZ0			
	55056 594AA	1				ET0			
8	55056 238AA	2							CLIP, A/C Quick Disconnect
9	55055 960AB	1							LINE, A/C Liquid
10									CLIP, Wiring
	55056 131AB	4				EZ0			
		1				ET0			
11									LINE, A/C Liquid
	55056 020AC	1				EZ0			
	55056 541AB	1				ET0			
12	55055 963AC	1							ACCUMULATOR, Suction and Discharge Line
13	55056 239AA	2							CLIP, A/C Quick Disconnect
-14	5093 526AA-	1				EZ0			O RING, 5/8"
-15	55057 045AD-	1				EZ0			LINE, A/C Discharge
-16	55056 238AA-	2							CLIP, A/C Quick Disconnect


DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY	ENGINE	TRANSMISSION					
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)					
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)					
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)					
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)					
				DEG = 6 Spd. Manual					

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONDENSER, A/C
	5072 993AA	1				EZ0			
	55056 594AA	1				ET0			
2	5103 464AA	4				EZ0			SHROUD, Condenser, Fan Assy.
3									SCREW, Hex Head, M8x1.25x55, (NOT SERVICED) (Not Serviced)
4									SCREW, Hex Flange Head, M8x1. 25x23, (NOT SERVICED) (Not Serviced)
5	5103 465AA	1				EZ0			MOTOR, Condenser Fan
-6	5104 787AA-	1				EZ0			FAN, Condenser



AR = Use as required - = Non illustrated part # = New this model year


Plumbing, Heater 5.7L Engine
Figure 024-255



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55057 236AD	1				EZ0			HOSE, Heater
2	55057 236AD	1				EZ0			HOSE, Heater

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Plumbing, Cabin Heater Diesel Engine
 Figure 024-265



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5086 824AA	1				ETH			COUPLING, Elbow Hose
2	4429 568	3				ETH			PLUG, Pipe
3	4429 369	1				ETH			PLUG, Pipe
4	5086 818AA	1				ETH			HOSE
5	4429 862	1				ETH			NUT, Hex Flange, M10x1.5
6	4429 316	2				ETH			NUT
7	5086 819AA	4				ETH			CLAMP, Hose
8	5086 823AA	1				ETH			TUBE, Heater [DBB]
	5093 091AB	1				ETH			[DG0]
9	5086 822AB	1				ETH			HOSE
10	5093 491AA	1				ETH			COUPLING, Hose
11	5086 823AA	1				ETH			TUBE, Heater


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Plumbing, Heater Diesel Engine
Figure 024-280

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55056 507AC	1				ET0			HOSE, Heater
2	55037 607AC	1				ET0			HOSE, Heater




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Controls Heater and Air Conditioning
Figure 024-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CONTROL, Air Conditioning
	55056 323AC	1							[HAD]
	55056 321AC	1							[HAA], With [GVB]
	55056 322AC	1							[HAA], Without [GVB]
	55057 100AC	1							[HCA]
-2	5013 815AA-	1							BULB AND SOCKET, Heater and A/C Control
3	5073 373AA	1							KNOB, A/C And Heater Control - Rotary
-4	6101 945	4							SCREW





DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Compressor
Figure 024-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code:

[EV0] = All 4.7L 8 Cyl Gas Engines

[EM0] = All 5.9L 8 Cyl Gas Engines

[EK0] = All 3.7L 6 Cyl Gas Engines


[ET0] Diesel

1									COMPRESSOR, Air Conditioning, With Clutch
	55055 339AI	1				ET0			
	55056 336AB	1				EZ0			
2	5016 127AA	1				ET0			CLUTCH, A/C Compressor
-3	5135 972AA-	1				EZ0			CLUTCH OVERHAUL KIT, A/C Compressor, Kit Consists of washers and snap rings

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Mounting, Compressor 5.7L Engine Figure 024-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SCREW AND WASHER, Hex Head, M8x1.25x35, (NOT SERVICED) (Not Serviced)
2	6506 688AA	1				EZ0			SCREW AND WASHER, Hex
-3	6506 723AA-	1				EZ0			STUD, Double Ended

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Mounting, Compressor Diesel Engine
Figure 024-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Note: Sales Code ET0 = 5.9L Diesel Engine


1	5093 120AA	1				ETH			CONNECTOR, Water Inlet
2									SCREW, (M8x1.25x100, (NOT SERVICED) (Not Serviced)

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Air Ducts
Figure 024-630



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5GT31 WL8AA	1							COVER, Instrument Panel
	5GT31 XDVAA	1							[L5]
2	WP33 WL5AA	1							OUTLET, Air
	WP33 XDVAA	1							[L5]
3	WP34 1DVAA	1							OUTLET, Air
	WP34 1L5AA	1							[DV]
-4	5080 598AA-	1							DUCT, Demister
	5080 599AA-	1							Right
5	WL88 1DVAA	1							Left
	WL88 1L5AA	1							GRILLE, Demister
	WL89 1DVAA	1							[DV], Right
	WL89 1L5AA	1							[L5], Right
6	WP36 1DVAA	1							[DV], Left
	WP36 1L5AA	1							[L5], Left
	WP37 1DVAA	1							OUTLET, Air
	WP37 1L5AA	1							[DV], Right
7	55055 978AA	1							[L5], Right
8	55056 045AA	1							[DV], Left
-9	5080 590AA-	1							[L5], Left
10	6101 945	4							ADAPTER, A/C And Heater Unit
									ADAPTER, Defroster Duct
									DUCT, Defroster
									SCREW

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – 025

Emission Systems

GROUP 25 - Emission Systems

Illustration Title Group-Fig. No.

EGR Systems

EGR System Fig. 025-205

Vacuum Canister


Vacuum Canister, 5.7L [EZ0] Fig. 025-310




Emission Harness

Emission Control Vacuum Harness, 5.7 [EZ0] Fig. 025-410


Vacuum Pump Plugs Fig. 025-415

Leak Detection Pump, Fig. 025-420



025-200 EGR Systems	025-300 Vacuum Canister	025-400 Emission Harness	
			

EGR System
Figure 025-205




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	6102 230AA	2				EZ0			SCREW, m8x1.25x22.00
2	53032 739AA	1				EZ0			COVER, EGR Valve, This also contian Item #1 and #6
3	4891 312AA	1				EZ0			ISOLATOR AND SEAL, EGR Blocker
4	4591 251AB	1				EZ0			CLIP, Emission
5	4591 250	1				EZ0			SEAL, EGR Tube
6	53032 212AA	1				EZ0			GASKET, EGR Valve

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Vacuum Canister, 5.7L [EZ0]
Figure 025-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	53032 052AC	1				EZA			HOSE, Vapor Canister Pass Thru
2	3820 667	1				EZA			CAP, Vapor Canister
3	6100 048	3				EZ0			NUT, Hex, M6x1.00
4	53032 172AB	1				EZA			BRACKET, Vapor Canister
5	5303 0837	1				EZA			CANISTER, Vapor
6	53031 584AC	1				EZA			CANISTER, Fuel Vapor
7	52102 872AA	1	2, 3			EZA			COVER, Vapor Canister
		1	7, 8			EZA			
8									SCREW, M6x1.00x11.00, (NOT SERVICED) (Not Serviced)
-9	52121 313AB-	1			41	EZA			HARNESS, Vapor Canister Purge
		1			42	EZA			
		1			62	EZA			

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

Emission Control Vacuum Harness, 5.7 [EZ0]
Figure 025-410




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52121 036AE	1				EZA			HARNESS, Vapor Purge
2	4669 569	1				EZA			SOLENOID, Proportional Purge
3	52121 114AA	1				EZA			BRACKET, Proportional Purge Solenoid
4	52121 035AD	1				EZA			HARNESS, Vacuum Emission
5	52121 115AB	1				EZA			HARNESS, Proportional Purge Solenoid
-6	6035 625	2				EZ0			SCREW
-7									ELBOW, Vapor Tube Harness, .25x. 25 90 Degree
	4275 637	1			41	EZA			
		1			42	EZA			
		1			62	EZA			

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Vacuum Pump Plugs

Figure 025-415


[illegible]

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Leak Detection Pump,
Figure 025-420



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	52102 793AA	1				EZA			HOSE, Leak Detection Pump to
2	4891 427AB	1				EZA			Canister
3	6503 343	1				EZA			DETECTOR, Natural Vacuum Leak
4	52121 100AA	1				EZA			Detection
5									SCREW
6	53013 376AB	1				EZ0			HOSE, Filter to NVLD
7	53032 052AC	1				EZA			SCREW, M6x1.00x11.00, [M6X1.
8	3820 667	1				EZA			00X11.00], (NOT SERVICED) (Not
9	6100 048	2							Serviced)
10	53032 172AB	1				EZA			FILTER, Leak Detection Pump
11									HOSE, Vapor Canister Pass Thru
12	53031 584AC	1				EZA			CAP, Vapor Canister
13	5303 0837	1				EZA			NUT, Hex, M6x1.00
14									BRACKET, Vapor Canister
	52102 872AA	1	2, 3			EZA			SCREW, [M8X1.25X25.00], (NOT
		1	7, 8			EZA			SERVICED) (Not Serviced)
15									CANISTER, Fuel Vapor
-16	52121 099AA-	1				EZA			CANISTER, Vapor
-17	52107 851AA-	1				EZ0			COVER, Vapor Canister
									SCREW, [M6X1.00X11.00], (NOT
									SERVICED) (Not Serviced)
									BRACKET
									CLIP, Secures Leak Detcection
									Pump
									HOSE, Filter to NVLD
									CLAMP

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – DDH

Doors and Related Parts

GROUP DDH - Doors and Related Parts

Illustration Title Group-Fig. No.

Front Door

Door, Front Shell And Hinges	Fig. DDH-110
Door, Front Glass And Regulator	Fig. DDH-120
Door, Front Lock And Controls	Fig. DDH-130

Rear Door


Door, Rear Shell And Hinges	Fig. DDH-210
Door, Rear Glass And Regulator	Fig. DDH-220
Door, Rear Lock And Controls	Fig. DDH-230





Exterior Mirror

Mirrors, Exterior	Fig. DDH-510
-------------------------	--------------


Weatherstrips and Seals

Weatherstrips, Door Conventional Cab	Fig. DDH-610
Weatherstrips, Door Quad Cab	Fig. DDH-620



DDH-100 Front Door	DDH-200 Rear Door	DDH-500 Exterior Mirror	DDH-600 Weatherstrips and Seals
			

Door, Front Shell And Hinges
Figure DDH-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Front
	55275 852AG	1			41, 42				Right
	55275 853AG	1			41, 42				Left
	55276 054AG	1			62				Right
	55276 055AG	1			62				Left
2									PANEL, Front Door Outer Repair
	55275 856AB	1			41, 42				Right
	55275 857AB	1			41, 42				Left
	55276 056AC	1			62				Right
	55276 057AC	1			62				Left
3									HINGE, Door
	55275 630AB	1							Right,Upper
	55275 631AB	1							Left,Upper
4	55275 634AA	2							HINGE, Door, Lower
5	6101 809	1							NUT AND WASHER, Hex, M8x1.25
6	6503 538	12							SCREW AND WASHER, Hex Head, M8x1.25x30
7	6505 269AA	4							SCREW AND WASHER, Head Head Lock, M8-1.25x30.00
8	55256 920AC	4							WASHER, Flat
9	6504 804	4							STUD, M8-1.25x46

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Door, Front Glass And Regulator
Figure DDH-120

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Sales code : JPD = Power Windows

1									REGULATOR, Front Door Window
	55275 598AC	1							With [JPD], Right
	55275 599AC	1							With [JPD], Left
	55276 206AD	1							Without [JPD], Right
	55276 207AD	1							Without [JPD], Left
2	6504 055	4							SCREW, Hex Head, M6x1x16
3									NUT, M6X1.00, (NOT SERVICED) (Not Serviced)
-4	5HK37 DX9AB-	2							HANDLE, Window Regulator
5									CHANNEL, Front Door Glass Lower
	55275 942AC	1			41, 42				Right
	55275 943AC	1			41, 42				Left
	55276 836AB	1			62				Right
	55276 837AB	1			62				Left
6									CHANNEL, Front Door Glass Lower
	55276 128AD	1			41, 42				Right
	55276 129AD	1			41, 42				Left
	55276 444AD	1			62				Long, Right
	55276 445AD	1			62				Long, Left
7									GLASS, Front Door
	55276 602AC	1			41, 42				Right
	55276 603AC	1			41, 42				Left
	55276 600AD	1			62				Right
	55276 601AD	1			62				Left
8	6504 987AA	4			41, 42				SCREW AND WASHER, Tapping, M6-1.0x20.0


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Door, Front Lock And Controls Figure DDH-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55275 949AC	1							HANDLE, Front Door Exterior
	55275 948AC	1							Left
	55276 882AB	1							[-GXM], Right
									[GXM], Right
2									LINK, Outside Handle To Latch,
	55275 946AA	1			41, 42				Front Door
	55275 947AA	1			41, 42				Right
	55276 394AA	1			62				Left
	55276 395AA	1			62				Right
3									LINK, Key Cylinder To Latch
	55276 142AA	1			41, 42				Right
	55276 143AA	1			41, 42				Left
	55276 392AA	1			62				Right
	55276 393AA	1			62				Left
4									LATCH, Front Door
	55276 888AB	1			41, 42				[JPB+GXM], Right
	55276 883AB	1			62				[JPB+GXM], Left
	55276 584AE	1			62				[JPB-GXM], Right
	55276 790AF	1			41, 42				[JPB-GXM], Left
	55276 585AE	1			62				[JPB], Right
	55276 791AF	1			41, 42				[JPB], Left
	55276 586AD	1			62				[-JPB], Right
	55276 587AD	1			62				[-JPB], Left
	55276 792AE	1			41, 42				[-JPB], Right
	55276 793AE	1			41, 42				[-JPB], Left
5	6101 443	4							NUT AND WASHER, Hex, M5x.80
6									LINK AND SLEEVE, INSIDE
	55275 944AB	1			41, 42				REMOTE
	55275 945AB	1			41, 42				Right
	55276 346AB	1			62				Left
	55276 347AB	1			62				Right
7									NUT, M6X1.00, (NOT SERVICED)
									(Not Serviced)
8									HOUSING, Door Remote Control
	55276 350AA	1							Right
	55276 351AA	1							Left
9									HANDLE, Inside Release
	55276 126AB	1							Right
	55276 127AB	1							Left
10	4780 259	2							STRIKER, Door

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Door, Front Lock And Controls
Figure DDH-130



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
11									SCREW, Oval Head, SCREW, (NOT SERVICED) (Not Serviced)
12	5GT66 DX9AA	2			41, 42				KNOB AND LINK, Door Lock Right & Left
	5HB51 DX9AA	1			62				Right
	5HB52 DX9AA	1			62				Left

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

Door, Rear Shell And Hinges
Figure DDH-210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									DOOR, Rear
	55276 118AH	1			41, 42				Right
	55276 119AH	1			41, 42				Left
2									PANEL, Door Outer
	55276 120AB	1			41, 42				Right
	55276 121AB	1			41, 42				Left
3									HINGE, Door Half
	55276 106AB	1			41, 42				Right,Upper
	55276 107AB	1			41, 42				Left,Upper
4									HINGE, Door Half
	55276 416AA	1			41, 42				Lower,Right
	55276 417AA	1			41, 42				Lower,Left
5									SCREW, M8X1.25X33.32, (NOT SERVICED) (Not Serviced)
6	6101 809	1							NUT AND WASHER, Hex, M8x1.25
7	6503 538	12			41, 42				SCREW AND WASHER, Hex Head, M8x1.25x30
8	6505 269AA	4			41, 42				SCREW AND WASHER, Head Head Lock, M8-1.25x30.00
9	55256 920AC	4			41, 42				WASHER, Flat
10	6504 804	4							STUD, M8-1.25x46
11	5056 072AA	2			41, 42				LABEL, Child Protection Lock, English

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Door, Rear Glass And Regulator
Figure DDH-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales code : JPD = Power Windows									
1	55276 102AC	1			41, 42				REGULATOR, Rear Door Window With [JPD], Right
	55276 103AC	1			41, 42				With [JPD], Left
	55276 116AC	1			41, 42				Without [JPD], Right
	55276 117AC	1			41, 42				Without [JPD], Left
2	6504 055	4			41, 42				SCREW, Hex Head, M6x1x16
3									NUT, M6X1.00, (NOT SERVICED) (Not Serviced)
4	55276 112AD	1			41, 42				CHANNEL, Rear Door Front Right
	55276 113AD	1			41, 42				Left
5	55276 114AD	1			41, 42				CHANNEL, Rear Door Glass Right
	55276 115AD	1			41, 42				Left
6	55276 109AB	1			41, 42				GLASS, Rear Door, Left
7	6504 987AA	4			41, 42				SCREW AND WASHER, Tapping, M6-1.0x20.0

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Door, Rear Lock And Controls Figure DDH-230

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LATCH, Rear Door
	55276 796AB	1			41, 42				[-JPB], Right
	55276 797AB	1			41, 42				[-JPB], Left
	55276 794AC	1			41, 42				[JPB], Right
	55276 795AC	1			41, 42				[JPB], Left
2									LINK AND SLEEVE, Rear Door
									Inside Remote to Latch
	55276 146AC	1			41, 42				Right
	55276 147AC	1			41, 42				Left
3	6507 121AA	6			41, 42				SCREW
4									TAPE, (NOT SERVICED) (Not Serviced)
5									HANDLE, Exterior Door
	55275 684AB	1			41, 42				Right
	55275 685AB	1			41, 42				Left
6									LINK, Outside Handle To Latch, Front Door
	55276 334AA	1			41, 42				Right
	55276 335AA	1			41, 42				Left
7									LINK AND SLEEVE, INSIDE REMOTE
	55276 148AC	1			41, 42				Right
	55276 149AC	1			41, 42				Left
8	4673 358	2			41, 42				CLIP, Anti Rattle
9									KNOB AND LINK, Door Lock
	5GT74 DX9AA	1			41, 42				Right
	5GT75 DX9AA	1			41, 42				Left
10	55276 150AA	2			41, 42				BELLCRANK, Outside Door Handle
11									HOUSING, Door Remote Control
	55276 350AA	1			41, 42				Right
	55276 351AA	1			41, 42				Left
12	4780 259	2			41, 42				STRIKER, Door
13									SCREW, Oval Head, SCREW, (NOT SERVICED) (Not Serviced)
14	5HK37 DX9AB	2			41, 42				HANDLE, Window Regulator
15									HANDLE, Inside Release
	55276 126AB	1			41, 42				Right
	55276 127AB	1			41, 42				Left
16	6101 443	4			41, 42				NUT AND WASHER, Hex, M5x.80
17									NUT, M6X1.00, (NOT SERVICED) (Not Serviced)


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Door, Rear Lock And Controls Figure DDH-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
18	5008 292AB	2			41, 42				SEAL, Child Lock Lever
19	5257 081	4			41, 42				PLUG, Door

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Mirrors, Exterior
Figure DDH-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Sales Code GPU= Mirrors 6x9 Black									
Note: Sales Code GPD= Mirrors Trailer Tow									
1									MIRROR, Outside Rearview, Manual
	55077 492AG	1							[GPD], Right
	55077 493AG	1							[GPD], Left
	55077 922AA	1							[GPU], Right
	55077 923AA	1							[GPU,GPT], Left
	55077 930AA	1							[GPT], Right
2									MIRROR, Outside Rearview
	55077 440AE	1							[GTS], Right
	55077 702AA	1							[GPV], Right
	55077 442AE	1							[GTS+ABD], Right
	55077 444AG	1							[GPG], Right
	55077 445AH	1							[GPG], Left
	55077 925AA	1							Left
3									NUT AND WASHER, Hex Nut-Coned
									Washer, M6 x 1.00, (NOT
									SERVICED) (Not Serviced)
-4									GLASS, Mirror Replacement
	5086 216AA-	1							[GPU], Right
	5086 217AA-	1							[GPU,GPT], Left
	5086 220AA-	1							[GTS-ABD], Right
	5086 221AA-	1							[GTS,GPV], Left
	5161 008AA-	1							[GPD], Right
	5161 009AA-	1							[GPD], Left
	5161 010AA-	1							[GPG] Attaches by Three Metal
									Prongs, Right
	5161 011AA-	1							[GPG] Attaches by Three Metal
									Prongs, Left
	55078 058AA-	1							[GPU+ABD], Right
	55078 092AA-	1							[GTS+ABD], Right
	5086 218AA-	1							[GPG] Attaches by a Round Spring
									Band, Right
	5101 860AA-	1							[GPT], Right
	5101 862AA-	1							[GPV], Right
-5	6101 447	6							NUT, [GVA=GVB]


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Weatherstrips, Door Conventional Cab Figure DDH-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55276 957AB	2							SEAL, Body Side
2	55276 466AA	1							RETAINER, Bodyside Seal Right
	55276 467AA	1							Left
3									RETAINER, Bodyside Seal
	55275 682AC	1			41, 42				Right
	55275 683AC	1			41, 42				Left
	55276 200AC	1			62				Right
	55276 201AC	1			62				Left
4									SCREW
	6507 595AA	26			41, 42				
		20			62				
5									SEAL, Body Side
	55276 941AA	2			41, 42				
	55276 944AA	2			62				
6									WEATHERSTRIP, Door Opening
	55275 609AD	2			41, 42				
	55275 611AF	2			62				
7									SEAL, Glass Run, Front
	55276 180AD	1			41, 42				Right
	55276 181AD	1			41, 42				Left
	55275 612AF	1			62				Right
	55275 613AF	1			62				Left
8	55359 869AA	2							SEAL, Front Door
9									WEATHERSTRIP, Door Belt
	55276 896AD	2			41, 42				
	55276 897AD	2			62				
10									WEATHERSTRIP, Door Belt
	55276 202AE	1			41, 42				Right
	55276 203AE	1			41, 42				Left
	55276 942AB	1			62				Right
	55276 943AB	1			62				Left
11									WATERSHIELD, Front Door
	55276 172AH	1			41, 42				Right
	55276 173AH	1			41, 42				Left
	55276 174AH	1			62				Right
	55276 175AH	1			62				Left
12	55276 593AD	2			62				SEAL, B-Pillar

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Weatherstrips, Door Quad Cab
Figure DDH-620




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55276 593AD	2			62				SEAL, B-Pillar
2	55276 895AD	2			41, 42				SEAL, Rear Door
3									SEAL, B-Pillar
	55276 438AC	1			41, 42				Right
	55276 439AC	1			41, 42				Left
4									SCREW, Tapping, .19-16x.625, (NOT SERVICED) (Not Serviced)
5									WATERSHIELD, Rear Door
	55276 170AE	1			41, 42				Right
	55276 171AE	1			41, 42				Left
6	55276 896AC	2			41, 42				WEATHERSTRIP, Door Belt
7									SEAL, Foam, (NOT SERVICED) (Not Serviced)
8									WATERSHIELD, Front Door
	55276 172AH	1			41, 42				Right
	55276 173AH	1			41, 42				Left
9	55276 941AA	2			41, 42				SEAL, Body Side
10									RETAINER, Bodyside Seal
	55276 466AA	1							Right
	55276 467AA	1							Left
11									RETAINER, Bodyside Seal
	55275 682AC	1			41, 42				Right
	55275 683AC	1			41, 42				Left
12	6036 548AA	1							SCREW
13	55276 941AA	2			41, 42				SEAL, Body Side
14	55275 609AD	2			41, 42				WEATHERSTRIP, Door Opening, Front
15	55275 608AE	2			41, 42				WEATHERSTRIP, Door Opening, Rear
16									SEAL, Rear Door
	55276 164AD	1			41, 42				Right
	55276 165AD	1			41, 42				Left
17									WEATHERSTRIP, Door Belt
	55276 958AB	1			41, 42				Right
	55276 959AB	1			41, 42				Left
18									SCREW, M4X.7X10.0, (NOT SERVICED) (Not Serviced)
19	55359 868AA	2			41, 42				SEAL
20									WEATHERSTRIP, Door Belt
	55276 202AE	1			41, 42				Right
	55276 203AE	1			41, 42				Left
21									SEAL, Glass Run, Front

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Weatherstrips, Door Quad Cab
Figure DDH-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55276 180AD	1			41, 42				Right
	55276 181AD	1			41, 42				Left
22	55359 869AA	2							SEAL, Front Door

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – EDH

Exterior Ornamentation

GROUP EDH - Exterior Ornamentation

Illustration Title

Group-Fig. No.


Nameplates






Nameplates Fig. EDH-110

Moldings and Ornamentation


Moldings and Ornamentation Fig. EDH-210

Moldings and Ornamentation, Power Wagon Fig. EDH-220



<p>EDH-100 Nameplates</p>    	<p>EDH-200 Moldings and Ornamentation</p> 		
--	--	--	--

Nameplates
Figure EDH-110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
NOTES: Sales Codes:									
[MGA] = Ram's Head Badge									
[MTD] = SLT Badge									
[MTE] = Laramie Badge									
[MT3] = Powerwagon Badge									
[MYF] = Bighorn Badge									
MYG] = Lonestar Badge									
[XBS] = Pickup Box									
1									NAMEPLATE
	55077 329AB	2							CUMMINS TURBO DIESEL
	55077 661AA	2							HEMI, Fender
2	55077 331AB	2							NAMEPLATE, Ram 2500
3	55077 332AB	2							NAMEPLATE, Ram 3500
4									NAMEPLATE, POWER WAGON
									HEMI 5.7 L
	55078 008AA	1							[MT3], Right
	55078 009AA	1							[MT3], Left
5	55078 108AA	2							NAMEPLATE, BIG HORN EDITION,
									[MYF], Front Door
6	55078 110AA	2							NAMEPLATE, LONESTAR EDITION,
									[MYG], Front Door
7	55077 326AB	1							NAMEPLATE, SLT, [MTD]
8	55077 842AA	1							NAMEPLATE, HEAVYDUTY, [XBS-
									MT3], Tailgate
9	55077 718AA	1							NAMEPLATE, Medallion, Ram Head,
									RAMS HEAD, Tailgate
10	55077 758AA	1							NAMEPLATE, POWER WAGON,
									[MT3+XBS], Tailgate
11	55077 672AA	2	7, 8						DECAL, 4X4 OFFROAD
-12									NAMEPLATE, 4x4
	55077 299AA-	1	7, 8						[MUS]
	55077 670AA-	1							[MTE]
-13	55077 670AA-	1							NAMEPLATE, LARAMIE,
									[MT3+XBS], Tailgate

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Moldings and Ornamentation Figure EDH-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Front Door
	55077 170AC	1			62				[K10], Right
	55077 171AC	1			62				[K10], Left
	55077 724AA	1			62				[MJB], Right
	55077 725AA	1			62				[MJB], Left
	5HC18 CDMAA	1			62				[K4M], Right
	5HC18 DX8AA	1			62				[K4X], Right
	5HC18 GW7AA	1			62				[K4W], Right
	5HC18 PR4AA	1			62				[K4R], Right
	5HC18 WS2AA	1			62				[K4S], Right
	5HC18 ZBJAA	1			62				[K4C], Right
	5HC18 VYHAA	1			62				[K4Y], Right
	5HC19 CDMAA	1			62				[K4M], Left
	5HC19 DX8AA	1			62				[K4X], Left
	5HC19 GW7AA	1			62				[K4W], Left
	5HC19 PR4AA	1			62				[K4R], Left
	5HC19 WS2AA	1			62				[K4S], Left
	5HC19 ZBJAA	1			62				[K4C], Left
	5HC19 VYHAA	1			62				[K4Y], Left
2									MOLDING, Cab
	55077 166AC	1			62				[K10], Right
	55077 167AC	1			62				[K10], Left
	55077 726AA	1			62				[MJB], Right
	55077 727AA	1			62				[MJB], Left
	5HC46 CDMAA	1			62				[K4M], Right
	5HC46 DX8AA	1			62				[K4X], Right
	5HC46 GW7AA	1			62				[K4W], Right
	5HC46 PR4AA	1			62				[K4R], Right
	5HC46 WS2AA	1			62				[K4S], Right
	5HC46 ZBJAA	1			62				[K4C], Right
	5HC46 VYHAA	1			62				[K4Y], Right
	5HC47 CDMAA	1			62				[K4M], Left
	5HC47 DX8AA	1			62				[K4X], Left
	5HC47 GW7AA	1			62				[K4W], Left
	5HC47 PR4AA	1			62				[K4R], Left
	5HC47 WS2AA	1			62				[K4S], Left
	5HC47 ZBJAA	1			62				[K4C], Left
	5HC47 VYHAA	1			62				[K4Y], Left
3									MOLDING, Roof Quarter Joint
	55275 795AA	1			62				Right
	55275 796AA	1			41, 42				Left
4									MOLDING, Front Door

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Moldings and Ornamentation Figure EDH-210


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	55077 174AC	2			41, 42				[K10]
	55077 728AA	2			41, 42				[MJB]
	5HC48 CDMAA	2			41, 42				[K4M]
	5HC48 DX8AA	2			41, 42				[K4X]
	5HC48 GW7AA	2			41, 42				[K4W]
	5HC48 PR4AA	2			41, 42				[K4R]
	5HC48 WS2AA	2			41, 42				[K4S]
	5HC48 ZBJAA	2			41, 42				[K4C]
	5HC48 VYHAA	2			41, 42				[K4Y]
5									MOLDING, Rear Door
	55077 172AC	2			41, 42				[K10]
	55077 729AA	2			41, 42				[MJB]
	5HC44 CDMAA	2			41, 42				[K4M]
	5HC44 DX8AA	2			41, 42				[K4X]
	5HC44 GW7AA	2			41, 42				[K4W]
	5HC44 PR4AA	2			41, 42				[K4R]
	5HC44 WS2AA	2			41, 42				[K4S]
	5HC44 ZBJAA	2			41, 42				[K4C]
	5HC44 VYHAA	2			41, 42				[K4Y]
6									MOLDING, Roof Quarter Joint
	55275 796AA	1			41, 42				Right
	55275 797AA	1			41, 42				Left

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Moldings and Ornamentation, Power Wagon
Figure EDH-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									MOLDING, Wheel Opening Flare
	YS16 RXFAC	1							[K5X], Right
	YS17 RXFAC	1							[K5X], Left
2									MOLDING, Wheel Opening Flare
	YS18 RXFAC	1			41				[K5X], Right
	YS19 RXFAC	1			41				[K5X], Left
	YS20 RXFAC	1			42, 62				[K5X], Right
	YS21 RXFAC	1			42, 62				[K5X], Left
3	6032 031	12	3, 8		42, 62				NUT, Spring, .19-16
4									SCREW, 019-16x1.60, (NOT SERVICED) (Not Serviced)


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual









AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Group – IDH


Interior Trim



IDH-100 Headliner and Visor 	IDH-200 Moldings, Scuff Plates 	IDH-300 Carpet 	IDH-400 Door Trim Panels–Front and Rear 
IDH-500 Front Seats and Attaching Parts 	IDH-600 Rear Seats– Folding and Quad 	IDH-700 Seat Belts–Front and Rear 	IDH-800 Adjusters, Covers, Shields, and Risers 

Group – IDH

Interior Trim


IDH-900 Rear Storage Compartment 			
--	--	--	--

GROUP IDH - Interior Trim

Illustration Title	Group-Fig. No.
Headliner and Visor	
Headliner, Visors, Coat Hooks	Fig. IDH-110
Moldings, Scuff Plates	
A-Pillar, Cowl and Sills	Fig. IDH-210
Quarter Trim Panel	Fig. IDH-220
Side Air Bag	Fig. IDH-230
Carpet	
Carpets, Mats	Fig. IDH-310
Quad Cab Back Silencer	Fig. IDH-320
Door Trim Panels-Front and Rear	
Door Trim Panels	Fig. IDH-410
Front Seats and Attaching Parts	
Front, Vinyl, Trim Code [TX]	Fig. IDH-510
Front, Cloth, Trim Code [P9]	Fig. IDH-520
Front, Cloth, Trim Code [V9]	Fig. IDH-530
Front, Cloth, Trim Code [M9]	Fig. IDH-540
Front, Leather, Trim Code [QL]	Fig. IDH-550
Front, Leather, Trim Code [VL]	Fig. IDH-560
Rear Seats- Folding and Quad	
Rear Bench Seat	Fig. IDH-610
Rear, 60/40 Seat	Fig. IDH-620
Load Floor	Fig. IDH-630
Seat Belts-Front and Rear	
Seat Belts, Regular Cab	Fig. IDH-710
Seat Belts, Quad Cab	Fig. IDH-720
Adjusters, Covers, Shields, and Risers	
Adjusters and Miscellaneous Front Seat Attachments	Fig. IDH-810
Rear Storage Compartment	
Rear Trim Panel and Storage	Fig. IDH-910



Headliner, Visors, Coat Hooks
Figure IDH-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Sales Codes:
[CUS] = Overhead console with trip computer
[CV2] = Overhead console with trip computer and garage door opener
[GNC] = Illuminated mirrors
[LCL] = Front dome lamp with on/off switch
[GWA] = Sunroof


1									HEADLINER
	1AT53 TL2AA	1			41, 42			O0	With Sunroof [GWA]
	1CS00 TL2AA	1			41, 42			O0	Without Overhead Console [CUS or CV2] After 4/11/05 St. Louis Built, After 3/16/05 Mexico Built
	1CX60 TL2AA	1			41, 42			O0	Without Overhead Console [CUS or CV2] Up to 4/11/05 St. Louis Built, Up to 3/16/05 Mexico Built
	1CS01 TL2AA	1			41, 42			O0	With Overhead Console [CUS] & Without Illuminated Visors [GNC], After 4/11/05 St. Louis Built, After 3/16/05 Mexico Built
	1CX61 TL2AA	1			41, 42			O0	With Overhead Console [CUS] & Without Illuminated Visors [GNC], Up to 4/11/05 St. Louis Built, Up to 3/16/05 Mexico Built
	1CS02 TL2AA	1			41, 42			O0	With Overhead Console [CUS or CV2] & Illuminated Visors [GNC], After 4/1/05 St. Louis Built, After 3/16/05 Mexico Built
	1CX62 TL2AA	1			41, 42			O0	With Overhead Console [CUS or CV2] & Illuminated Visors [GNC], Up to 4/1/05 St. Louis Built, Up to 3/16/05 Mexico Built
	1CR90 TL2AA	1			62			O0	With Overhead Console [CUS or CV2] & Illuminated Visors [GNC], After 3/16/05 Mexico Built
	1CX59 TL2AA	1			62			O0	With Overhead Console [CUS or CV2] & Illuminated Visors [GNC], Up to 3/16/05 Mexico Built
	1CR88 TL2AA	1			62			O0	With Overhead Console [CUS] & Without Illuminated Visors [GNC], After 3/16/05 Mexico Built
	1CX58 TL2AA	1			62			O0	With Overhead Console [CUS] & Without Illuminated Visors [GNC], Up to 3/16/05 Mexico Built

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Headliner, Visors, Coat Hooks Figure IDH-110



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1CR86 TL2AA	1			62			O0	Without Overhead Console [CUS] & Without Illuminated Visors [GNC], After 3/16/05 Mexico Built
	1CX57 TL2AA	1			62			O0	Without Overhead Console [CUS] & Without Illuminated Visors [GNC], Up to 3/16/05 Mexico Built
2	WF19 TL2AA	2			62			O0	SUPPORT, Visor
		2			41, 42			O0	
3	WF21 TL2AA	1			41, 42			O0	VISOR Without Overhead Console [CUS or CV2], Left
	XB05 TL2AA	1			62			O0	With Overhead Console, Without [GNC or LCL], Left
	YE64 TL2AA	1			41, 42			O0	Without Overhead Console [CUS or CV2], Right
	YE66 TL2AA	1			41, 42			O0	With Overhead Console [CUS], Right
	YE68 TL2AA	1			62			O0	Without Overhead Console [CUS or CV2], Right
	YE82 TL2AA	1			62			O0	With Overhead Console [CUS], Right
	YY74 TL2AA	1			62			O0	With Overhead Console [CUS or CV2] and Illuminated Vanity Mirrors [GNC], Right
	YY75 TL2AA	1			62			O0	With Overhead Console [CV2 or CUS], Left
	YY76 TL2AA	1			41, 42			O0	With Overhead Console [CUS or CV2] and Illuminated Vanity Mirrors [GNC], Right
	YY77 TL2AA	1			41, 42			O0	With Overhead Console [CV2 or CUS], Left
4	5HT25 TL2AD	2						O0	HOOK, Coat
5	5073 064AA	3			62			O0	SCREW
		3			41, 42			O0	
6	5073 065AA	1			62			O0	CLIP, Visor
		1			41, 42			O0	

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual


AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Headliner, Visors, Coat Hooks
Figure IDH-110

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

-7									TRIM LACE, Sunroof, Serviced with the headliner, (NOT SERVICED) (Not Serviced)
----	--	--	--	--	--	--	--	--	--





DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

A-Pillar, Cowl and Sills
Figure IDH-210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, A Pillar Trim
	5GR29 TL2AF	1						O0	Left
	5GR28 TL2AG	1						O0	Right
2	WQ06 TL2AA	1						O0	PLUG, A Pillar Garnish
3									SCREW AND WASHER, M6x1. 00x25.80, (NOT SERVICED) (Not Serviced)
4	6507 161AA	4							NUT
5									PANEL, Scuff
	5GR40 WL5AD	1						O0	[L5], Right
	5GR40 XDVAD	1						O0	[DV], Right
	5GR41 WL5AD	1						O0	[L5], Left
	5GR41 XDVAD	1						O0	[DV], Left
6									PLATE, Scuff
	5GY78 WL5AC	1			41, 42			O0	[L5], Right
	5GY78 XDVAC	1			41, 42			O0	[DV], Right
	5GY79 WL5AC	1			41, 42			O0	[L5], Left
	5GY79 XDVAC	1			41, 42			O0	[DV], Left
7									RETAINER, Scuff Plate
	6506 540AA	14			41, 42				
		10			62				

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Quarter Trim Panel
Figure IDH-220



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code:									
[CJ4] = Air Bag Side Window Curtain, Front									
1									PANEL, B Pillar
	5GR30 TL2AC	1			62			O0	Right
	5GR31 TL2AC	1			62			O0	Left
	5JZ22 TL2AA	1			62			O0	With [CJ4] Side Air Bag Badge, Right
	5JZ23 TL2AA	1			62			O0	With [CJ4] Side Air Bag Badge, Left
2									PANEL, B Pillar
	5HA58 WL5AD	1			62			O0	[L5], Right
	5HA58 XDVA	1			62			O0	[DV], Right
	5HA59 WL5AD	1			62			O0	[L5], Left
	5HA59 XDVA	1			62			O0	[DV], Left
3									PANEL, B Pillar
	5GV02 TL2AD	1			41, 42			O0	Right
	5GV03 TL2AD	1			41, 42			O0	Left
	5JZ24 TL2AA	1			41, 42			O0	With [CJ4] Side Air Bag Badge, Right
	5JZ25 TL2AA	1			41, 42			O0	With [CJ4] Side Air Bag Badge, Left
4	WQ02 TL2AA	1			41, 42			O0	HANDLE, Roof Grab
5									SCREW AND WASHER, Hex, M6x1. 00x20.00, (NOT SERVICED) (Not Serviced)
6									PLUG, B Pillar
	WQ04 TL2AA	1			41, 42			O0	Upper
	WQ05 TL2AA	1			41, 42			O0	Lower
7									PANEL, B Pillar
	5GY68 WL5AC	1			41, 42			O0	[L5], Right
	5GY68 XDVA	1			41, 42			O0	[DV], Right
	5GY69 WL5AC	1			41, 42			O0	[L5], Left
	5GY69 XDVA	1			41, 42			O0	[DV], Left
8									PANEL, C Pillar
	5GS42 TL2AE	1			41, 42			O0	Right
	5GS43 TL2AE	1			41, 42			O0	Left
9									PANEL, C Pillar
	5HC64 WL5AE	1			41, 42			O0	[L5], Right
	5HC64 XDVA	1			41, 42			O0	[DV], Right
	5HC65 WL5AE	1			41, 42			O0	[L5], Left
	5HC65 XDVA	1			41, 42			O0	[DV], Left



DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Side Air Bag
Figure IDH-230




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55350 932AF	1			62				AIR BAG, Side Curtain Right
	55350 933AF	1			62				Left
2	55350 934AF	1			41, 42				AIR BAG, Side Curtain Right
	55350 935AF	1			41, 42				Left
3									SCREW AND WASHER, Hex Head, M6x1x20, (NOT SERVICED) (Not Serviced)
4	6506 955AA	8			62				NUT, Snap In
		12			41, 42				
5	6507 161AA	2							NUT

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Carpets, Mats Figure IDH-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									CARPET, Floor
	5GT51 WL8AG	1			62			O0	[L5]
	5GT51 XDVAG	1			62			O0	[DV]
2	5GT55 DX9AE	1			62			O0	MAT, Floor, Black Vinyl
3	5GS57 DX9AF	1			41, 42			O0	MAT, Floor, Black Vinyl
4									CARPET, Floor
	5GT53 WL8AF	1			41, 42			O0	[L5]
	5GT53 XDVAF	1			41, 42			O0	[DV]
5	6501 916	11			41, 42				RETAINER, Push On
6									MAT KIT, Floor - Front
	5KK97 1DVAA	1						O0	[DV], Power Wagon
	5KK97 1L8AA	1						O0	[L5], Power Wagon
	8220 7014	1							[L5], With Dodge Logo
	8220 7015	1							[DV], With Dodge Logo
	8220 7017	1							[L5]
	8220 7018	1							[DV]
	8220 7020	1							[L5], Slush Style
	8220 7021	1							[DV], Slush Style
-7									CLIP, Floor Mat Retention
	5086 365AA-	1			41, 42			O0	
		1			62			O0	Drivers Side

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY
41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE
EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION
DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Quad Cab Back Silencer
Figure IDH-320

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55350 923AE	1			41, 42				SILENCER, Panel Inner
2	6501 916	3			41, 42				RETAINER, Push On
3	6507 256AA	2			41, 42				RETAINER, Push On



DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Door Trim Panels
Figure IDH-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------

Sales Code:

[RCD] = 4 Speakers

[RCK] = 7 Speakers, Infinity


1									PANEL, Front Door Trim
	5JM90 1L5AA	1			62			M9	[L5], Without Infinity, Right
	5JM90 XDVA	1			62			M9	[DV], Without Infinity, Right
	5JM91 1L5AA	1			62			M9	[L5], Without Infinity, Left
	5JM91 XDVA	1			62			M9	[DV], Without Infinity, Left
	5JM95 XDVA	1			62			M9	[DV], With Infinity, Left
	5JM95 1L5AA	1			62			M9	[L5], With Infinity, Left
	5JM94 XDVA	1			62			M9	[DV], With Infinity, Right
	5JM94 1L5AA	1			62			M9	[L5], With Infinity, Right
	5GS62 1L5AF	1			62			P9	[L5], Right
	5GS62 XDVA	1			62			P9	[DV], Right
	5GS63 1L5AF	1			62			P9	[L5], Left
	5GS63 XDVA	1			62			P9	[DV], Left
	5GS62 1L5AF	1			62			TX	[L5], Right
	5GS62 XDVA	1			62			TX	[DV], Right
	5GS63 1L5AF	1			62			TX	[L5], Left
	5GS63 XDVA	1			62			TX	[DV], Left
	5JM90 1L5AA	1			62			V9	[L5], Without Infinity, Right
	5JM90 XDVA	1			62			V9	[DV], Without Infinity, Right
	5JM91 XDVA	1			62			V9	[DV], Without Infinity, Left
	5JM91 1L5AA	1			62			V9	[L5], Without Infinity, Left
	5JM94 1L5AA	1			62			V9	[L5], With Infinity, Right
	5JM94 XDVA	1			62			V9	[DV], With Infinity, Right
	5JM95 1L5AA	1			62			V9	[L5], With Infinity, Left
	5JM95 XDVA	1			62			V9	[DV], With Infinity, Left
	5GU82 1DVAG	1			62			VL	[DV], With Infinity [RCK], Right
	5GU82 1L5AG	1			62			VL	[L5], With Infinity [RCK], Right
	5GU83 1L5AG	1			62			VL	[L5], With Infinity [RCK], Left
	5GU83 1DVAG	1			62			VL	[DV], With Infinity [RCK], Left
	5KF78 1DVAA	1			62			VL	[DV], With 4 speakers [RCD], Right
	5KF78 1L5AA	1			62			VL	[L5], With 4 speakers [RCD], Right
	5KF79 1DVAA	1			62			VL	[DV], With 4 speakers [RCD], Left
	5KF79 1L5AA	1			62			VL	[L5], With 4 speakers [RCD], Left
2									PANEL, Front Door Trim
	5JM97 XDVA	1			41, 42			M9	[DV], With Infinity, Left
	5JM97 1L5AA	1			41, 42			M9	[L5], With Infinity, Left
	5JM96 XDVA	1			41, 42			M9	[DV], With Infinity, Right
	5JM96 1L5AA	1			41, 42			M9	[L5], With Infinity, Right

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Door Trim Panels
Figure IDH-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5JM93 XDVAA	1			41, 42			M9	[DV], Without Infinity, Left
	5JM93 1L5AA	1			41, 42			M9	[L5], Without Infinity, Left
	5JM92 XDVAA	1			41, 42			M9	[DV], Without Infinity, Right
	5JM92 1L5AA	1			41, 42			M9	[L5], Without Infinity, Right
	5GS64 1L5AF	1			41, 42			P9	[L5], Right
	5GS64 XDVAF	1			41, 42			P9	[DV], Right
	5GS65 1L5AF	1			41, 42			P9	[L5], Left
	5GS65 XDVAF	1			41, 42			P9	[DV], Left
	5JM92 XDVAA	1			41, 42			QL	[DV], Without Infinity, Right
	5JM92 1L5AA	1			41, 42			QL	[L5], Without Infinity, Right
	5JM93 XDVAA	1			41, 42			QL	[DV], Without Infinity, Left
	5JM93 1L5AA	1			41, 42			QL	[L5], Without Infinity, Left
	5JM97 XDVAA	1			41, 42			QL	[DV], With Infinity, Left
	5JM96 1L5AA	1			41, 42			QL	[L5], With Infinity, Right
	5JM96 XDVAA	1			41, 42			QL	[DV], With Infinity, Right
	5JM97 1L5AA	1			41, 42			QL	[L5], With Infinity, Left
	5GS64 1L5AF	1			41, 42			TX	[L5], Right
	5GS64 XDVAF	1			41, 42			TX	[DV], Right
	5GS65 XDVAF	1			41, 42			TX	[DV], Left
	5GS65 1L5AF	1			41, 42			TX	[L5], Left
	5JM96 1L5AA	1			41, 42			V9	[L5], With Infinity, Right
	5JM96 XDVAA	1			41, 42			V9	[DV], With Infinity, Right
	5JM97 XDVAA	1			41, 42			V9	[DV], With Infinity, Left
	5JM97 1L5AA	1			41, 42			V9	[L5], With Infinity, Left
	5JM92 1L5AA	1			41, 42			V9	[L5], Without Infinity, Right
	5JM92 XDVAA	1			41, 42			V9	[DV], Without Infinity, Right
	5JM93 1L5AA	1			41, 42			V9	[L5], Without Infinity, Left
	5JM93 XDVAA	1			41, 42			V9	[DV], Without Infinity, Left
	5GU85 1DVAG	1			41, 42			VL	[DV], With Infinity [RCK], Left
	5GU85 1L5AG	1			41, 42			VL	[L5], With Infinity [RCK], Left
	5GU84 1DVAG	1			41, 42			VL	[DV], With Infinity [RCK], Right
	5GU84 1L5AG	1			41, 42			VL	[L5], With Infinity [RCK], Right
	5KF80 1DVAA	1			41, 42			VL	[DV], With 4 Speakers [RCD], Right
	5KF80 1L5AA	1			41, 42			VL	[L5], With 4 Speakers [RCD], Right
	5KF81 1DVAA	1			41, 42			VL	[DV], With 4 Speakers [RCD], Left
	5KF81 1L5AA	1			41, 42			VL	[L5], With 4 Speakers [RCD], Left
3									BEZEL, Lock Knob
	5HD44 XDVAC	2						O0	[DV]
	5HD44 WL8AC	2						O0	[L5]
4									SCREW, .250-14x.875, (NOT SERVICED) (Not Serviced)

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Door Trim Panels
Figure IDH-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
5	6035 821	4							NUT, Plastic Snap In, For .164-15 Screw
6	UY45 XDVAB	1			62			M9	COVER, Door Panel [DV], Left
	UY45 1L5AB	1			62			M9	[L5], Left
	UY44 XDVAB	1			62			M9	[DV], Right
	UY44 1L5AB	1			62			M9	[L5], Right
	UY45 XDVAB	1			62			P9	[DV], Left
	UY45 1L5AB	1			62			P9	[L5], Left
	UY44 XDVAB	1			62			P9	[DV], Right
	UY44 1L5AB	1			62			P9	[L5], Right
		1			62			TX	[L5], Right
	UY44 XDVAB	1			62			TX	[DV], Right
	UY45 1L5AB	1			62			TX	[L5], Left
	UY45 XDVAB	1			62			TX	[DV], Left
	UY44 1L5AB	1			62			V9	[L5], Right
	UY44 XDVAB	1			62			V9	[DV], Right
	UY45 XDVAB	1			62			V9	[DV], Left
	UY45 1L5AB	1			62			V9	[L5], Left
	UY44 XDVAB	1			62			VL	[DV], Right
	UY44 1L5AB	1			62			VL	[L5], Right
	UY45 1L5AB	1			62			VL	[L5], Left
	UY45 XDVAB	1			62			VL	[DV], Left
7									REFLECTOR, Door Trim Panel
	5069 030AA	1			41, 42			M9	
		1			62			M9	
		1			62			P9	
		1			41, 42			P9	
		1			41, 42			QL	
		1			62			TX	
		1			41, 42			TX	
		1			41, 42			V9	
		1			62			V9	
		1			41, 42			VL	
		1			62			VL	
8									PANEL, Rear Door Trim
	UY41 XDVA A	1			41, 42			M9	[DV], Left
	UY41 1L5AA	1			41, 42			M9	[L5], Left
	UY40 1L5AA	1			41, 42			M9	[L5], Right
	UY40 XDVA A	1			41, 42			M9	[DV], Right
	5GS51 XDVA E	1			41, 42			P9	[DV], Left

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year


September 19, 2005



Door Trim Panels
Figure IDH-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5GS51 1L5AE	1			41, 42			P9	[L5], Left
	5GS50 XDVAE	1			41, 42			P9	[DV], Right
	5GS50 1L5AE	1			41, 42			P9	[L5], Right
	UY40 1L5AA	1			41, 42			QL	[L5], Right
	UY40 XDVAA	1			41, 42			QL	[DV], Right
	UY41 1L5AA	1			41, 42			QL	[L5], Left
	UY41 XDVAA	1			41, 42			QL	[DV], Left
	5GS51 XDVAE	1			41, 42			TX	[DV], Left
	5GS51 1L5AE	1			41, 42			TX	[L5], Left
	5GS50 XDVAE	1			41, 42			TX	[DV], Right
	5GS50 1L5AE	1			41, 42			TX	[L5], Right
	UY40 1L5AA	1			41, 42			V9	[L5], Right
	UY40 XDVAA	1			41, 42			V9	[DV], Right
	UY41 1L5AA	1			41, 42			V9	[L5], Left
	UY41 XDVAA	1			41, 42			V9	[DV], Left
	ZK31 1DVAA	1			41, 42			VL	[DV], Left
	ZK30 1L5AA	1			41, 42			VL	[L5], Right
	ZK30 1DVAA	1			41, 42			VL	[DV], Right
	ZK31 1L5AA	1			41, 42			VL	[L5], Left
9	UY12 1L5AA	1			41, 42			M9	CUP, Door Pull [L5], Right
	UY13 XDVAA	1			41, 42			M9	[DV], Left
	UY13 1L5AA	1			41, 42			M9	[L5], Left
	UY12 XDVAA	1			41, 42			M9	[DV], Right
	UY12 1L5AA	1			41, 42			P9	[L5], Right
	UY13 XDVAA	1			41, 42			P9	[DV], Left
	UY13 1L5AA	1			41, 42			P9	[L5], Left
	UY12 XDVAA	1			41, 42			P9	[DV], Right
	UY12 1L5AA	1			41, 42			QL	[L5], Right
	UY13 XDVAA	1			41, 42			QL	[DV], Left
	UY12 XDVAA	1			41, 42			QL	[DV], Right
	UY13 1L5AA	1			41, 42			QL	[L5], Left
		1			41, 42			TX	[L5], Left
	UY12 1L5AA	1			41, 42			TX	[L5], Right
	UY13 XDVAA	1			41, 42			TX	[DV], Left
	UY12 XDVAA	1			41, 42			TX	[DV], Right
	UY13 1L5AA	1			41, 42			V9	[L5], Left
	UY12 1L5AA	1			41, 42			V9	[L5], Right
	UY13 XDVAA	1			41, 42			V9	[DV], Left
	UY12 XDVAA	1			41, 42			V9	[DV], Right
	UY12 1DVAA	1			41, 42			VL	[DV], Right

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual




AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Door Trim Panels
Figure IDH-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UY12 1L5AA	1			41, 42			VL	[L5], Right
	UY13 1DVAA	1			41, 42			VL	[DV], Left
	UY13 1L5AA	1			41, 42			VL	[L5], Left
10	6035 556	2							SCREW, Pan Head Tapping, .19-16x.625
11									HANDLE, Door Interior
	UY48 1L5AA	1			41, 42			M9	[L5], Right
	UY48 XDVAA	1			41, 42			M9	[DV], Right
	UY49 1L5AA	1			41, 42			M9	[L5], Left
	UY49 XDVAA	1			41, 42			M9	[DV], Left
	UY49 1L5AA	1			62			M9	[L5], Left
	UY49 XDVAA	1			62			M9	[DV], Left
	UY48 1L5AA	1			62			M9	[L5], Right
	UY48 XDVAA	1			62			M9	[DV], Right
	UY46 1L5AA	1			62			P9	[L5], Right
	UY46 XDVAA	1			62			P9	[DV], Right
	UY47 1L5AA	1			62			P9	[L5], Left
	UY47 XDVAA	1			62			P9	[DV], Left
		1			41, 42			P9	[DV], Left
	UY47 1L5AA	1			41, 42			P9	[L5], Left
	UY46 1L5AA	1			41, 42			P9	[L5], Right
	UY46 XDVAA	1			41, 42			P9	[DV], Right
	UY49 XDVAA	1			41, 42			QL	[DV], Left
	UY49 1L5AA	1			41, 42			QL	[L5], Left
	UY48 1L5AA	1			41, 42			QL	[L5], Right
	UY48 XDVAA	1			41, 42			QL	[DV], Right
	UY46 1L5AA	1			62			TX	[L5], Right
	UY46 XDVAA	1			62			TX	[DV], Right
	UY47 1L5AA	1			62			TX	[L5], Left
	UY47 XDVAA	1			62			TX	[DV], Left
	UY46 XDVAA	1			41, 42			TX	[DV], Right
	UY46 1L5AA	1			41, 42			TX	[L5], Right
	UY47 XDVAA	1			41, 42			TX	[DV], Left
	UY47 1L5AA	1			41, 42			TX	[L5], Left
	UY48 XDVAA	1			41, 42			V9	[DV], Right
	UY48 1L5AA	1			41, 42			V9	[L5], Right
	UY49 XDVAA	1			41, 42			V9	[DV], Left
	UY49 1L5AA	1			41, 42			V9	[L5], Left
	UY48 1L5AA	1			62			V9	[L5], Right
	UY48 XDVAA	1			62			V9	[DV], Right
	UY49 1L5AA	1			62			V9	[L5], Left


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual




Door Trim Panels
Figure IDH-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	UY49 XDVAA	1			62			V9	[DV], Left
	UY48 1DVAA	1			62			VL	[DV], Right
	UY48 1L5AA	1			62			VL	[L5], Right
	UY49 1DVAA	1			62			VL	[DV], Left
	UY49 1L5AA	1			62			VL	[L5], Left
	UY48 1DVAA	1			41, 42			VL	[DV], Right
	UY48 1L5AA	1			41, 42			VL	[L5], Right
	UY49 1L5AA	1			41, 42			VL	[L5], Left
	UY48 1DVAA	1			41, 42			VL	[DV], Left
-12									CLIP, Door Trim, Attaches Pull Cup
	5066 897AA-	1			41, 42			M9	
		1			41, 42			P9	
		1			41, 42			QL	
		1			41, 42			TX	
		1			41, 42			V9	
		1			41, 42			VL	
-13									NAMEPLATE, Infinity
	55350 962AA-	1			41, 42			M9	
		1			62			M9	
		1			41, 42			QL	
		1			62			V9	
		1			41, 42			V9	
		1			41, 42			VL	
		1			62			VL	
-14									CLIP, Front Door Trim, Infinity Label Retaining
	6035 492	2			41, 42			M9	
		2			62			M9	
		2			41, 42			QL	
		2			62			V9	
		2			41, 42			V9	
		2			41, 42			VL	
		2			62			VL	

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual



Front, Vinyl, Trim Code [TX]
Figure IDH-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	SEAT BACK, Front, Driver								
	1BN53 1DVAA	1			62			TX	[DV]
	1BN53 1L5AA	1			62			TX	[L5]
	1BN55 1DVAA	1			41, 42			TX	[DV]
	1BN55 1L5AA	1			41, 42			TX	[L5]
2	COVER, Front Seat Back, Driver								
	1BN79 1DVAA	1			62			TX	[DV]
	1BN79 1L5AA	1			62			TX	[L5]
	1BN81 1DVAA	1			41, 42			TX	[DV]
	1BN81 1L5AA	1			41, 42			TX	[L5]
3	SEAT BACK, Front, Passenger								
	1BN52 1DVAA	1			62			TX	[DV]
	1BN52 1L5AA	1			62			TX	[L5]
	1BN54 1DVAA	1			41, 42			TX	[DV]
	1BN54 1L5AA	1			41, 42			TX	[L5]
4	COVER, Front Seat Back, Passenger								
	1BN78 1DVAA	1			62			TX	[DV]
	1BN78 1L5AA	1			62			TX	[L5]
	1BN80 1DVAA	1			41, 42			TX	[DV]
	1BN80 1L5AA	1			41, 42			TX	[L5]
5	FRAME, Front Seat, Driver, Includes Recliner and Recliner Handle Pivot								
	5080 965AA	1			62			TX	
	5080 967AA	1			41, 42			TX	
6	PAD, Front Seat Cushion, Driver								
	5127 750AA	1			62			TX	
		1			41, 42			TX	
7	COVER, Front Seat Cushion, Driver								
	1BP05 1DVAA	1			62			TX	[DV]
	1BP05 1L5AA	1			62			TX	[L5]
	1BP07 1DVAA	1			41, 42			TX	[DV]
	1BP07 1L5AA	1			41, 42			TX	[L5]
8	FRAME, Front Seat, Passenger, Includes Recliner and Recliner Handle Pivot								
	5080 966AA	1			41, 42			TX	
	5086 184AA	1			62			TX	
9	PAD, Front Seat Cushion, Passenger								
	5127 751AA	1			62			TX	
		1			41, 42			TX	
10	COVER, Front Seat Cushion, Passenger								


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Vinyl, Trim Code [TX]
Figure IDH-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1BP04 1DVAA	1			62			TX	[DV]
	1BP04 1L5AA	1			62			TX	[L5]
	1BP06 1DVAA	1			41, 42			TX	[DV]
	1BP06 1L5AA	1			41, 42			TX	[L5]
11									CUSHION, Front Seat, Center
	1BQ44 1DVAA	1			62			TX	[DV]
	1BQ44 1L5AA	1			62			TX	[L5]
	1BQ52 1DVAA	1			41, 42			TX	[DV]
	1BQ52 1L5AA	1			41, 42			TX	[L5]
12									COVER, Front Seat Cushion, Center
	1BQ45 1DVAA	1			62			TX	[DV]
	1BQ45 1L5AA	1			62			TX	[L5]
	1BQ53 1DVAA	1			41, 42			TX	[DV]
	1BQ53 1L5AA	1			41, 42			TX	[L5]
13									HEADREST, Front
	1BN73 1DVAA	2			62			TX	[DV]
		2			41, 42			TX	[DV]
	1BN73 1L5AA	2			62			TX	[L5]
		1			41, 42			TX	[L5]
14									SLEEVE, Headrest, Non-Locking
	5161 064AA	1			62			TX	
		1			41, 42			TX	
15									SLEEVE, Headrest, Locking
	5161 065AA	1			62			TX	
		1			41, 42			TX	
16									ARMREST, Seat
	1BQ43 1DVAA	1			62			TX	[DV]
		1			41, 42			TX	[DV]
	1BQ43 1L5AA	1			62			TX	[L5]
		1			41, 42			TX	[L5]
17									BRACKET, Arm Rest
	5080 726AA	1			41, 42			TX	
		1			62			TX	
18									COVER, Seat latch
	5080 728AA	1			41, 42			TX	
		1			62			TX	
19									BRACKET, Arm Rest
	5080 727AA	1			41, 42			TX	
		1			62			TX	
20									COVER, Seat latch
	5080 729AA	1			41, 42			TX	


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Vinyl, Trim Code [TX]
Figure IDH-510




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			62			TX	
21	5080 731AA	1			62			TX	BOLT, Armrest Pivot
		1			41, 42			TX	
22	5080 734AA	2			62			TX	BOLT, Seat
23	5080 735AA	1			62			TX	INSULATOR, Anti Rattle
		1			41, 42			TX	
24									BOLT, Seat, Armrest to Center Cushion
	5080 738AA	4			41, 42			TX	
		1			62			TX	

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [P9]
Figure IDH-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front, Driver
	1BN57 1DVAA	1			62			P9	[DV]
	1BN57 1L5AA	1			62			P9	[L5]
	1BN59 1DVAA	1			41, 42			P9	[DV]
	1BN59 1L5AA	1			41, 42			P9	[L5]
2									COVER, Front Seat Back, Driver
	1BN83 1DVAA	1			62			P9	[DV]
	1BN83 1L5AA	1			62			P9	[L5]
	1BN85 1DVAA	1			41, 42			P9	[DV]
	1BN85 1L5AA	1			41, 42			P9	[L5]
3									SEAT BACK, Front, Passenger
	1BN56 1DVAA	1			62			P9	[DV]
	1BN56 1L5AA	1			62			P9	[L5]
	1BN58 1DVAA	1			41, 42			P9	[DV]
	1BN58 1L5AA	1			41, 42			P9	[L5]
4									COVER, Front Seat Back, Passenger
	1BN82 1DVAA	1			62			P9	[DV]
	1BN82 1L5AA	1			62			P9	[L5]
	1BN84 1DVAA	1			41, 42			P9	[DV]
	1BN84 1L5AA	1			41, 42			P9	[L5]
5									FRAME, Front Seat, Driver, Includes Recliner and Recliner Handle Pivot
	5080 967AA	1			41, 42			P9	
	5080 965AA	1			62			P9	
6									PAD, Front Seat Cushion, Driver
	5127 751AA	1			41, 42			P9	
		1			62			P9	
7									COVER, Front Seat Cushion, Driver
	1BP09 1DVAA	1			62			P9	[DV]
	1BP09 1L5AA	1			62			P9	[L5]
	1BP11 1DVAA	1			41, 42			P9	[DV]
	1BP11 1L5AA	1			41, 42			P9	[L5]
8									FRAME, Front Seat, Passenger, Includes Recliner and Recliner Handle Pivot
	5080 966AA	1			41, 42			P9	
	5086 184AA	1			62			P9	
9									PAD, Front Seat Cushion, Passenger
	5127 750AA	1			62			P9	
		1			41, 42			P9	
10									COVER, Front Seat Cushion, Passenger


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [P9]
Figure IDH-520



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1BP08 1DVAA	1			62			P9	[DV]
	1BP08 1L5AA	1			62			P9	[L5]
	1BP10 1DVAA	1			41, 42			P9	[DV]
	1BP10 1L5AA	1			41, 42			P9	[L5]
11									CUSHION, Front Seat, Center
	1BQ44 1DVAA	1			62			P9	[DV]
	1BQ44 1L5AA	1			62			P9	[L5]
	1BQ52 1DVAA	1			41, 42			P9	[DV]
	1BQ52 1L5AA	1			41, 42			P9	[L5]
12									COVER, Front Seat Cushion, Center
	1BQ45 1DVAA	1			62			P9	[DV]
	1BQ45 1L5AA	1			62			P9	[L5]
	1BQ53 1DVAA	1			41, 42			P9	[DV]
	1BQ53 1L5AA	1			41, 42			P9	[L5]
13									HEADREST, Front
	1BN73 1DVAA	2			62			P9	[DV]
		1			41, 42			P9	[DV]
	1BN73 1L5AA	2			62			P9	[L5]
		1			41, 42			P9	[L5]
14									SLEEVE, Headrest, Non-Locking
	5161 064AA	1			62			P9	
		1			41, 42			P9	
15									SLEEVE, Headrest, Locking
	5161 065AA	1			62			P9	
		1			41, 42			P9	
16									ARMREST, Seat
	1BQ43 1DVAA	1			62			P9	[DV]
		1			41, 42			P9	[DV]
	1BQ43 1L5AA	1			62			P9	[L5]
		1			41, 42			P9	[L5]
17									BRACKET, Arm Rest
	5080 726AA	1			62			P9	Right
		1			41, 42			P9	Right
18									COVER, Seat latch
	5080 728AA	1			62			P9	Right
		1			41, 42			P9	Right
19									BRACKET, Arm Rest
	5080 727AA	1			41, 42			P9	Left
		1			62			P9	Left
20									COVER, Seat latch
	5080 729AA	1			41, 42			P9	Left

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [P9]
Figure IDH-520




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			62			P9	Left
21	5080 731AA	1			41, 42			P9	BOLT, Armrest Pivot
		1			62			P9	
22									BOLT, Seat, (NOT SERVICED) (Not Serviced)
23	5080 735AA	1			41, 42			P9	INSULATOR, Anti Rattle
		1			62			P9	
24	5080 738AA	4			41, 42			P9	BOLT, Seat, Armrest to Center Cushion
		1			62			P9	

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [V9]
Figure IDH-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front
	1BN60 1DVAA	1			41, 42			V9	[DV], Passenger
	1BN60 1L5AA	1			41, 42			V9	[L5], Passenger
	1CJ77 1L5AA	1			41, 42			V9	[L5], Driver
	1CJ77 1DVAA	1			41, 42			V9	[DV]
	1BN62 1L5AA	1			62			V9	[L5], Passenger
	1BN62 1DVAA	1			62			V9	[DV], Passenger
	1BN61 1L5AA	1			62			V9	[L5], Driver
	1BN61 1DVAA	1			62			V9	[DV], Driver
2									COVER, Front Seat Back
	1BN86 1L5AA	2			41, 42			V9	[L5], Driver and Passenger
	1BN86 1DVAA	2			41, 42			V9	[DV], Driver and Passenger
	1BN87 1DVAA	1			62			V9	[DV], Driver
	1BN87 1L5AA	1			62			V9	[L5], Driver
	1BN88 1DVAA	1			62			V9	[DV], Passenger
	1BN88 1L5AA	1			62			V9	[L5], Passenger
3									FRAME, Front Seat, Driver, Includes Recliner and Recliner Handle Pivot
	5080 967AA	1			41, 42			V9	
	5080 965AA	1			62			V9	
4									PAD, Front Seat Cushion, Driver
	5127 751AA	1			41, 42			V9	
		1			62			V9	
5									COVER, Front Seat Cushion, Driver
	1BP13 1DVAA	1			62			V9	[DV]
	1BP13 1L5AA	1			62			V9	[L5]
	1BP17 1DVAA	1			41, 42			V9	[DV]
	1BP17 1L5AA	1			41, 42			V9	[L5]
6									FRAME, Front Seat, Passenger, Includes Recliner and Recliner Handle Pivot
	5080 966AA	1			41, 42			V9	
	5086 184AA	1			62			V9	
7									PAD, Front Seat Cushion, Passenger
	5127 750AA	1			41, 42			V9	
		1			62			V9	
8									COVER, Front Seat Cushion, Passenger
	1BP12 1DVAA	1			62			V9	[DV]
	1BP12 1L5AA	1			62			V9	[L5]
	1BP16 1DVAA	1			41, 42			V9	[DV]


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [V9]
Figure IDH-530



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1BP16 1L5AA	1			41, 42			V9	[L5]
9	1BQ56 1DVAA	1			62			V9	CUSHION, Front Seat, Center
		1			41, 42			V9	[DV]
	1BQ56 1L5AA	1			41, 42			V9	[L5]
10		1			62			V9	COVER, Front Seat Cushion, Center
	1BQ57 1DVAA	1			41, 42			V9	[DV]
		1			62			V9	[DV]
11	1BQ57 1L5AA	1			41, 42			V9	[L5]
		1			62			V9	[L5]
	1BN77 1DVAA	2			62			V9	HEADREST, Front
12	1BN77 1L5AA	2			41, 42			V9	[DV]
		2			62			V9	[L5]
		2			41, 42			V9	[L5]
13	5161 064AA	1			62			V9	SLEEVE, Headrest, Non-Locking
		1			41, 42			V9	
14	5161 065AA	1			62			V9	SLEEVE, Headrest, Locking
		2			41, 42			V9	
15	1BQ55 1DVAA	1			62			V9	BASE, Armrest
		1			41, 42			V9	[DV]
	1BQ55 1L5AA	1			62			V9	[L5]
16		1			41, 42			V9	[L5]
	5080 733AA	1			41, 42			V9	DIVIDER KIT, Cargo
17		1			62			V9	
	5080 726AA	1			41, 42			V9	BRACKET, Arm Rest
		1			62			V9	
18	5080 728AA	1			41, 42			V9	COVER, Seat latch
		1			62			V9	Right
19	5080 727AA	1			41, 42			V9	BRACKET, Arm Rest
		1			62			V9	Left
20	5080 729AA	1			41, 42			V9	COVER, Seat latch
		1			62			V9	Left


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [V9]
Figure IDH-530




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			62			V9	Left
20	5080 731AA	1			41, 42			V9	BOLT, Armrest Pivot
		1			62			V9	
21									BOLT, Seat, (NOT SERVICED) (Not Serviced)
22	5080 735AA	1			41, 42			V9	INSULATOR, Anti Rattle
		1			62			V9	
23	5080 738AA	4			41, 42			V9	BOLT, Seat, Armrest to Center Cushion
		1			62			V9	
24	WP05 1DVAA	1			41, 42			V9	LID, Armrest Bin [DV]
	WP05 1L5AA	1			41, 42			V9	[L5]
	WP05 1DVAA	1			62			V9	[DV]
	WP05 1L5AA	1			62			V9	[L5]

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [M9]
Figure IDH-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front, Driver, Includes Lumbar
	1BN65 1DVAA	1			41, 42			M9	[DV]
	1BN65 1L5AA	1			41, 42			M9	[L5]
	1CJ85 1DVAA	1			62			M9	[DV]
	1CJ85 1L5AA	1			62			M9	[L5]
2									SEAT BACK, Front, Passenger
	1BN64 1DVAA	1			41, 42			M9	[DV]
	1BN64 1L5AA	1			41, 42			M9	[L5]
	1BN66 1DVAA	1			62			M9	[DV]
	1BN66 1L5AA	1			62			M9	[L5]
3									COVER, Front Seat Back, Driver
	1CE80 1DVAA	1			41, 42			M9	[DV]
	1CE80 1L5AA	1			41, 42			M9	[L5]
	1BN93 1L5AA	1			62			M9	[L5]
	1BN93 1DVAA	1			62			M9	[DV]
4									COVER, Front Seat Back, Passenger
	1BN92 1DVAA	1			41, 42			M9	[DV]
	1BN92 1L5AA	1			41, 42			M9	[L5]
	1BN94 1DVAA	1			62			M9	[DV]
	1BN94 1L5AA	1			62			M9	[L5]
5									FRAME, Front Seat, Driver, Includes Recliner and Recliner Handle Pivot
	5080 967AA	1			41, 42			M9	
	5080 965AA	1			62			M9	
6									PAD, Front Seat Cushion, Driver
	5127 751AA	1			41, 42			M9	
		1			62			M9	
7									COVER, Front Seat Cushion, Driver
	1BP15 1DVAA	1			62			M9	[DV]
	1BP15 1L5AA	1			62			M9	[L5]
	1BP19 1DVAA	1			41, 42			M9	[DV]
	1BP19 1L5AA	1			41, 42			M9	[L5]
8									FRAME, Front Seat, Passenger, Includes Recliner and Recliner Handle Pivot
	5080 966AA	1			41, 42			M9	
	5086 184AA	1			62			M9	
9									PAD, Front Seat Cushion, Passenger
	5127 750AA	1			41, 42			M9	
		1			62			M9	


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [M9]
Figure IDH-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10									COVER, Front Seat Cushion, Passenger
	1BP12 1DVAA	1			62			M9	[DV]
	1BP12 1L5AA	1			62			M9	[L5]
	1BP16 1DVAA	1			41, 42			M9	[DV]
	1BP16 1L5AA	1			41, 42			M9	[L5]
11									CONSOLE, Seat, Center
	1BQ59 1DVAA	1			62			M9	[DV]
		1			41, 42			M9	[DV]
	1BQ59 1L5AA	1			62			M9	[L5]
		1			41, 42			M9	[L5]
12									HEADREST, Front
	1BN77 1DVAA	2			62			M9	[DV]
		2			41, 42			M9	[DV]
	1BN77 1L5AA	2			62			M9	[L5]
		2			41, 42			M9	[L5]
13									SLEEVE, Headrest, Non-Locking
	5161 064AA	1			62			M9	
		1			41, 42			M9	
14									SLEEVE, Headrest, Locking
	5161 065AA	1			62			M9	
		1			41, 42			M9	
15									BASE, Armrest
	1BQ58 1DVAA	1			62			M9	[DV]
		1			41, 42			M9	[DV]
	1BQ58 1L5AA	1			62			M9	[L5]
		1			41, 42			M9	[L5]
16									LID, Armrest Bin, Includes Latch, Hinge and Inner Bezel
	WP05 1DVAA	1			41, 42			M9	[DV]
		1			62			M9	[DV]
	WP05 1L5AA	1			41, 42			M9	[L5]
		1			62			M9	[L5]
17									DIVIDER KIT, Cargo
	5080 733AA	1			41, 42			M9	
		1			62			M9	
18									CAP, Cigar Lighter
	4685 591	1			62			M9	
		1			41, 42			M9	
19									COIN BOX, Console
	5080 638AA	1			41, 42			M9	

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Cloth, Trim Code [M9]
Figure IDH-540



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			62			M9	
20	5080 726AA	1			41, 42			M9	BRACKET, Arm Rest
		1			62			M9	Right
21	5080 728AA	1			41, 42			M9	COVER, Seat latch
		1			62			M9	Right
22	5080 727AA	1			41, 42			M9	BRACKET, Arm Rest
		1			62			M9	Left
23	5080 729AA	1			41, 42			M9	COVER, Seat latch
		1			62			M9	Left
24	5080 731AA	1			41, 42			M9	BOLT, Armrest Pivot
		1			62			M9	
25	5080 734AA	2			41, 42			M9	BOLT, Seat
		2			62			M9	
26	5080 735AA	1			41, 42			M9	INSULATOR, Anti Rattle
		1			62			M9	
27	4793 554AB	1						O0	POWER OUTLET
28	5080 722AA	1			41, 42			M9	HINGE, Storage Compartment
		1			62			M9	
29	5080 723AA	1			41, 42			M9	HINGE, Storage Compartment
		1			62			M9	
30	1BQ60 1DVAA	1			62			M9	LID, Floor Console Bin
		1			41, 42			M9	[DV]
	1BQ60 1L5AA	1			62			M9	[L5]
		1			41, 42			M9	[L5]
31	5080 724AA	1			41, 42			M9	LATCH, Storage Bin Lid
		1			62			M9	
32	5080 738AA	4			41, 42			M9	BOLT, Seat, Armrest to Center
		4			62			M9	Cushion
33									HANDLE, Lumbar

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

**Front, Cloth, Trim Code [M9]
Figure IDH-540**




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ZN27 XXXAA	1			41, 42			M9	
34		1			62			M9	BEZEL
	ZN28 XXXAA	1			41, 42			M9	Outer
		1			62			M9	Outer
	5142 481AA	1			41, 42			M9	Inner
35		1			62			M9	Inner
									LUMBAR, Support
	5166 079AA	1			62			M9	Driver
		1			41, 42			M9	Driver

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Leather, Trim Code [QL]
Figure IDH-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front, Driver, Includes Lumbar
	1BN69 1DVAA	1			41, 42			QL	[DV]
	1BN69 1L5AA	1			41, 42			QL	[L5]
2									COVER, Front Seat Back, Driver
	1BN99 1DVAA	1			41, 42			QL	[DV]
	1BN99 1L5AA	1			41, 42			QL	[L5]
3									SEAT BACK, Front, Passenger
	1BN68 1DVAA	1			41, 42			QL	[DV]
	1BN68 1L5AA	1			41, 42			QL	[L5]
4									COVER, Front Seat Back, Passenger
	1BN98 1DVAA	1			41, 42			QL	[DV]
	1BN98 1L5AA	1			41, 42			QL	[L5]
5	5080 967AA	1			41, 42			QL	FRAME, Front Seat, Driver, Includes Recliner and Recliner Handle Pivot
6	5140 697AA	1			41, 42			QL	PAD, Front Seat Cushion, Driver
7									COVER, Front Seat Cushion, Driver
	1BP23 1DVAA	1			41, 42			QL	[DV]
	1BP23 1L5AA	1			41, 42			QL	[L5]
8	5080 966AA	1			41, 42			QL	FRAME, Front Seat, Passenger, Includes Recliner and Recliner Handle Pivot
9	5140 696AA	1			41, 42			QL	PAD, Front Seat Cushion, Passenger
10									COVER, Front Seat Cushion, Passenger
	1BP22 1DVAA	1			41, 42			QL	[DV]
	1BP22 1L5AA	1			41, 42			QL	[L5]
11									CONSOLE, Seat, Center
	1BQ61 1DVAA	1			41, 42			QL	[DV]
	1BQ61 1L5AA	1			41, 42			QL	[L5]
12									HEADREST, Front
	1BN73 1DVAA	2			41, 42			QL	[DV]
	1BN73 1L5AA	2			41, 42			QL	[L5]
13	5161 064AA	1			41, 42			QL	SLEEVE, Headrest, Non-Locking
14	5161 065AA	1			41, 42			QL	SLEEVE, Headrest, Locking
15									BASE, Armrest
	1BQ63 1DVAA	1			41, 42			QL	[DV]
	1BQ63 1L5AA	1			41, 42			QL	[L5]
16									LID, Armrest Bin, Includes Latch, Hinge and Inner Bezel
	1BQ65 1DVAA	1			41, 42			QL	[DV]

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Leather, Trim Code [QL]
Figure IDH-550



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1BQ65 1L5AA	1			41, 42			QL	[L5]
17	5080 733AA	1			41, 42			QL	DIVIDER KIT, Cargo
18	4685 591	1						O0	CAP, Cigar Lighter
19	5080 638AA	1			41, 42			QL	COIN BOX, Console
20	5080 726AA	1			41, 42			QL	BRACKET, Arm Rest, Right
21	5080 728AA	1			41, 42			QL	COVER, Seat latch, Right
22	5080 727AA	1			41, 42			QL	BRACKET, Arm Rest, Left
23	5080 729AA	1			41, 42			QL	COVER, Seat latch, Left
24	5080 731AA	1			41, 42			QL	BOLT, Armrest Pivot
25	5080 734AA	2			41, 42			QL	BOLT, Seat
26	5080 735AA	1			41, 42			QL	INSULATOR, Anti Rattle
27	4793 554AB	1			41, 42			QL	POWER OUTLET
28	5080 722AA	1			41, 42			QL	HINGE, Storage Compartment
29	5080 723AA	1			41, 42			QL	HINGE, Storage Compartment
30									LID, Floor Console Bin
	1BP81 1DVAA	1			41, 42			QL	[DV]
	1BP81 1L5AA	1			41, 42			QL	[L5]
31	5080 724AA	1			41, 42			QL	LATCH, Storage Bin Lid
32	5080 738AA	4			41, 42			QL	BOLT, Seat, Armrest to Center Cushion
33	ZN27 XXXAA	1			41, 42			QL	HANDLE, Lumbar
34	5142 481AA	1			41, 42			QL	BEZEL
35	5166 079AA	1			41, 42			QL	LUMBAR, Support, Driver

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Leather, Trim Code [VL]
Figure IDH-560



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Front, Driver, Includes Lumbar
	1BN71 1DVAA	1			62			VL	[DV], Heated
		1			41, 42			VL	[DV], Heated
	1BN71 1L5AA	1			62			VL	[L5], Heated
		1			41, 42			VL	[L5], Heated
	1BN75 1DVAA	1			62			VL	[DV], Non-Heated
		1			41, 42			VL	[DV], Non-Heated
	1BN75 1L5AA	1			62			VL	[L5], Non-Heated
		1			41, 42			VL	[L5], Non-Heated
2									COVER, Front Seat Back, Driver
	1BP01 1DVAA	1			41, 42			VL	[DV]
		1			62			VL	[DV]
	1BP01 1L5AA	1			41, 42			VL	[L5]
		1			62			VL	[L5]
3									SEAT BACK, Front, Passenger
	1BN70 1DVAA	1			41, 42			VL	[DV], Heated
	1BN70 1L5AA	1			41, 42			VL	[L5], Heated
	1BN72 1DVAA	1			62			VL	[DV], Heated
	1BN72 1L5AA	1			62			VL	[L5], Heated
	1BN74 1DVAA	1			41, 42			VL	[DV], Non-Heated
	1BN74 1L5AA	1			41, 42			VL	[L5], Non-Heated
	1BN76 1DVAA	1			62			VL	[DV], Non-Heated
	1BN76 1L5AA	1			62			VL	[L5], Non-Heated
4									COVER, Front Seat Back, Passenger
	1BP00 1DVAA	1			41, 42			VL	[DV]
	1BP00 1L5AA	1			41, 42			VL	[L5]
	1BP02 1DVAA	1			62			VL	[DV]
	1BP02 1L5AA	1			62			VL	[L5]
5									PAD, Heater, Seat Back
	5101 763AA	1			41, 42			VL	
		1			62			VL	
6									FRAME, Front Seat, Driver, Includes Recliner and Recliner Handle Pivot
	5080 967AA	1			41, 42			VL	
	5080 965AA	1			62			VL	
7									PAD, Front Seat Cushion, Driver
	5140 697AA	1			41, 42			VL	
		1			62			VL	
8									COVER, Front Seat Cushion, Driver
	1BP21 1DVAA	1			62			VL	[DV]


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Leather, Trim Code [VL]
Figure IDH-560



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	1BP21 1L5AA	1			62			VL	[L5]
	1BP23 1DVAA	1			41, 42			VL	[DV]
	1BP23 1L5AA	1			41, 42			VL	[L5]
									FRAME, Front Seat, Passenger, Includes Recliner and Recliner Handle Pivot
10	5080 966AA	1			41, 42			VL	
	5086 184AA	1			62			VL	
									PAD, Front Seat Cushion, Passenger
11	5140 696AA	1			41, 42			VL	
		1			62			VL	
									COVER, Front Seat Cushion, Passenger
12	1BP18 1DVAA	1			41, 42			VL	[DV], Power Seat
	1BP18 1L5AA	1			41, 42			VL	[L5], Power Seat
	1BP20 1DVAA	1			62			VL	[DV]
	1BP20 1L5AA	1			62			VL	[L5]
	1BP22 1L5AA	1			41, 42			VL	[L5], Manual Seat
	1BP22 1DVAA	1			41, 42			VL	[DV], Manual Seat
									PAD, Heater, Cushion
13	5101 764AB	2			41, 42			VL	
		2			62			VL	
									CONSOLE, Seat, Center
14	1BQ61 1DVAA	1			62			VL	[DV]
		1			41, 42			VL	[DV]
	1BQ61 1L5AA	1			62			VL	[L5]
		1			41, 42			VL	[L5]
									HEADREST, Front
15	1BN73 1DVAA	2			62			VL	[DV]
		2			41, 42			VL	[DV]
	1BN73 1L5AA	2			62			VL	[L5]
		2			41, 42			VL	[L5]
									SLEEVE, Headrest, Non-Locking
16	5161 064AA	1			62			VL	
		1			41, 42			VL	
									SLEEVE, Headrest, Locking
17	5161 065AA	1			62			VL	
		1			41, 42			VL	
	1BQ63 1DVAA	1			62			VL	[DV]
		1			41, 42			VL	[DV]
									BASE, Armrest


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Leather, Trim Code [VL]
Figure IDH-560



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	1BQ63 1L5AA	1			62			VL	[L5]
		1			41, 42			VL	[L5]
18									LID, Armrest Bin, Includes Latch, Hinge and Inner Bezel
	1BQ65 1DVAA	1			62			VL	[DV]
		1			41, 42			VL	[DV]
	1BQ65 1L5AA	1			62			VL	[L5]
		1			41, 42			VL	[L5]
19									DIVIDER KIT, Cargo
	5080 733AA	1			41, 42			VL	
		1			62			VL	
20	4685 591	1						O0	CAP, Cigar Lighter
21									COIN BOX, Console
	5080 638AA	1			41, 42			VL	
		1			62			VL	
22									BRACKET, Arm Rest
	5080 726AA	1			41, 42			VL	
		1			62			VL	
23									COVER, Seat latch
	5080 728AA	1			62			VL	
		1			41, 42			VL	
24									BRACKET, Arm Rest
	5080 727AA	1			41, 42			VL	
		1			62			VL	
25									COVER, Seat latch
	5080 729AA	1			41, 42			VL	
		1			62			VL	
26									BOLT, Armrest Pivot
	5080 731AA	1			41, 42			VL	
		1			62			VL	
27									BOLT, Seat
	5080 734AA	2			41, 42			VL	
		2			62			VL	
28									INSULATOR, Anti Rattle
	5080 735AA	1			41, 42			VL	
		1			62			VL	
29	4793 554AB	1						O0	POWER OUTLET
30									HINGE, Storage Compartment
	5080 722AA	1			62			VL	
		1			41, 42			VL	
31									HINGE, Storage Compartment


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front, Leather, Trim Code [VL]
Figure IDH-560




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5080 723AA	1			41, 42			VL	
		1			62			VL	
32	1BP81 1DVAA	1			62			VL	LID, Floor Console Bin
		1			41, 42			VL	[DV]
	1BP81 1L5AA	1			41, 42			VL	[L5]
		1			62			VL	[L5]
33	5080 724AA	1			41, 42			VL	LATCH, Storage Bin Lid
		1			62			VL	
34									BOLT, Seat, Armrest to Center Cushion
	5080 738AA	4			41, 42			VL	
		4			62			VL	
35	ZN27 XXXAA	2			41, 42			VL	HANDLE, Lumbar
		2			62			VL	
36	ZN28 XXXAA	2			41, 42			VL	BEZEL
		2			62			VL	Outer
	5142 481AA	2			41, 42			VL	Inner
		2			62			VL	Inner
37	5166 078AA	1			41, 42			VL	LUMBAR, Support
		1			62			VL	Passenger
	5166 079AA	1			62			VL	Driver
		1			41, 42			VL	Driver

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Rear Bench Seat
Figure IDH-610



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear
	1BQ17 1L5AA	1			41, 42			P9	[L5]
	1BQ17 1DVAA	1			41, 42			P9	[DV]
	1BQ16 1DVAA	1			41, 42			TX	[DV]
	1BQ16 1L5AA	1			41, 42			TX	[L5]
	1BQ18 1L5AA	1			41, 42			V9	[L5]
	1BQ18 1DVAA	1			41, 42			V9	[DV]
2									COVER, Rear Seat Back
	1BQ26 1L5AA	1			41, 42			P9	[L5]
	1BQ26 1DVAA	1			41, 42			P9	[DV]
	1BQ19 1DVAA	1			41, 42			TX	[DV]
	1BQ19 1L5AA	1			41, 42			TX	[L5]
	1BQ27 1L5AA	1			41, 42			V9	[L5]
	1BQ27 1DVAA	1			41, 42			V9	[DV]
3									CUSHION, Rear Seat
	1AY70 1L5AA	1			41, 42			P9	[L5]
	1AY70 1DVAA	1			41, 42			P9	[DV]
	1AY61 1L5AA	1			41, 42			TX	[L5]
	1AY61 1DVAA	1			41, 42			TX	[DV]
	1AY71 1DVAA	1			41, 42			V9	[DV]
	1AY71 1L5AA	1			41, 42			V9	[L5]
4									COVER, Rear Seat Cushion
	1BQ35 1L5AA	1			41, 42			P9	[L5]
	1BQ35 1DVAA	1			41, 42			P9	[DV]
	1BQ34 1DVAA	1			41, 42			TX	[DV]
	1BQ34 1L5AA	1			41, 42			TX	[L5]
	1BQ36 1L5AA	1			41, 42			V9	[L5]
	1BQ36 1DVAA	1			41, 42			V9	[DV]
5									LATCH, Seat, Right
	5142 380AA	1			41, 42			P9	
		1			41, 42			TX	
		1			41, 42			V9	
6									LATCH, Seat, Left
	5142 381AA	1			41, 42			P9	
		1			41, 42			TX	
		1			41, 42			V9	
7									BOLT, Seat, Attach Rear Seat Cushion
	5142 386AA	4			41, 42			P9	
		4			41, 42			TX	
		4			41, 42			V9	
8									BOLT, Seat, Attach Rear Seat Back

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Rear Bench Seat
Figure IDH-610


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
9	5080 730AA	2			41, 42			P9	HEADREST, Rear
		2			41, 42			TX	
		2			41, 42			V9	
	1BP60 1L5AA	2			41, 42			P9	
	1BP60 1DVAA	2			41, 42			P9	
		2			41, 42			TX	
	1BP60 1L5AA	2			41, 42			TX	
	1BP61 1DVAA	2			41, 42			V9	
	1BP61 1L5AA	2			41, 42			V9	
10									SLEEVE, Headrest, Non-Locking
	5161 064AA	1			41, 42			P9	
		2			41, 42			TX	
11		1			41, 42			V9	SLEEVE, Headrest, Locking
	5161 065AA	1			41, 42			P9	
		2			41, 42			TX	
		2			41, 42			V9	

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Rear, 60/40 Seat Figure IDH-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									SEAT BACK, Rear, 60%, Right
	1BQ20 1DVAA	1			41, 42			M9	[DV]
	1BQ20 1L5AA	1			41, 42			M9	[L5]
	1BQ22 1DVAA	1			41, 42			QL	[DV]
	1BQ22 1L5AA	1			41, 42			QL	[L5]
	1BQ24 1DVAA	1			41, 42			VL	[DV]
	1BQ24 1L5AA	1			41, 42			VL	[L5]
2									COVER, Rear Seat Back, 60%, Right
	1BQ28 1DVAA	1			41, 42			M9	[DV]
	1BQ28 1L5AA	1			41, 42			M9	[L5]
	1BQ30 1DVAA	1			41, 42			QL	[DV]
	1BQ30 1L5AA	1			41, 42			QL	[L5]
	1BQ32 1DVAA	1			41, 42			VL	[DV]
	1BQ32 1L5AA	1			41, 42			VL	[L5]
3									SEAT BACK, Rear, 40%, Left
	1BQ21 1L5AA	1			41, 42			M9	[L5]
	1BQ21 1DVAA	1			41, 42			M9	[DV]
	1BQ23 1L5AA	1			41, 42			QL	[L5]
	1BQ23 1DVAA	1			41, 42			QL	[DV]
	1BQ25 1DVAA	1			41, 42			VL	[DV]
	1BQ25 1L5AA	1			41, 42			VL	[L5]
4									COVER, Rear Seat Back, 40%, Left
	1BQ29 1L5AA	1			41, 42			M9	[L5]
	1BQ29 1DVAA	1			41, 42			M9	[DV]
	1BQ31 1L5AA	1			41, 42			QL	[L5]
	1BQ31 1DVAA	1			41, 42			QL	[DV]
	1BQ33 1DVAA	1			41, 42			VL	[DV]
	1BQ33 1L5AA	1			41, 42			VL	[L5]
5									CUSHION, Rear Seat, 60%, Right
	1AY66 1DVAA	1			41, 42			M9	[DV]
	1AY66 1L5AA	1			41, 42			M9	[L5]
	1AY68 1DVAA	1			41, 42			QL	[DV]
	1AY68 1L5AA	1			41, 42			QL	[L5]
	1AY68 1DVAA	1			41, 42			VL	[DV]
	1AY68 1L5AA	1			41, 42			VL	[L5]
6									COVER, Rear Seat Cushion, 60%, Right
	1BQ38 1DVAA	1			41, 42			M9	[DV]
	1BQ38 1L5AA	1			41, 42			M9	[L5]
	1BQ40 1DVAA	1			41, 42			QL	[DV]
	1BQ40 1L5AA	1			41, 42			QL	[L5]


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Rear, 60/40 Seat
Figure IDH-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
7	1BQ40 1DVAA	1			41, 42			VL	[DV]
	1BQ40 1L5AA	1			41, 42			VL	[L5]
									CUSHION, Rear Seat, 40%, Left
	1AY67 1DVAA	1			41, 42			M9	[DV]
	1AY67 1L5AA	1			41, 42			M9	[L5]
	1AY69 1DVAA	1			41, 42			QL	[DV]
	1AY69 1L5AA	1			41, 42			QL	[L5]
8	1AY69 1DVAA	1			41, 42			VL	[DV]
	1AY69 1L5AA	1			41, 42			VL	[L5]
									COVER, Rear Seat Cushion, 40%, Left
	1BQ39 1L5AA	1			41, 42			M9	[L5]
	1BQ39 1DVAA	1			41, 42			M9	[DV]
	1BQ41 1L5AA	1			41, 42			QL	[L5]
	1BQ41 1DVAA	1			41, 42			QL	[DV]
9					41, 42			VL	[DV]
	1BQ41 1L5AA	1			41, 42			VL	[L5]
									LATCH, Seat, 60%, Outer
	5142 382AA	1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
									LATCH, Seat, 40%, Outer
10	5142 385AA	1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
									LATCH, Seat, 60%, Inner
	5142 383AA	1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
12									LATCH, Seat, 40%, Inner
	5142 384AA	1			41, 42			M9	
		1			41, 42			QL	
		1			41, 42			VL	
									BOLT, Seat, Latch to Cushion
	5142 386AA	8			41, 42			M9	
		8			41, 42			QL	
14									BOLT, Seat, Latch to Back
	5080 730AA	4			41, 42			M9	
		4			41, 42			QL	
		4			41, 42			VL	
									BASE, Load Floor, 60%, Right

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Rear, 60/40 Seat
Figure IDH-620



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
16	5HH78 DX9AC	1			41, 42			M9	BASE, Load Floor, 40%, Left
		1			41, 42			QL	
		1			41, 42			VL	
17	5HH79 DX9AC	1			41, 42			M9	BASE, Load Floor, 40%, Right
		1			41, 42			QL	
		1			41, 42			VL	
18	6507 241AA	8			41, 42				SCREW AND WASHER, Hex Head HEADREST, Rear
19	1BP61 1L5AA	2			41, 42			M9	SLEEVE, Headrest, Non-Locking
	1BP61 1DVAA	2			41, 42			M9	
	1BP60 1DVAA	2			41, 42			QL	
20	1BP60 1L5AA	2			41, 42			QL	SLEEVE, Headrest, Locking
		2			41, 42			VL	
	1BP60 1DVAA	2			41, 42			VL	
20	5161 064AA	1			41, 42			M9	SLEEVE, Headrest, Locking
		1			41, 42			QL	
		1			41, 42			VL	
20	5161 065AA	1			41, 42			M9	SLEEVE, Headrest, Locking
		1			41, 42			QL	
		1			41, 42			VL	

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Load Floor
Figure IDH-630

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


Note: This is only used on a 60/40 seat.

1	5HH78 DX9AC	1			41, 42			M9	BASE, Load Floor, 60%
		1			41, 42			QL	
		1			41, 42			VL	
2	5083 766AA	1			41, 42			M9	SUPPORT, Rear Shelf Panel, 60%
		1			41, 42			QL	
		1			41, 42			VL	
3	5083 776AA	1			41, 42			M9	BRACKET, Mounting, 60%
		1			41, 42			QL	
		1			41, 42			VL	
4	5083 777AA	1			41, 42			M9	BRACKET, Mounting, 60%
		1			41, 42			QL	
		1			41, 42			VL	
5	5083 781AA	1			41, 42			M9	BUSHING, Pivot, This is a kit. Order one kit for each side
		1			41, 42			QL	
		1			41, 42			VL	
6	5HH79 DX9AC	1			41, 42			M9	BASE, Load Floor, 40%
		1			41, 42			QL	
		1			41, 42			VL	
7	5083 767AA	1			41, 42			M9	SUPPORT, Rear Shelf Panel, 40%
		1			41, 42			QL	
		1			41, 42			VL	
8	5083 778AA	1			41, 42			M9	BRACKET, Mounting, 40%
		1			41, 42			QL	
		1			41, 42			VL	
9	5083 779AA	1			41, 42			M9	BRACKET, Mounting, 40%
		1			41, 42			QL	
		1			41, 42			VL	
10	5083 750AA	1			41, 42			M9	KNOB
		1			41, 42			QL	

DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY		ENGINE		TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EZA = 5.7L HEMI Magnum V8		DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		ETH = 5.9LD Cummins HO		DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)				DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)				DEE = 6 Spd. Manual (5600)			
						DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Load Floor
Figure IDH-630

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			41, 42			VL	
11	5083 749AA	1			41, 42			M9	PROP, Gas
		1			41, 42			QL	
		1			41, 42			VL	
12	5083 751AA	2			41, 42			M9	PIN, Pivot, Also contains E clip.Prop Attach
		2			41, 42			QL	
		2			41, 42			VL	
-13	5083 774AA-	1			41, 42			M9	BUMPER, Rubber, Contains 4 Bumpers
		1			41, 42			QL	
		1			41, 42			VL	
14	5086 255AA	1			41, 42			M9	STRAP, Retaining, With Rivets
		1			41, 42			QL	
		1			41, 42			VL	
15	6036 443AA	2			41, 42				SNAP

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Seat Belts, Regular Cab Figure IDH-710


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55350 982AB	2			62				ADJUSTER, Seat Belt Turning Loop
2	6035 556	2							SCREW, Pan Head Tapping, .19-16x.625
3	6036 187AA	2							SCREW, Pan Head
4	6036 591AA	2							BOLT, Seat Belt
5	5HF07 TL2AC	2						O0	COVER, Adjustable Turning Loop
6									SEAT BELT, Front Outer
	5JY30 1DVAD	1			62			O0	[DV], Right
	5JY30 1L8AD	1			62			O0	[L5], Right
	5JY31 1DVAD	1			62			O0	[DV], Left
	5JY31 1L8AD	1			62			O0	[L5], Left
7	6034 395	2			62				SCREW, Pan Head, .437-20x1.79
8									BEZEL, Seat Belt
	5HJ46 WL5AB	1			62			O0	[L5]
	5HJ46 XDVAB	1			62			O0	[DV]
9									SEAT BELT, Front Center
	5HG26 1L8AE	1			62			O0	[L5]
	5HG26 XDVAE	1			62			O0	[DV]
10	6507 057AA	2			62				BOLT, Seat Belt
11	6506 600AA	2			62				BOLT, Seat Belt
12									SEAT BELT, Front Inner, Right, Buckle
	5GW36 1L8AD	1			62			M9	[L5]
	5GW36 1DVAD	1			62			M9	[DV]
	5GW36 1L8AD	1			62			P9	[L5]
	5GW36 1DVAD	1			62			P9	[DV]
	5GW36 1L8AD	1			62			TX	[L5]
	5GW36 1DVAD	1			62			TX	[DV]
	5GW36 1L8AD	1			62			V9	[L5]
	5GW36 1DVAD	1			62			V9	[DV]
		1			62			VL	[DV]
	5GW36 1L8AD	1			62			VL	[L5]
13									SEAT BELT, Front Center, Center Seat
	5HG32 1X9AD	1			62			M9	[DV, L5]
		1			62			P9	[DV, L5]
		1			62			TX	[DV, L5]
		1			62			V9	[DV, L5]
		1			62			VL	[DV, L5]
14									SEAT BELT, Buckle Half, Center Seat

DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Seat Belts, Regular Cab
Figure IDH-710

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5GW28 1L8AC	1			62			M9	[L5]
	5GW28 1DVAC	1			62			M9	[DV]
	5GW28 1L8AC	1			62			P9	[L5]
	5GW28 1DVAC	1			62			P9	[DV]
		1			62			TX	[DV]
	5GW28 1L8AC	1			62			TX	[L5]
	5GW28 1DVAC	1			62			V9	[DV]
	5GW28 1L8AC	1			62			V9	[L5]
	5GW28 1DVAC	1			62			VL	[DV]
15	5GW28 1L8AC	1			62			VL	[L5]
									SEAT BELT, Front Inner, Left, Buckle
	5GW37 1L8AD	1			62			M9	[L5]
	5GW37 1DVAD	1			62			M9	[DV]
	5GW37 1L8AD	1			62			P9	[L5]
	5GW37 1DVAD	1			62			P9	[DV]
	5GW37 1L8AD	1			62			TX	[L5]
	5GW37 1DVAD	1			62			TX	[DV]
	5GW37 1L8AD	1			62			V9	[L5]
	5GW36 1DVAD	1			62			V9	[DV]
	5GW37 1DVAD	1			62			VL	[DV]
16	5GW37 1L8AD	1			62			VL	[L5]
									BOLT, Seat Belt
	5080 637AA	2			62			M9	
		2			62			P9	
		1			62			TX	
		1			62			V9	
		2			62			VL	
17									BOLT, Seat Belt
	5096 259AA	1			62			M9	
		1			62			P9	
		1			62			TX	
		1			62			V9	
		1			62			VL	
18									BUTTON, BELT WEBBING
	5093 280AB	1			62			O0	[DV]
	5093 282AB	1			62			O0	[L5]


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005



Seat Belts, Quad Cab Figure IDH-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									ADJUSTER, Seat Belt Turning Loop
	55350 984AC	1			41, 42				Right
	55350 985AC	1			41, 42				Left
2	6035 556	2							SCREW, Pan Head Tapping, .19-16x.625
3	6036 187AA	2							SCREW, Pan Head
4	6036 591AA	2							BOLT, Seat Belt
5	5HF07 TL2AC	2						O0	COVER, Adjustable Turning Loop
6									SEAT BELT, Front Outer
	5JY32 1DVAD	1			41, 42			O0	[DV], Right
	5JY32 1L8AD	1			41, 42			O0	[L5], Right
	5JY33 1DVAD	1			41, 42			O0	[DV], Left
	5JY33 1L8AD	1			41, 42			O0	[L5], Left
7	6506 600AA	2			41, 42				BOLT, Seat Belt
8									SEAT BELT, Front Inner, Right, Buckle
	5GW36 1L8AD	1			41, 42			M9	[L5]
	5GW36 1DVAD	1			41, 42			M9	[DV]
		1			41, 42			P9	[DV]
	5GW36 1L8AD	1			41, 42			P9	[L5]
	5GW36 1DVAD	1			41, 42			QL	[DV]
	5GW36 1L8AD	1			41, 42			QL	[L5]
		1			41, 42			TX	[L5]
	5GW36 1DVAD	1			41, 42			TX	[DV]
	5GW36 1L8AD	1			41, 42			V9	[L5]
	5GW36 1DVAD	1			41, 42			V9	[DV]
		1			41, 42			VL	[DV]
	5GW36 1L8AD	1			41, 42			VL	[L5]
9									SEAT BELT, Buckle Half, Center Buckle
	5GW28 1L8AC	1			41, 42			M9	[L5]
	5GW28 1DVAC	1			41, 42			M9	[DV]
	5GW28 1L8AC	1			41, 42			P9	[L5]
	5GW28 1DVAC	1			41, 42			P9	[DV]
	5GW28 1L8AC	1			41, 42			QL	[L5]
	5GW28 1DVAC	1			41, 42			QL	[DV]
		1			41, 42			TX	[DV]
	5GW28 1L8AC	1			41, 42			TX	[L5]
	5GW28 1DVAC	1			41, 42			V9	[DV]
	5GW28 1L8AC	1			41, 42			V9	[L5]
	5GW28 1DVAC	1			41, 42			VL	[DV]


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Seat Belts, Quad Cab Figure IDH-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
10	5GW28 1L8AC	1			41, 42			VL	[L5]
									SEAT BELT, Tip Half, Center
	5GW30 XDVAC	1			41, 42			M9	[DV]
	5GW30 1L8AC	1			41, 42			M9	[L5]
	5GW30 XDVAC	1			41, 42			P9	[DV]
	5GW30 1L8AC	1			41, 42			P9	[L5]
	5GW30 XDVAC	1			41, 42			QL	[DV]
	5GW30 1L8AC	1			41, 42			QL	[L5]
		1			41, 42			TX	[L5]
	5GW30 XDVAC	1			41, 42			TX	[DV]
11	5GW30 1L8AC	1			41, 42			V9	[L5]
	5GW30 XDVAC	1			41, 42			V9	[DV]
	5GW30 1L8AC	1			41, 42			VL	[L5]
	5GW30 XDVAC	1			41, 42			VL	[DV]
									BOLT, Seat Belt
	5096 259AA	1			41, 42			M9	
		1			41, 42			P9	
		1			41, 42			QL	
		1			41, 42			TX	
		1			41, 42			V9	
12		1			41, 42			VL	
									SEAT BELT, Front Inner, Left, Buckle
	5GW37 1L8AD	1			41, 42			M9	[L5]
	5GW37 1DVAD	1			41, 42			M9	[DV]
	5GW37 1L8AD	1			41, 42			P9	[L5]
	5GW37 1DVAD	1			41, 42			P9	[DV]
	5GW37 1L8AD	1			41, 42			QL	[L5]
	5GW37 1DVAD	1			41, 42			QL	[DV]
	5GW37 1L8AD	1			41, 42			TX	[L5]
	5GW37 1DVAD	1			41, 42			TX	[DV]
13	5GW37 1L8AD	1			41, 42			V9	[L5]
	5GW37 1DVAD	1			41, 42			V9	[DV]
	5GW37 1L8AD	1			41, 42			VL	[L5]
	5GW37 1DVAD	1			41, 42			VL	[DV]
									BOLT, Seat Belt
	5080 637AA	2			41, 42			M9	
		2			41, 42			P9	
		2			41, 42			QL	
		2			41, 42			TX	
		2			41, 42			V9	


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Seat Belts, Quad Cab Figure IDH-720



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		2			41, 42			VL	
14	6034 395	2			41, 42				SCREW, Pan Head, .437-20x1.79
15	5HU37 TL2AC	2			41, 42			O0	COVER, Seat Belt Turning Loop
16	5GU98 1DVAH	2			41, 42			O0	SEAT BELT, Rear Outer [DV]
	5GU98 1L8AH	2			41, 42			O0	[L5]
17	6035 556	2			41, 42				SCREW, Pan Head Tapping, .19-16x.625
18	6036 187AA	2							SCREW, Pan Head
19	5HJ47 WL5AB	1			41, 42			O0	BEZEL, Seat Belt [L5]
	5HJ47 XDVAB	1			41, 42			O0	[DV]
20	55350 959AB	1			41, 42				COVER, Rear Seat Belt
21	6507 057AA	2			41, 42				BOLT, Seat Belt
22	6507 241AA	4							SCREW AND WASHER, Hex Head
23	YZ84 1DVAA	1			41, 42			O0	SEAT BELT, Retractor [DV]
	YZ84 1L8AA	1			41, 42			O0	[L5]
24	YZ85 1DVAA	1			41, 42			O0	SEAT BELT, Rear, Right Seat [DV]
	YZ85 1L8AA	1			41, 42			O0	[L5]
25	5GV89 1DVAD	2			41, 42			O0	SEAT BELT, Rear Inner, Center and Left Seat [DV]
	5GV89 1L8AD	2			41, 42			O0	[L5]
26	55350 981AB	3			41, 42				TETHER, Child Seat
-27	5083 695AA-	AR			41, 42			O0	EXTENDER, Seat Belt
28	5093 280AB	1			41, 42			O0	BUTTON, BELT WEBBING [DV]
	5093 282AB	1			41, 42			O0	[L5]


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Adjusters and Miscellaneous Front Seat Attachments Figure IDH-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Note: Recliner is serviced in the Frame									
1	5080 737AA	14			62			M9	NUT, Seat, Cushion to Frame
		14			41, 42			M9	
		14			62			P9	
		14			41, 42			P9	
		14			41, 42			QL	
		1			62			TX	
		14			41, 42			TX	
		14			41, 42			V9	
		1			62			V9	
		14			62			VL	
		14			41, 42			VL	
2	4886 477AA	2			62			M9	BUSHING, Pivot
		2			41, 42			M9	
		2			41, 42			P9	
		2			62			P9	
		2			41, 42			QL	
		2			62			TX	
		2			41, 42			TX	
		2			41, 42			V9	
		1			62			V9	
		2			41, 42			VL	
		2			62			VL	
3	5080 616AA	1			62			M9	ADJUSTER, Manual Seat, Passenger Side
		1			41, 42			M9	
		1			41, 42			P9	
		1			62			P9	
		1			41, 42			QL	
		1			41, 42			TX	
		1			62			TX	
		1			62			V9	
		1			41, 42			V9	
		1			62			VL	
		1			41, 42			VL	
4	5080 629AA	1			62			P9	ADJUSTER, Manual Seat, Drivers Side

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Adjusters and Miscellaneous Front Seat Attachments
Figure IDH-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
		1			62			TX	
		1			41, 42			TX	
		1			62			V9	
		1			41, 42			V9	
5									TOWEL BAR, Seat Adjuster Handle
	5080 617AA	1			62			M9	
		1			41, 42			M9	
		1			62			P9	
		1			41, 42			P9	
		1			41, 42			QL	
		1			62			TX	
		1			41, 42			TX	
		1			41, 42			V9	
		1			62			V9	
		1			62			VL	
		1			41, 42			VL	
6									HANDLE, Recliner
	WM29 DX9AA	2			62			M9	
		2			41, 42			M9	
		2			62			P9	
		2			41, 42			P9	
		2			41, 42			QL	
		2			41, 42			TX	
		2			62			TX	
		2			41, 42			V9	
		2			62			V9	
		2			41, 42			VL	
		2			62			VL	
7									SCREW, Recliner Handle
	5080 635AA	2			62			M9	
		2			41, 42			M9	
		2			62			P9	
		2			41, 42			P9	
		2			41, 42			QL	
		2			41, 42			TX	
		2			62			TX	
		2			41, 42			V9	
		1			62			V9	
		2			62			VL	
		2			41, 42			VL	
8									BOLT, Seat, Back Pivot

DODGE RAM 2500/3500 (DH)			
SERIES	LINE	BODY	ENGINE
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)	
		62 = Reg. Cab (140.5 WB)	
TRANSMISSION			
DDP = 5 Spd. Manual (4500)			
DGQ = Multi-Speed Auto.(45RFE)			
DG8 = 4 Spd. Auto.(48RE)			
DEE = 6 Spd. Manual (5600)			
DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Adjusters and Miscellaneous Front Seat Attachments Figure IDH-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	5086 165AA	4			62			M9	
		4			41, 42			M9	
		4			62			P9	
		4			41, 42			P9	
		4			41, 42			QL	
		4			41, 42			TX	
		1			62			TX	
		4			41, 42			V9	
		4			62			V9	
		4			62			VL	
		4			41, 42			VL	
-9									MODULE, Heated Seat Control
	56010 113AA-	1			62			VL	
		1			41, 42			VL	
10	5080 614AB	1			41, 42			VL	ADJUSTER, Power Seat, Passenger Side
11									ADJUSTER, Power Seat, Drivers Side
	5080 615AB	1			62			M9	
		1			41, 42			M9	
		1			41, 42			QL	
		1			62			VL	
		1			41, 42			VL	
12									SCREW, Switch Bezel to Bracket
	5080 736AA	4			41, 42			M9	
		4			62			M9	
		4			62			P9	
		4			41, 42			P9	
		4			41, 42			QL	
		4			41, 42			TX	
		4			62			TX	
		4			41, 42			V9	
		1			62			V9	
		4			62			VL	
		4			41, 42			VL	
13									BEZEL, Power Seat Switch
	ZL31 1L5AA	1			62			M9	[L5]
		1			41, 42			M9	[L5]
	ZL31 1DVAA	1			62			M9	[DV]
		1			41, 42			M9	[DV]
	ZL31 1L5AA	1			41, 42			QL	[L5]


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Adjusters and Miscellaneous Front Seat Attachments
Figure IDH-810




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
	ZL31 1DVAA	1			41, 42			QL	[DV]
	ZL31 1L5AA	1			62			VL	[L5]
		1			41, 42			VL	[L5]
	ZL31 1DVAA	1			62			VL	[DV]
		1			41, 42			VL	[DV]
14									PIN, Roll
	5083 371AA	4			62			M9	
		4			41, 42			M9	
		4			62			P9	
		4			41, 42			P9	
		4			41, 42			QL	
		1			62			TX	
		4			41, 42			TX	
		4			41, 42			V9	
		1			62			V9	
		4			41, 42			VL	
		4			62			VL	
15	6508 117AA	4							BOLT, Seat
16	6507 241AA	4							SCREW AND WASHER, Hex Head
17									BRACKET, Switch
	5179 117AA	1			41, 42			M9	Left
		1			62			M9	Left
		1			41, 42			QL	Left
		1			41, 42			VL	Left
	5179 116AA	1			41, 42			VL	Right
	5179 117AA	1			62			VL	Left

DODGE RAM 2500/3500 (DH)		BODY		ENGINE	TRANSMISSION
SERIES	LINE				
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)		EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)		ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)			DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)			DEE = 6 Spd. Manual (5600)
					DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Rear Trim Panel and Storage
Figure IDH-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cab Back Trim
	5GR33 WL5AE	1			62			O0	[L5]
	5GR33 XDVAE	1			62			O0	[DV]
2									HOOK, Coat
	5HG29 WL5AC	3			62			O0	[L5]
	5HG29 XDVAC	3			62			O0	[DV]
3	55350 937AF	1			62				BIN, Storage
4									SCREW, (NOT SERVICED) (Not Serviced)
5	55350 964AA	1			62				GROMMET, Floor
6	55350 966AA	1			62				GROMMET, Floor


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005




Group – SDH









Body Sheet Metal Except Doors



Group – SDH

Body Sheet Metal Except Doors

SDH-1100 Roof Panels 	SDH-1200 Sunroof 	SDH-1300 Tailgate 	
--	--	---	--


SDH-200 Floor Pans 	SDH-300 Plugs 	SDH-400 Front Fenders 	SDH-500 Hood & Hood Release 
SDH-600 Cowl and Dash Panel 	SDH-700 Glass and Rear View Mirror 	SDH-800 Aperture Panel 	SDH-900 Quarter Panel and Pillar 

GROUP SDH - Body Sheet Metal Except Doors

Illustration Title	Group-Fig. No.
Floor Pans	
Floor Pan	Fig. SDH-210
Floor Box and Panel	Fig. SDH-220
Plugs	
Plugs, Standard Cab	Fig. SDH-310
Plugs, Quad Cab	Fig. SDH-320
Front Fenders	
Front Fender	Fig. SDH-410
Hood & Hood Release	
Hood	Fig. SDH-510
Cowl and Dash Panel	
Cowl and Dash Panel	Fig. SDH-610
Glass and Rear View Mirror	
Windshield, Backlite and Inside Mirror	Fig. SDH-710
Aperture Panel	
Aperture Panel Bodyside, 2 Door	Fig. SDH-810
Aperture Panel Bodyside, 4 Door	Fig. SDH-820
Quarter Panel and Pillar	
Quarter Panel	Fig. SDH-910
Dual Wheel Fender	Fig. SDH-920
Roof Panels	
Roof Panel	Fig. SDH-1110
Sunroof	
Sunroof	Fig. SDH-1210
Tailgate	
Tailgate	Fig. SDH-1310



**Floor Pan
Figure SDH-210**



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55276 027AA	1			41, 42				PANEL, Front Floor Pan
		1			62				
2	55275 548AA	1			62				PANEL, Rear Floor Pan
	55275 553AA	1			41, 42				
3	55276 223AA	1			41, 42				TAPPING PLATE
		1			62				
4	55276 410AA	1			41, 42				TAPPING PLATE, Floor Crossmember
5	55276 424AD	1			41, 42				PANEL, Stowage Bin
6									SILL, Body Side
	55276 036AB	1			62				Right
	55276 037AB	1			62				Left
	55276 042AD	1			41, 42				Right
	55276 043AD	1			41, 42				Left
7									SUPPORT, Underbody Hold Down
	55275 764AE	1							Right
	55275 765AF	1							Left
8									CROSSMEMBER, Front Seat
									Retention
	55276 340AA	1			41, 42				
		1			62				
9									CROSSMEMBER, Front Seat
									Retention
	55276 412AC	1							Rear Right
	55276 413AC	1							Rear Left
10									CROSSMEMBER, Rear Floor
	55276 028AD	1							Right
	55276 029AD	1							Left
11									SILENCER, Floor Pan Front Tunnel
	55365 016AD	1							Diesel
	55365 031AA	1							Gas Only
12	6508 009AA	3							NUT, Push-On Spring, 3
13	55350 920AF	1			41, 42				SILENCER, Floor Pan, Under Rear Seat

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Floor Box and Panel
Figure SDH-220




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									REINFORCEMENT, D Pillar Upper
	55276 248AA	1							Right
	55276 249AA	1							Left
2									PANEL, Box Floor
	55275 516AA	1			41				6.5 Floor Box
	55275 517AA	1			42, 62				8 Floor Box
3	55276 086AA	1							PANEL, Front Box
4	55275 526AB	1							CROSSMEMBER, Rear Box
5	55276 912AC	1			42, 62				CROSSMEMBER, Rear Box
6	55276 802AA	1			41				CROSSMEMBER, Rear Box
7	55276 800AA	2			42, 62				CROSSMEMBER, Rear Box
8	55276 800AA	1			41				CROSSMEMBER, Rear Box
9									CROSSMEMBER, Rear Box
	55276 916AC	1			41				
		1			42, 62				
10	55275 531AD	1							SILL, Box
11	55276 534AA	1							PANEL, Cab Back
12	6030 441	2							PIN, Retainer
13	55276 459AC	1			62				REINFORCEMENT, Cab Back
14	55276 272AB	1			41, 42				REINFORCEMENT, Cab Back
15									FOOTMAN LOOP, Hold Down
	55257 382AA	2			41, 42				Folding Bench
		4			41, 42				60/40 Folding
16	6101 331	4			41, 42				BOLT, M6x1.00x20
17	6504 118	4			41, 42				U-NUT, M6 x 1.00, M6x1.00
18	55055 998AD	2							EXHAUSTER, Bodyside Aperture
19	4440 486	2							PLUG, Body, 19.05mm x 31.75mm
20	55359 234AC	2							PLUG, Body
21									BRACE, Side Rail, (NOT
									SERVICED) (Not Serviced)
22	55276 874AB	2							REINFORCEMENT, Sill

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Plugs, Standard Cab
Figure SDH-310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4646 971	8			62				PLUG, Floor Pan
2	4780 521AB	2							PLUG, Top Seal
3									PLUG, Drain, (NOT SERVICED) (Not Serviced)
4	55257 380AD	2	3, 8		42, 62				PLUG
5	5255 216	1							PLUG, Body, .875 Diameter
6	55359 234AC	2							PLUG, Body

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

Plugs, Quad Cab
Figure SDH-320




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4646 971	12			41, 42				PLUG, Floor Pan
2	4780 521AB	2							PLUG, Top Seal
3									PLUG, Drain, (NOT SERVICED) (Not Serviced)
4	55257 380AD	2	3, 8		42, 62				PLUG
5	5255 216	4			41, 42				PLUG, Body, .875 Diameter
6	55359 234AC	2							PLUG, Body

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Front Fender
Figure SDH-410



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Fender
	55276 208AD	1							Right
	55276 209AD	1							Left
	55276 970AA	1							[SRT-10], Right
	55276 971AA	1							[SRT-10], Left
2	6505 903AA	8							SCREW AND WASHER, Self Tapping, M6x1x22
3	55276 483AC	2							BRACKET, Fender Mounting
4	6507 458AA	4							NUT/RIVET, M6x1.0
5									SEAL, Fender To Cowl
	55275 656AA	1							Right
	55275 657AA	1							Left
6	55276 453AA	2							BALL STUD
7									SHIELD, Wheelhouse
	55275 834AF	1	2, 3						Right
	55275 835AF	1	2, 3						Left
	55276 798AD	1	7, 8						Right
	55276 799AD	1	7, 8						Left
8									SCREW, M4.8x1.59x16.00, (NOT SERVICED) (Not Serviced)
9	55276 850AA	1							SHIELD, Air Intake
10	6030 441	8							PIN, Retainer
11	55277 011AA	1							SHIELD, Air Intake, Diesel
12	55277 014AA	1							SHIELD, Fender
13	55276 920AA	1							PANEL, CLOSEOUT

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

Hood
Figure SDH-510



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	55275 733AE	1							HOOD
2	55275 840AC	1							HINGE, Hood
	55275 841AC	1							Right
	55275 841AC	1							Left
3	55276 321AC	2							SUPPORT, Hood Latch
4	55276 453AA	2							BALL STUD
5	6100 051	4							NUT AND WASHER, Hex Nut-Coned Washer, M8 x 1.25
6	6503 661	4							SCREW AND WASHER, Hex Head, M8x1.25x25, Hinge to Cowl
7	55275 843AB	1							STRIKER, Hood Latch
8	6101 455	4							SCREW AND WASHER, Hex Head, M6x1x20
9	55255 451AC	1							LATCH, Hood
10	55275 849AA	1							RELEASE, Hood Latch
-11	5207 294	1							GROMMET, Hood Latch Release
12	6503 794	4							CLIP, M6.3x11.2
13	55275 850AA	1							ROD, Hood Safety Catch
14	55276 482AB	2							BUMPER, Hood
15	55276 578AA	2							BUMPER, Hood to Fender
16	6505 686AA	AR							PLUG
17	55276 851AA	1							BUMPER, Hood
18	55365 043AA	1							SILENCER, Hood
19	6504 135	12							PIN, Push In, M6.3x15 LG
20	5143 056AA	1							RETAINER, Hood Latch Release Rod

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Cowl and Dash Panel
Figure SDH-610


ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Cowl Side
	55275 678AB	1							Right
	55275 679AB	1							Left
2	55275 783AE	1							PANEL, Cowl And Plenum
3	55275 789AE	1							PANEL, Cowl And Plenum
4	55275 786AB	1							SUPPORT, Steering Column
5	55277 108AA	1							PANEL, Dash
6									STUD, (NOT SERVICED) (Not Serviced)
7									INSULATION, Dash Panel
	55350 873AG	1							Diesel
	55350 892AF	1							PIN, Push
8	6507 622AA	7							PIN, Push
9	55056 006AE	1							PANEL, Cowl Top
-10	0153 634	2							SCREW
11	6505 411AA	6							PIN, Push
12	4475 385	2							PLUG
13									PLUG, Drain, (NOT SERVICED) (Not Serviced)
14	55275 977AC	1							SEAL, Hood To Plenum
15	6504 135	4							PIN, Push In, M6.3x15 LG
16	55350 922AA	1							INSULATION, Cowl Front
17	6506 099AA	3							NUT, Push-On Spring, 3
18									INSULATION, Dash Panel
	55350 881AE	1							Diesel
	55365 042AA	1							Diesel

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Windshield, Backlite and Inside Mirror
Figure SDH-710




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5101 944AC	1							WINDSHIELD, [25] Windshields
2	55276 862AA	7							SPACER, Windshield
3	55276 549AA	2							SPACER, Windshield
4									BACKLITE
	55275 539AE	1							Sliding
	55276 927AB	1							Fixed, Privacy Heated
	55277 037AA	1							Fixed, Tinted Non-Heated
5									MIRROR, Inside Rear View
	55076 403AB	1							[GNA], Day/Night
	4805 572AB	1							[GNK], Auto Dim
	5064 017AD	1							[RSP], Telematics Communication and [GNK], Auto Dim
6	6036 548AA	1							SCREW
7	5507 6401	1							BUTTON, Rear View Mirror
8	5093 514AA	1							GLASS, Backlite, Sliding, Includes Latch
9	5093 516AB	1							CHANNEL, Sliding Backlite, Upper
10	5093 515AB	1							CHANNEL, Sliding Backlite, Lower
11	5093 518AA	1							KEEPER, Outside Handle

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Aperture Panel Bodyside, 2 Door Figure SDH-810



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture, Complete
	5080 298AA	1			62				Right
	5080 299AA	1			62				Left
2									PANEL, Body Side Aperture, Outer Only
	55276 046AB	1			62				Right
	55276 047AB	1			62				Left
3									EXTENSION, Body Side Aperture
	55276 446AA	1							Right
	55276 447AA	1							Left
4									REINFORCEMENT, Front Side Rail to Dash
	55276 408AB	1							Right
	55276 409AB	1							Left
5	55275 611AF	2			62				WEATHERSTRIP, Door Opening
6	55276 957AB	2							SEAL, Body Side
7									RETAINER, Bodyside Seal
	55276 466AA	1							Right
	55276 467AA	1							Left
8									RETAINER, Bodyside Seal
	55276 200AC	1			62				Right
	55276 201AC	1			62				Left
9	6507 595AA	20			62				SCREW
10	4780 259	2							STRIKER, Door
11	6506 749AA	4							SCREW, 6 Lobed
12	55276 530AC	2			62				SEAL, Body Side
13	6503 221	2							PIN, Cab Framing
14									BAFFLE, A Pillar
	55276 016AB	1							Right
	55276 017AB	1							Left
15									REINFORCEMENT, Center Pillar
	55276 336AA	1			62				Right
	55276 337AA	1			62				Left
16									BAFFLE, A Pillar
	55275 990AA	1							Right
	55275 991AA	1							Left
17									BAFFLE, B Pillar
	55276 002AB	1			62				Right
	55276 003AB	1			62				Left

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE

1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Aperture Panel Bodyside, 4 Door
Figure SDH-820




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Body Side Aperture, Complete
	5080 306AB	1			41, 42				Right
	5080 307AB	1			41, 42				Left
2									PANEL, Body Side Aperture, Outer Only
	55276 050AB	1			41, 42				Right
	55276 051AB	1			41, 42				Left
3									EXTENSION, Body Side Aperture
	55276 446AA	1							Right
	55276 447AA	1							Left
4									REINFORCEMENT, Center Pillar
	55276 264AB	1			41, 42				Right
	55276 265AB	1			41, 42				Left
5									REINFORCEMENT, Front Side Rail to Dash
	55276 408AB	1							Right
	55276 409AB	1							Left
6	55275 609AD	2			41, 42				WEATHERSTRIP, Door Opening
7	55275 608AE	2			41, 42				WEATHERSTRIP, Door Opening
8	55276 957AB	2							SEAL, Body Side
9									RETAINER, Bodyside Seal
	55276 466AA	1							Right
	55276 467AA	1							Left
10									RETAINER, Bodyside Seal
	55275 682AC	1			41, 42				Right
	55275 683AC	1			41, 42				Left
11	6507 595AA	26			41, 42				SCREW
12	55276 941AA	2			41, 42				SEAL, Body Side
13	4780 259	2							STRIKER, Door
14	6506 749AA	4							SCREW, 6 Lobed
15									BAFFLE, A Pillar
	55275 990AA	1							Right
	55275 991AA	1							Left
16									BAFFLE, A Pillar
	55276 016AB	1							Right
	55276 017AB	1							Left
17	6503 221	2							PIN
18									REINFORCEMENT, Center Pillar
	55276 270AA	1			41, 42				Right
	55276 271AA	1			41, 42				Left

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Quarter Panel Figure SDH-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									PANEL, Box Side Outer
	5101 754AA	1							Dual Wheel, Right
	5101 755AA	1							Dual Wheel, Left
	5140 340AA	1			41				[SRT-10], Right
	5140 341AA	1			41				[SRT-10], Left
	55275 522AB	1			41				Right
	55275 523AB	1			41				Left
	55276 082AD	1			42, 62				Right
	55276 083AD	1			42, 62				Left
2									PANEL, Box Side, Inner
	55276 372AA	1			42, 62				Right
	55276 373AA	1			42, 62				Left
	55276 374AA	1			41				Right
	55276 375AA	1			41				Left
3									PANEL, D Pillar, Outer
	55276 186AA	1							Right
	55276 187AA	1							Left
4									PANEL, CLOSEOUT
	55275 524AA	1							Right
	55275 525AA	1							Left
5									REINFORCEMENT, Box Side
	55276 244AA	1			41				Right
		1			42, 62				Right
	55276 245AA	1			41				Left
		1			42, 62				Left
6	55276 182AA	2							PANEL, Wheelhouse Inner
7									PANEL, Wheelhouse
	55276 184AA	1							Right
	55276 185AA	1							Left
8	55275 514AA	4							REINFORCEMENT, Side Panel
9									REINFORCEMENT, Box Side
	55276 246AA	1			41				Right
		1			42, 62				Right
	55276 247AA	1			41				Left
		1			42, 62				Left
10									REINFORCEMENT, Tailgate Hinge
	55276 158AA	1							Right
	55276 159AA	1							Left
11									HINGE, Tailgate
	55276 230AC	1							Right
	55276 231AB	1							Left
12	6506 252AA	4							SCREW

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY

41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)

ENGINE

EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO


TRANSMISSION

DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Quarter Panel
Figure SDH-910



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
13									REINFORCEMENT, D Pillar Upper
	55276 248AA	1							Right
	55276 249AA	1							Left
14									BRACE, Side Rail
	55359 894AA	1							Front Right
	55359 895AA	1							Front Left
15									BRACE, Side Rail
	55359 892AA	1							Rear Right
	55359 893AA	1							Rear Left
16	6101 718	12							SCREW AND WASHER, Oval Head, M6x1x25
17	6101 712	2							NUT, U, M6x1
18									SHIELD, Splash
	55276 322AB	1							Right
	55276 323AB	1							Left
19									SCREW, M4.8x1.59x16.00, (NOT SERVICED) (Not Serviced)
20									BOX, Pickup
	5140 397AA	1			41				6.5 Foot, [SRT]
	5080 829AD	1			41				6.5 Foot
	5127 204AC	1			42, 62				8 Foot
	5134 666AB	1			42, 62				8 Foot, Dually
-21									SCREW AND WASHER, Hex Flange Head, M12x1.75x45, Box Hold Down
	6506 948AA-	6			41				
		8			42, 62				
22									BEDLINER KIT, Under Rail
	8220 6995	1			41				6.5 Foot
	8220 6996	1			42, 62				8 Foot
23	55275 538AC	1							DOOR, Fuel Fill
24	6503 259	2							SCREW, Tapping, M6x1x20
25	5507 6327	2							BUMPER, Fuel Door
26									BRACKET, Cargo Tie Down
	55276 782AA	2							Right
	55276 783AA	2							Left
27									TIE DOWN, Cargo
	55276 735AB	4							With Bedliner
	55276 344AB	4							Without Bedliner
28	6506 356AA	8							SCREW, M8-1.25
29	6503 943	6							RETAINER

DODGE RAM 2500/3500 (DH)

SERIES
H = SLT
L = ST

LINE
1, 6 = 1500
2, 7 = 2500
3, 8 = 3500

BODY
41 = Quad Cab (140.5 WB)
42 = Quad Cab (160.5 WB)
61 = Reg. Cab (120.5 WB)
62 = Reg. Cab (140.5 WB)


ENGINE
EZA = 5.7L HEMI Magnum V8
ETH = 5.9LD Cummins HO

TRANSMISSION
DDP = 5 Spd. Manual (4500)
DGQ = Multi-Speed Auto.(45RFE)
DG8 = 4 Spd. Auto.(48RE)
DEE = 6 Spd. Manual (5600)
DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Quarter Panel
Figure SDH-910




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
30									SCREW, M8x1.25x30, (NOT SERVICED) (Not Serviced)

DODGE RAM 2500/3500 (DH)							
SERIES	LINE	BODY	ENGINE	TRANSMISSION			
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)			
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)			
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)			
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)			
				DEG = 6 Spd. Manual			

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Dual Wheel Fender Figure SDH-920



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									FENDER, Dual Wheel
	5GX54 BR8AC	1	3, 8		42, 62				[PR8], Right
	5GX54 DX8AC	1	3, 8		42, 62				[PX8], Right
	5GX54 GW7AC	1	3, 8		42, 62				[PW7], Right
	5GX54 PR4AC	1	3, 8		42, 62				[PR4], Right
	5GX54 WB7AC	1	3, 8		42, 62				[PB7], Right
	5GX54 WS2AC	1	3, 8		42, 62				[PS2], Right
	5GX55 BR8AC	1	3, 8		42, 62				[PR8], Left
	5GX55 DX8AC	1	3, 8		42, 62				[PX8], Left
	5GX55 GW7AC	1	3, 8		42, 62				[PW7], Left
	5GX55 PR4AC	1	3, 8		42, 62				[PR4], Left
	5GX55 WB7AC	1	3, 8		42, 62				[PB7], Left
	5GX55 WS2AC	1	3, 8		42, 62				[PS2], Left
2	6101 968	26	3, 8		42, 62				NUT, M6x1.00
3	6101 818	12	3, 8		42, 62				SCREW
4									BRACKET, Box, Front
	55276 570AC	1	3, 8		42, 62				Right
	55276 571AC	1	3, 8		42, 62				Left
5									BRACKET, Box, Rear
	55276 572AC	1	3, 8		42, 62				Right
	55276 573AC	1	3, 8		42, 62				Left
6	6101 818	12	3, 8		42, 62				SCREW
7	6503 245	20	3, 8		42, 62				RIVET
8	6502 780	26	3, 8		42, 62				STUD, M6x1.0x18.0
9									FASTENER, Push Pin, (NOT SERVICED) (Not Serviced)
10									SHIELD, Splash
	55276 312AA	1	3, 8		42, 62				Right
	55276 313AA	1	3, 8		42, 62				Left
11	6032 031	12	3, 8		42, 62				NUT, Spring, .19-16
12	6502 871	10	3, 8		42, 62				RETAINER
13									REINFORCEMENT, Wheelhouse
	55276 310AA	1	3, 8		42, 62				Right
	55276 311AA	1	3, 8		42, 62				Left


DODGE RAM 2500/3500 (DH)

SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Roof Panel
Figure SDH-1110




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
Sales Code:									
[LNC] = Lamps Clearance									
1	55275 801AA	1							HEADER, Roof Front
2	55275 800AC	1							HEADER, Roof Rear
3	55275 815AB	1			41, 42				BOW, Roof
4	6030 441	2							PIN, Retainer
5									ROOF, Without Sunroof
	55275 814AA	1			41, 42				
	55275 816AA	1			62				
6									PANEL, Roof, With Sunroof
	55276 946AA	1			41, 42				Without [LNC]
	55276 949AA	1			41, 42				With [LNC]

DODGE RAM 2500/3500 (DH)									
SERIES	LINE	BODY			ENGINE		TRANSMISSION		
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)			EZA = 5.7L HEMI Magnum V8		DDP = 5 Spd. Manual (4500)		
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)			ETH = 5.9LD Cummins HO		DGQ = Multi-Speed Auto.(45RFE)		
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)					DG8 = 4 Spd. Auto.(48RE)		
		62 = Reg. Cab (140.5 WB)					DEE = 6 Spd. Manual (5600)		
							DEG = 6 Spd. Manual		

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Sunroof
Figure SDH-1210




ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	5137 559AC	1							CHANNEL, Sunroof Drain, Includes Weatherstrip
2	1AQ73 TL2AA	1							SUNSHADE, Sunroof
3	5161 614AA	1							MODULE, Sunroof
4	5137 557AA	1							MOTOR/MODULE, Sunroof
5	5137 554AC	1							DEFLECTOR, Sunroof Wind
6	5139 932AA	1							GLASS, Sunroof
7	5137 556AA	1							WIRING, Sunroof
8	5137 558AA	1							COVER, Sunroof Mechanism, Accordion Style Side Covers
9	5139 814AA	1							GUIDE, Sunroof Glass, Right
10	5139 815AA	1							GUIDE, Sunroof Glass, Left
11	55276 952AA	2							TUBE, Sunroof Drain, Front
12	55276 954AA	2							TUBE, Sunroof Drain, Rear
13	6101 455	8							SCREW AND WASHER, Hex Head, M6x1x20
14	6104 748AA	1							CLIP
-15									TRIM LACE, Sunroof, Serviced with headliner, (NOT SERVICED) (Not Serviced)

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Tailgate
Figure SDH-1310



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									TAILGATE
	55275 969AB	1							
	55276 328AA	1	3, 8		42, 62				Dual Wheel
2	55276 237AA	1							HANDLE, Tailgate
3	55276 236AD	1							CONTROL UNIT, Door
4	6100 515	2							NUT, Hex Flange Lock, M5
5	6507 306AA	2							STRIKER, Liftgate
6	55276 076AC	1							BUSHING, Tailgate Pivot
7	55276 077AB	1							BUSHING, Tailgate Pivot
8	55275 952AA	2							LATCH, Tailgate
9									SCREW, M8x1.25x19.75, (NOT SERVICED) (Not Serviced)
10	6506 949AA	2							SCREW
11	55276 074AC	2							CABLE, Tailgate
12	6506 881AA	2							SCREW, M8-1.25
13	55275 950AA	2							ROD, Tailgate Handle to Latch
14	55275 974AA	1							COVER, Tailgate
15	8220 7621	1							COVER KIT, Tailgate-Molded, With Bedliner
16	6507 447AA	10							SCREW
17									SPACER, Tailgate
	55276 589AA	AR							Thin
	55276 590AA	AR							Thick
18	55276 274AC	2							BUMPER, Tailgate

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005


Group – LBLS






Labels All Vehicle Locations

GROUP LBLS - Labels All Vehicle Locations

Illustration Title Group-Fig. No.

Interior	
Instrument Panel & Visor	Fig. LBLS-110
Under Hood	
Engine Compartment	Fig. LBLS-210
Doors	
Doors and Pillars	Fig. LBLS-310
Exterior	
Fuel Filler Door	Fig. LBLS-410
Rear Cargo & Storage	
Jack Assembly	Fig. LBLS-510




LBLS-100 Interior 	LBLS-200 Under Hood 	LBLS-300 Doors 	LBLS-400 Exterior 
LBLS-500 Rear Cargo & Storage 			

[illegible]

AR = Use as required - = Non illustrated part # = New this model year

Engine Compartment
Figure LBL5-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
------	----------------	-----	------	--------	------	--------	-------	------	-------------


NOTES: Sales Codes									
[EK0] = All 3.7L 6 Cylinder Gas Engines									
[EV0-] = All 4.7L Gas Engines									
[EM0] = All 5.9L 8 Cylinder Gas Engines									
[EZA] = Magnum 5.7L Sequential Multi Point Injected V8									
[ETC] = 5.9L Cummins 24V Diesel									
[ETH] = 5.9L High Output Cummins Turbo Diesel									
[EW0] = All 8.0L Gas Engines									
[EWA] = Magnum 80.L V10 Multi Point Injection									
[NA1] = Export Emissions									
[NAA] = Federal Emissions									
[NAS] = U.S. 50 State Emissions									
[NAE] = California Emissions									
[XKC] = Clean Fuel Fleet									
1	4215 966	1							LABEL, Equipmemt Identification
2									LABEL, Emission
	52022 162AA	1				EZA			NAA+XBS
	52022 163AA	1				EZA			NAA+Z2A+XBC
		1				EZA			NAA+Z7A+XBC
	52022 164AA	1				EZA			NAA+Z2B+XBC
		1				EZA			NAA+Z7B+XBC
	52022 165AA	1				EZA			NAS+XBS
	52022 166AA	1				EZA			NAS+Z2A+XBC
		1				EZA			NAS+Z7A+XBC
	52022 167AA	1				EZA			NAS+Z2B+XBC
		1				EZA			NAS+Z7B+XBC
	52022 168AA	1				EZA			NAE+XBS
	52022 169AA	1				EZA			NAE+Z2A+XBC
		1				EZA			NAE+Z7A+XBC
	52022 170AA	1				EZA			NAE+Z2B+XBC
		1				EZA			NAE+Z7B+XBC
	52022 171AA	1				EZA			NAE
3	5304 0076	2				ET0			LABEL, Battery Jump Start, Diesel
-4	4606 818AA-	1							LABEL, Battery, With [ABD] Sales Code
5									LABEL, Air Conditioning System, With Belt Routing
	55055 956AI	1				ET0			
	55056 343AA	1							With [HA0 + XLB]
	55056 347AA	1							With [HA0 + XLR]

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Engine Compartment Figure LBL5-210



ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
6									LABEL, Belt Routing, Serviced with item 5, (NOT SERVICED) (Not Serviced)
7									LABEL, Warning, Radiator Cap, (NOT SERVICED) (Not Serviced)
8	53015 959AA	1							LABEL, Fan Caution, Fan, Middle East Equipment Group
-9	5056 223AA-	1							LABEL, Warning Fire Extinguisher
	52128 784AA-	1							Brake Fluid


DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Figure LBLS-310

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1	4664 294AA	4			41, 42				LABEL, Air Bag Warning, English / Arabic
2	5056 072AA	2			41, 42				LABEL, Child Protection Lock, English
3									LABEL, Certification, (NOT SERVICED) (Not Serviced)
4	4040 858	1							OVERLAY, Vehicle Certification




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Fuel Filler Door
Figure LBL5-410

ITEM	PART NUMBER	QTY	LINE	SERIES	BODY	ENGINE	TRANS	TRIM	DESCRIPTION
1									LABEL, Unleaded Fuel Only, (NOT SERVICED) (Not Serviced)
2									LABEL, Fuel
	4428 652	1				ET0			
		1				ET0			With [XBC] Sales Codes
	55362 953AC	1			42, 62				[XBS,XME]
	55364 067AA	1							[XBS,XME,XLR]
	55364 068AA	1							[XBS,XME,XLB]




DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005

Jack Assembly Figure LBL5-510

[illegible]

DODGE RAM 2500/3500 (DH)				
SERIES	LINE	BODY	ENGINE	TRANSMISSION
H = SLT	1, 6 = 1500	41 = Quad Cab (140.5 WB)	EZA = 5.7L HEMI Magnum V8	DDP = 5 Spd. Manual (4500)
L = ST	2, 7 = 2500	42 = Quad Cab (160.5 WB)	ETH = 5.9LD Cummins HO	DGQ = Multi-Speed Auto.(45RFE)
	3, 8 = 3500	61 = Reg. Cab (120.5 WB)		DG8 = 4 Spd. Auto.(48RE)
		62 = Reg. Cab (140.5 WB)		DEE = 6 Spd. Manual (5600)
				DEG = 6 Spd. Manual

AR = Use as required - = Non illustrated part # = New this model year

September 19, 2005